

- C-OVARC1001360
C-OVARC1001381//Homo sapiens mRNA for candidate tumor suppressor involved in B-CLL.//6E-148//683bp//99%//AJ224819
- 5 C-OVARC1001425
C-PLACE1000005
C-PLACE1000066//SSU72 PROTEIN.//1.1E-39//206aa//43%//P53538
C-PLACE1000142//3-HYDROXYBUTYRYL-COA DEHYDRATASE (EC 4.2.1.55) (CROTONASE).//2.8E-29//134aa//43%//P52046
- 10 C-PLACE1000184//Homo sapiens mRNA for KIAA0832 protein, complete cds.//5.5E-312//1411bp//99%//AB020639
C-PLACE1000185
C-PLACE1000213//Homo sapiens mRNA for KIAA0977 protein, complete cds.//0//1904bp//99%//AB023194
C-PLACE1000347
C-PLACE1000374
- 15 C-PLACE1000380//Homo sapiens mRNA for KIAA0853 protein, partial cds.//0//2208bp//99%//AB020660
C-PLACE1000383//Homo sapiens mRNA for MTMR1 protein.//0//753bp//99%//AJ224979
C-PLACE1000401//POLIOVIRUS RECEPTOR PRECURSOR (CD155 ANTIGEN).//2.7E-30//352aa//31%//P15151
C-PLACE1000406//PTB-ASSOCIATED SPLICING FACTOR (PSF).//1.2E-132//334aa//72%//P23246
- 20 C-PLACE1000420//7.8-DIHYDRO-8-OXOGUANINE TRIPHOSPHATASE (EC 3.1.6.-) (8-OXO-DGTPASE).//0.0000028//134aa//29%//P53368
C-PLACE1000435
C-PLACE1000444
C-PLACE1000562
- 25 C-PLACE1000564
C-PLACE1000588//INTERFERON-INDUCED GUANYLATE-BINDING PROTEIN 1 (GUANINE NUCLEOTIDE-BINDING PROTEIN 1).//1.6E-270//437aa//86%//P32455
C-PLACE1000596//Homo sapiens mRNA for KIAA0850 protein, complete cds.//0//2393bp//99%//AB020657
C-PLACE1000611//Rattus norvegicus neural membrane protein 35 mRNA, complete cds.//2E-55//779bp//67%//AF044201
- 30 C-PLACE1000636//MALE STERILITY PROTEIN 2.//1.2E-39//261aa//27%//Q08891
C-PLACE1000716
C-PLACE1000748
C-PLACE1000755//Homo sapiens mRNA for Helicase-MOI, complete cds.//4.6E-250//1189bp//97%//AB028449
- 35 C-PLACE1000785//Homo sapiens mRNA for KIAA0648 protein, partial cds.//0//2002bp//99%//AB014548
C-PLACE1000798
C-PLACE1000863//PUTATIVE MITOCHONDRIAL 40S RIBOSOMAL PROTEIN YHR148W.//2.5E-49//181aa//54%//P32899
- 40 C-PLACE1000909//ANKYRIN REPEAT-CONTAINING PROTEIN AKR1.//2.6E-19//404aa//26%//P39010
C-PLACE1000948
C-PLACE1000972
C-PLACE1000977//BETA-CHIMAERIN (BETA-CHIMERIN).//4.4E-22//129aa//35%//Q03070
C-PLACE1001000
- 45 C-PLACE1001092//Homo sapiens sorting nexin 4 mRNA, complete cds.//0//1500bp//99%//AF065485
C-PLACE1001257//RING CANAL PROTEIN (KELCH PROTEIN).//4.3E-54//257aa//46%//Q04652
C-PLACE1001383//ZINC-FINGER PROTEIN UBI-D4 (APOPTOSIS RESPONSE ZINC FINGER PROTEIN REQUESTED).//3E-33//138aa//42%//Q61103
C-PLACE1001387//EPIDERMAL GROWTH FACTOR RECEPTOR KINASE SUBSTRATE EPS8.//2.3E-61//132aa//46%//Q12929
- 50 C-PLACE1001399//Homo sapiens chromosome 17, clone hRPK.22_N_12, complete sequence.//0//2118bp//99%//AC005412
C-PLACE1001412
C-PLACE1001484//Homo sapiens chromosome 20 clone 387E22, WORKING DRAFT SEQUENCE, in unordered pieces.//0//1440bp//99%//AL031660
- 55 C-PLACE1001503
C-PLACE1001570
C-PLACE1001610
C-PLACE1001692//S-ACYL FATTY ACID SYNTHASE THIOESTERASE, MEDIUM CHAIN (EC 3.1.2.14)

(THIOESTERASE n).//4E-81//263aa//56%/P08635
 C-PLACE1001729
 C-PLACE1001739//PUTATIVE ATP-DEPENDENT RNA HEUCASE PL10.//3.5E-75//439aa//41%/P16381
 C-PLACE1001781//PROBABLE PHOSPHOMANNOMUTASE (EC 5.4.2.8) (PMM).//5.4E-63//427aa//35%/Q57290
 C-PLACE1001810
 C-PLACE1001817//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds.//0//1995bp//99%/AF058953
 C-PLACE1001869//L-RIBULOKINASE (EC 2.7.1.16).//2E-27//270aa//31%/P94524
 C-PLACE1001912//Homo sapiens clone 24963 mRNA sequence, complete cds.//0//1196bp//99%/AF131737
 C-PLACE1001920//Homo sapiens MDC-3.13 isoform 2 mRNA, complete cds.//0//1729bp//99%/AF099935
 C-PLACE1001928
 C-PLACE1001989//PUTATIVE AMIDASE (EC 3.5.1.4).//1.4E-78//496aa//37%/Q49091
 C-PLACE1002046//LIGATIN (FRAGMENT).//1.7E-240//560aa//80%/Q61211
 C-PLACE1002072
 C-PLACE1002073//ADENYLATE CYCLASE (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYLYL CYCLASE).//0.0000053//188aa//29%/P49606
 C-PLACE1002140
 C-PLACE1002163
 C-PLACE1002170
 C-PLACE1002433
 C-PLACE1002438//ZINC FINGER PROTEIN 151 (MIZ-1 PROTEIN).//0.0000042//133aa//29%/Q13105
 C-PLACE1002465
 C-PLACE1002529//Homo sapiens mRNA for KIAA0713 protein, partial cds.//6.7E-214//956bp//94%/AB018256
 C-PLACE1002685//Homo sapiens B cell linker protein BLNK mRNA, alternatively spliced, complete cds.//0//1750bp//99%/AF068180
 C-PLACE1002722//PROBABLE G PROTEIN-COUPLED RECEPTOR KIAA0001.//9E-45//305aa//33%/Q15391
 C-PLACE1002794
 C-PLACE1002815
 C-PLACE1002839
 C-PLACE1002851
 C-PLACE1002941
 C-PLACE1002996
 C-PLACE1003045
 C-PLACE1003092
 C-PLACE1003100//HEP27 PROTEIN (PROTEIN D).//2.6E-79//253aa//60%/Q13268
 C-PLACE1003108
 C-PLACE1003145
 C-PLACE1003174//UBIQUITIN-CONJUGATING ENZYME E2-18 KD (EC 6.3.2.19) (UBIQUITIN- PROTEIN LIGASE) (UBIQUITIN CARRIER PROTEIN) (PM42).//3.8E-37//143aa//51%/P42743
 C-PLACE1003190//SOF1 PROTEIN.//1.9E-110//325aa//48%/P33750
 C-PLACE1003200
 C-PLACE1003296//Homo sapiens mRNA; cDNA DKFZp434G173 (from clone DKFZp434G173).//0//1706bp//99%/AL080133
 C-PLACE1003302//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//6.9E-206//396aa//86%/P51522
 C-PLACE1003334
 C-PLACE1003342
 C-PLACE1003353//Homo sapiens breast cancer antiestrogen resistance 3 protein (BCAR3) mRNA, complete cds.//0//2435bp//99%/U92715
 C-PLACE1003369
 C-PLACE1003602//Homo sapiens mRNA expressed in placenta.//5.9E-278//1275bp//99%/D83200
 C-PLACE1003611
 C-PLACE1003625//ARMADILLO SEGMENT POLARITY PROTEIN.//3.2E-10//380aa//25%/P18824
 C-PLACE1003704//SPLICING FACTOR, ARGININE/SERINE-RICH 4 (PRE-MRNA SPLICING FACTOR SRP75).//8E-19//209aa//34%/Q08170
 C-PLACE1003711
 C-PLACE1003723

- C-PLACE1003762
C-PLACE1003771
C-PLACE1003784
C-PLACE1003923
5 C-PLACE1003936
C-PLACE1003968//5'-AMP-ACTIVATED PROTEIN KINASE, GAMMA-1 SUBUNIT (AMPK GAMMA-1 CHAIN).//
2.4E-124//326aa//73%//P80385
C-PLACE1004104
C-PLACE1004114
10 C-PLACE1004128//GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT 4 (TRANSDUCIN BETA
CHAIN 4).//6.1E-181//340aa//96%//P29387
C-PLACE1004149
C-PLACE1004156
C-PLACE1004161
15 C-PLACE1004183//Homo sapiens for TOM1-like protein.//0//1279bp//97%//AJ010071
C-PLACE1004197//BUTYROPHILIN PRECURSOR (BT).//4.5E-10//208aa//27%//Q62556
C-PLACE1004203//Homo sapiens GPI-anchored membrane protein CDw108 precursor, mRNA, complete cds.//
0//1882bp//99%//AF069493
C-PLACE1004258
20 C-PLACE1004270//TRANSMEMBRANE PROTEASE, SERINE 2 (EC 3.4.21.-).//9.7E-36//389aa//31%//O15393
C-PLACE1004277//Homo sapiens two pore domain K⁺ channel (TASK-2) mRNA, complete cds.//0//1498bp//99%//
AF084830
C-PLACE1004289
C-PLACE1004302//SOF1 PROTEIN.//1.9E-110//325aa//48%//P33750
25 C-PLACE1004316//H. sapiens mRNA for apoptosis specific protein.//0//1767bp//99%//Y11588
C-PLACE1004358//Homo sapiens connector enhancer of KSR-like protein CNK1 mRNA, complete cds.//0//
2512bp//99%//AF100153
C-PLACE1004376
C-PLACE1004388
30 C-PLACE1004405
C-PLACE1004428//PRISTANOYL-COA OXIDASE (EC 1.3.3.-).//1.2E-39//385aa//33%//Q63448
C-PLACE1004437//Human NAD⁺-specific isocitrate dehydrogenase beta subunit precursor, mRNA, nuclear gene
encoding mitochondrial protein, complete cds.//0//985bp//99%//U49283
C-PLACE1004451
35 C-PLACE1004460//MATERNAL TUDOR PROTEIN.//0.0000002//218aa//23%//P25823
C-PLACE1004473
C-PLACE1004510//Homo sapiens cofactor of initiator function (CIF150) mRNA, complete//1.3E-209//954bp//
99%//AF026445
C-PLACE1004516
40 C-PLACE1004548
C-PLACE1004564//CLEFTAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100
KD SUBUNIT (CPSF 100 KD SUBUNIT).//0//525aa//99%//Q10568
C-PLACE1004629//PROTEIN OS-9 PRECURSOR.//7.7E-18//264aa//32%//Q13438
C-PLACE1004645
45 C-PLACE1004646//B.taurus mRNA for retinal pigment epithelial membrane receptor p63.//4.4E-42//985bp//59%//
X66277
C-PLACE1004664
C-PLACE1004672
C-PLACE1004674//PROBABLE CALCIUM-BINDING PROTEIN ALG-2 (PMP41) (ALG-257).//1.6E-95//191aa//
96%//P12815
50 C-PLACE1004691
C-PLACE1004722
C-PLACE1004736
C-PLACE1004740
55 C-PLACE1004743//PROBABLE N-END-RECOGNIZING PROTEIN (UBIQUITIN-PROTEIN LIGASE E3 COMPO-
NENT) (N-RECOGNIN).//4.4E-35//578aa//27%//O60152
C-PLACE1004751//Homo sapiens mRNA for alpha2,3-sialyltransferase ST3Gal VI, complete cds.//7.1E-224//
790bp//98%//AB022918

- C-PLACE1004777//N-CHIMAERIN (NC) (N-CHIMERIN) (ALPHA CHIMERIN) (A-CHIMAERIN).//1.9E-32//259aa//32%//P30337
- C-PLACE1004804//ADENYLATE CYCLASE (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYL CYCLASE).//4.7E-65//695aa//29%//Q01631
- 5 C-PLACE1004814//SPLICING FACTOR, ARGININE/SERINE-RICH 4 (PRE-MRNA SPLICING FACTOR SRP75).//5.9E-19//196aa//36%//Q08170
- C-PLACE1004824
- C-PLACE1004868//MALE STERILITY PROTEIN 2.//3.9E-39//261aa//27%//Q08891
- C-PLACE1004885
- 10 C-PLACE1004902//PUTATIVE PRE-MRNA SPLICING FACTOR ATP-DEPENDENT RNA HELICASE SPAC10F6.02C.//9.3E-11//94aa//47%//O42643
- C-PLACE1004918//L-LACTATE DEHYDROGENASE M CHAIN (EC 1.1.1.27) (LDHA).//4.9E-48//198aa//44%//P06151
- C-PLACE1004930//Homo sapiens MDC-3.13 isoform 2 mRNA, complete cds.//0//1853bp//98%//AF099936
- 15 C-PLACE1004934
- C-PLACE1004937//SEL-10 PROTEIN.//6.3E-125//357aa//58%//Q93794
- C-PLACE1004969//HYPOTHETICAL 55.1 KD PROTEIN B0416.5 IN CHROMOSOME X.//2E-14//205aa//26%//Q11073
- C-PLACE1004982
- 20 C-PLACE1005026
- C-PLACE1005027
- C-PLACE1005046
- C-PLACE1005077
- C-PLACE1005101//Homo sapiens (clone zap128) mRNA, 3' end of cds.//1E-209//1031bp//96%//L40401
- 25 C-PLACE1005102//RING CANAL PROTEIN (KELCH PROTEIN).//2.6E-56//565aa//30%//Q04652
- C-PLACE1005111
- C-PLACE1005181
- C-PLACE1005187//APAG PROTEIN.//3.8E-13//122aa//36%//P05636
- C-PLACE1005206
- 30 C-PLACE1005232
- C-PLACE1005243//SERINE/THREONINE PROTEIN KINASE PKPA (EC 2.7.1.-).//1.3E-27//349aa//32%//Q01577
- C-PLACE1005261
- C-PLACE1005266
- C-PLACE1005277//Homo sapiens mRNA for KIAA0610 protein, partial cds.//3.2E-297//1341bp//100%//AB011182
- 35 C-PLACE1005287//INNER CENTROMERE PROTEIN (INCENP).//2.3E-13//269aa//28%//P53352
- C-PLACE1005305//GTP:AMP PHOSPHOTRANSFERASE MITOCHONDRIAL (EC 2.7.4.10) (AK3).//2E-111//226aa//92%//P08760
- C-PLACE1005308
- C-PLACE1005313
- 40 C-PLACE1005327
- C-PLACE1005335
- C-PLACE1005373//TRNA PSEUDOURIDINE SYNTHASE B (EC 4.2.1.70) (TRNA PSEUDOURIDINE 55 SYNTHASE) (PSI55 SYNTHASE) (PSEUDOURIDYLATE SYNTHASE) (URACIL HYDROLYASE).//8.6E-09//194aa//27%//O33335
- 45 C-PLACE1005374
- C-PLACE1005480
- C-PLACE1005481
- C-PLACE1005494//Homo sapiens mRNA for transient receptor potential protein TRP6.//0//1649bp//99%//AJ006276
- 50 C-PLACE1005530//HYPOTHETICAL 47.6 KD PROTEIN C16C10.5 IN CHROMOSOME III.//5.6E-52//173aa//57%//Q09251
- C-PLACE1005550
- C-PLACE1005554
- C-PLACE1005623
- 55 C-PLACE1005646//Homo sapiens RNA helicase-related protein mRNA, complete cds.//0//2130bp//99%//AF083255
- C-PLACE1005656//RIBONUCLEOSIDE-DIPHOSPHATE REDUCTASE M2 CHAIN (EC 1.17.4.1) (RIBONUCLEOTIDE REDUCTASE).//2.1E-148//321aa//83%//P31350

- C-PLACE1005730
C-PLACE1005755
C-PLACE1005763//S-ACYL FATTY ACID SYNTHASE THIOESTERASE, MEDIUM CHAIN (EC 3.1.2.14) (THIOESTERASE II).//2.5E-79//209aa//53%//P08635
- 5 C-PLACE1005803
C-PLACE1005804//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds.//1.1E-217//994bp//99%//AF027156
C-PLACE1005851
C-PLACE1005921//AIG1 PROTEIN.//3E-31//284aa//31%//P54120
- 10 C-PLACE1005923
C-PLACE1005925
C-PLACE1005934
C-PLACE1005936
C-PLACE1005951
- 15 C-PLACE1005953//GLYCOSYLTRANSFERASE ALG2 (EC 2.4.1.-).//6.7E-30//198aa//37%//P43636
C-PLACE1005955//VACUOLAR AMINOPEPTIDASE I PRECURSOR (EC 3.4.11.22) (POLYPEPTIDASE)/5.4E-54//455aa//32%//P14904
C-PLACE1005966//TRANSCRIPTION INITIATION FACTOR TFIIID 90 KD SUBUNIT (TAFII-90).//0.00000014//254aa//25%//P38129
- 20 C-PLACE1005990
C-PLACE1006011//Homo sapiens mRNA for poly(ADP-ribose) polymerase-2.//0//1564bp//99%//AJ236876
C-PLACE1006040//Homo sapiens mRNA for alpha endosulfine.//4.7E-161//744bp//99%//X99906
C-PLACE1006119//Homo sapiens Ran-GTP binding protein mRNA, partial cds.//1.5E-148//681bp//99%//AF039023
- 25 C-PLACE1006139
C-PLACE1006159
C-PLACE1006167
C-PLACE1006170//Homo sapiens mRNA for KIAA0899 protein, partial cds.//4.5E-293//953bp//99%//AB020706
C-PLACE1006195
- 30 C-PLACE1006196//PUTATIVE ATP-DEPENDENT RNA HELICASE C12C2.06.//2.7E-116//496aa//48%//Q09747
C-PLACE1006225
C-PLACE1006236
C-PLACE1006239//BONE PROTEOGLYCAN II PRECURSOR (PG-S2) (DECORIN).//2E-16//244aa//31%//P28675
- 35 C-PLACE1006246
C-PLACE1006325//Homo sapiens mRNA; cDNA DKFZp564J142 (from clone DKFZp564J142).//3.8E-278//1271-bp//99%//AL080066
C-PLACE1006335
C-PLACE1006357
- 40 C-PLACE1006385//Homo sapiens epsin 2a mRNA, complete cds.//0//1168bp//99%//AF062085
C-PLACE1006412
C-PLACE1006414
C-PLACE1006438//ZINC FINGER PROTEIN 165.//2.5E-45//122aa//43%//P49910
C-PLACE1006445
- 45 C-PLACE1006470
C-PLACE1006482//TRANSCRIPTION FACTOR MAFF.//7.7E-55//142aa//85%//Q90595
C-PLACE1006488//SIGNAL RECOGNITION PARTICLE 68 KD PROTEIN (SRP68).//1.1E-229//367aa//96%//Q00004
C-PLACE1006492
- 50 C-PLACE1006531
C-PLACE1006552
C-PLACE1006598//Homo sapiens clone NH0310K15, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0//2182bp//99%//AC007383
C-PLACE1006615
- 55 C-PLACE1006626//Homo sapiens mRNA for KIAA0928 protein, partial cds.//0//1760bp//99%//AB023145
C-PLACE1006673
C-PLACE1006678//Homo sapiens mRNA for type II membrane protein, complete cds, clone:HP10328.//5.8E-24//734bp//62%//AB015630

- C-PLACE1006704
C-PLACE1006731//RIBOFLAVIN KINASE (EC 2.7.1.26) (FLAVOKINASE) / FMN ADENYLYLTRANSFERASE (EC 2.7.7.2) (FAD PYROPHOSPHORYLASE) (FAD SYNTHETASE).//6.9E-13//177aa//33%/Q59263
- 5 C-PLACE1006782
C-PLACE1006819//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//9.8E-213//232aa//80%/P08547
C-PLACE1006829//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 4 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE 4) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 4) (DEUBIQUITINATING ENZYME 4) (UBIQUITOUS NUCLEAR PROTEIN).//2E-15//188aa//29%/P35123
- 10 C-PLACE1006883
C-PLACE1006901
C-PLACE1006917//HSH49 PROTEIN.//5.5E-12//97aa//35%/Q99181
C-PLACE1006932
C-PLACE1006935//HYPOTHETICAL 95.2 KD PROTEIN R144.6 IN CHROMOSOME III.//6.7E-48//278aa//41%/Q10000
- 15 C-PLACE1006956//ATP-DEPENDENT PERMEASE MDL1.//1.3E-86//522aa//36%/P97998
C-PLACE1006958//Homo sapiens mRNA for heat shock protein apg-1, complete cds.//0//1770bp//99%/AB023421
C-PLACE1006961
C-PLACE1006962
- 20 C-PLACE1006966
C-PLACE1007014//36 KD NUCLEOLAR PROTEIN HNP36 (DELAYED-EARLY RESPONSE PROTEIN 12) (DER12).//3.2E-35//180aa//33%/Q14542
C-PLACE1007021
C-PLACE1007105
- 25 C-PLACE1007178
C-PLACE1007226//PROBABLE OXYGEN-INDEPENDENT COPROPORPHYRINOGEN III OXIDASE (EC 1.-.-.-) (COPROPORPHYRINOGENASE) (COPROGEN OXIDASE).//1E-42//370aa//31%/P54304
C-PLACE1007238
C-PLACE1007239//Homo sapiens mRNA for transcription elongation factor S-II, hS-II-T1, complete cds.//6.5E-216//1068bp//96%/D50495
- 30 C-PLACE1007242
C-PLACE1007243//UNC-47 PROTEIN.//0.00000017//211aa//27%/P34579
C-PLACE1007257//Homo sapiens mRNA for dia-12c protein.//0//2052bp//99%/Y15908
C-PLACE1007274
- 35 C-PLACE1007282
C-PLACE1007301
C-PLACE1007317//Drosophila melanogaster Adrift (adrift) mRNA, complete cds.//4.1E-17//1037bp//56%/AF117649
C-PLACE1007342
- 40 C-PLACE1007346//Homo sapiens estrogen-responsive B box protein (EBBP) mRNA, complete cds.//0//2366bp//99%/AF096870
C-PLACE1007367
C-PLACE1007375//PHORBOL ESTER/DIACYLGLYCEROL-BINDING PROTEIN UNC-13.//0.00000044//127aa//30%/P27715
- 45 C-PLACE1007386
C-PLACE1007402
C-PLACE1007409//WHITE PROTEIN.//1.1E-64//428aa//32%/Q17320
C-PLACE1007416//DIPEPTIDYL PEPTIDASE IV (EC 3.4.14.5) (DPP IV) (T-CELL ACTIVATION ANTIGEN CD26) (TP103) (ADENOSINE DEAMINASE COMPLEXING PROTEIN-2) (ADABP).//8.8E-25//140aa//35%/P27487
- 50 C-PLACE1007450
C-PLACE1007452
C-PLACE1007460
C-PLACE1007484
- 55 C-PLACE1007488//PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR (RHO/RAC GEF) (FACIOGENITAL DYSPLASIA PROTEIN HOMOLOG).//5.4E-53//426aa//33%/P52734
C-PLACE1007507
C-PLACE1007511//KERATIN, TYPE I CYTOSKELETAL 19 (CYTOKERATIN 19) (K19) (CK 19).//1.4E-85//385aa//45%/P08728

- C-PLACE1007524
 C-PLACE1007537//Homo sapiens ankyrin repeat-containing protein ASB-2 mRNA, complete cds.//8.9e-316//1485bp//98%//AF159164
 C-PLACE1007544
 5 C-PLACE1007547//HYPOTHETICAL 97.1 KD PROTEIN R05D3.4 IN CHROMOSOME III.//1E-49//361aa//36%//P34537
 C-PLACE1007583
 C-PLACE1007598//ZINC FINGER PROTEIN 184 (FRAGMENT) //1.6E-143//666aa//44%//Q99676
 10 C-PLACE1007618//Homo sapiens mRNA for KIAA0977 protein, complete cds.//0.1713bp//99%//AB023194
 C-PLACE1007621
 C-PLACE1007632//POLIOVIRUS RECEPTOR PRECURSOR.//0.0000001//228aa//31%//P32506
 C-PLACE1007645
 C-PLACE1007649//Homo sapiens mRNA for KIAA0977 protein, complete cds.//0.1952-bp//99%//AB023194
 15 C-PLACE1007688//LA PROTEIN HOMOLOG (LA RIBONUCLEOPROTEIN) (LA AUTOANTIGEN HOMOLOG).//8.7E-09//279aa//28%//Q26457
 C-PLACE1007690
 C-PLACE1007697//GCN20 PROTEIN.//7.6E-119//171aa//38%//P43535
 C-PLACE1007706//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//0.13431bp//99%//AF061243
 C-PLACE1007725
 20 C-PLACE1007729//RETROVIRUS-RELATED PROTEASE (EC 3.4.23.-)//1.5E-44//231aa//42%//P10265
 C-PLACE1007730//Homo sapiens mRNA for KIAA0685 protein, complete cds.//9.2E-294//1504bp//94%//AB014585
 C-PLACE1007746
 C-PLACE1007791//Homo sapiens IDN3-B mRNA, complete cds.//0.1836bp//99%//AB019602
 25 C-PLACE1007810
 C-PLACE1007843
 C-PLACE1007846//Homo sapiens genomic DNA of 21q22.2 Down Syndrome region, segment 3/13.//0.1751bp//99%//AP000010
 C-PLACE1007858//Homo sapiens mRNA for KIAA0766 protein, complete cds.//0.13112bp//99%//AB018309
 30 C-PLACE1007897
 C-PLACE1007946//MYOSIN HEAVY CHAIN, NON-MUSCLE (ZIPPER PROTEIN) (MYOSIN II).//2.6E-14//370aa//25%//Q99323
 C-PLACE1007954
 C-PLACE1007955//Homo sapiens cyclin-D binding Myb-like protein mRNA, complete cds.//0.12252bp//99%//AF084530
 35 C-PLACE1007958//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds.//0.12300bp//99%//AF079529
 C-PLACE1007969//HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN M (HNRNP M).//1.1E-36//202aa//48%//P52272
 40 C-PLACE1007990
 C-PLACE1008000//CHANNEL ASSOCIATED PROTEIN OF SYNAPSE-110 (CHAPSIN-110) (SYNAPTIC DENSITY PROTEIN PSD-93).//6.1E-14//128aa//39%//Q63622
 C-PLACE1008002//Homo sapiens clone DJ0613C23, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.1833bp//99%//AC005628
 45 C-PLACE1008044//NUCLEAR PORE COMPLEX PROTEIN NUP107 (NUCLEOPORIN NUP107) (107 KD NUCLEOPORIN) (P105).//4.6E-318//613aa//94%//P52590
 C-PLACE1008095
 C-PLACE1008122
 C-PLACE1008129
 50 C-PLACE1008132//HYPOTHETICAL 127.4 KD PROTEIN F07F6.4 IN CHROMOSOME III.//1.3E-24//395aa//31%//Q09531
 C-PLACE1008177//TRICHOHYALIN.//2.3E-29//487aa//26%//P37709
 C-PLACE1008209
 C-PLACE1008273//COATOMER GAMMA SUBUNIT (GAMMA-COAT PROTEIN) (GAMMA-COP).//1.3E-283//671aa//77%//P53620
 55 C-PLACE1008275//DNA REPAIR PROTEIN REV1 (EC 2.7.7.-).//2.3E-18//162aa//37%//P12689
 C-PLACE1008280
 C-PLACE1008309

- C-PLACE1008329
 C-PLACE1008356//Homo sapiens mRNA for KIAA0679 protein, partial cds.//0//1853bp//100%//AB014579
 C-PLACE1008398//GENE 33 POLYPEPTIDE.//7.3E-114//243aa//87%//IP05432
 C-PLACE1008401
 5 C-PLACE1008402//GENERAL VESICULAR TRANSPORT FACTOR P115 (TRANSCYTOSIS ASSOCIATED PROTEIN) (TAP).//0//698aa//95%//P41541
 C-PLACE1008429//ANKYRIN HOMOLOG PRECURSOR.//3.1E-11//189aa//32%//Q06527
 C-PLACE1008457
 C-PLACE1008465
 10 C-PLACE1008488
 C-PLACE1008524//Human DNA sequence from clone 34B21 on chromosome 6p12.1-21.1. Contains part of a gene for a novel protein with ZU5 domain similar to part of Tight Junction Protein ZO1 (TJP1) and UNC5 Homologs, the gene for a novel BZRP (peripheral benzodiazepine receptor).//0//1980bp//99%//AL031778
 C-PLACE1008531
 15 C-PLACE1008532
 C-PLACE1008533//101 KD MALARIA ANTIGEN (P101) (ACIDIC BASIC REPEAT ANTIGEN).//1.1E-09//62aa//48%//P22620
 C-PLACE1008568
 C-PLACE1008603//NUCLEAR PORE COMPLEX PROTEIN NUP155 (NUCLEOPORIN NUP155) (155 KD NUCLEOPORIN) (P140).//7.8E-236//453aa//96%//P37199
 20 C-PLACE1008621
 C-PLACE1008626
 C-PLACE1008627//Homo sapiens mRNA for cysteine-rich protein.//0//1850bp//99%//AJ006591
 C-PLACE1008629
 25 C-PLACE1008650//Homo sapiens pleiotropic regulator 1 (PLRG1) mRNA, complete cds.//0//1548bp//100%//AF044333
 C-PLACE1008693
 C-PLACE1008696//Homo sapiens NADH dehydrogenase-ubiquinone Fe-S protein 8 23 kDa subunit (NDUFS8) gene, nuclear gene encoding mitochondrial protein, complete cds.//0//3002bp//99%//AF038406
 30 C-PLACE1008790//IMPORTIN ALPHA-6 SUBUNIT (KARYOPHERIN ALPHA-6 SUBUNIT) (IMPORTIN ALPHA S2).//3.1E-280//533aa//98%//O35345
 C-PLACE1008808//Homo sapiens mRNA for cell cycle checkpoint protein rad1A.//2.3E-269//1225bp//99%//AJ004974
 C-PLACE1008813
 35 C-PLACE1008854
 C-PLACE1008867
 C-PLACE1008887
 C-PLACE1008902
 C-PLACE1008925
 40 C-PLACE1009020//NIFS PROTEIN.//3.9E-55//279aa//41%//P12623
 C-PLACE1009027//Homo sapiens mRNA for doublecortin.//0//1919bp//99%//AJ003112
 C-PLACE1009045
 C-PLACE1009060//BRO1 PROTEIN.//6.7E-19//567aa//24%//P48582
 C-PLACE1009090
 45 C-PLACE1009091
 C-PLACE1009094//FURIN-LIKE PROTEASE 2 PRECURSOR (EC 3.4.21.75) (FURIN 2).//1.9E-44//480aa//30%//P30432
 C-PLACE1009099//ZINC FINGER PROTEIN 41 (FRAGMENT).//1.1E-179//452aa//67%//P51814
 C-PLACE1009110
 50 C-PLACE1009111
 C-PLACE1009130//UBIQUITIN-PROTEIN LIGASE E3A (EC 6.3.2.-) (ONCOGENIC PROTEIN-ASSOCIATED PROTEIN E6-AP).//2E-68//181aa//43%//Q05086
 C-PLACE1009158
 C-PLACE1009166
 55 C-PLACE1009174
 C-PLACE1009186
 C-PLACE1009190
 C-PLACE1009230

EP 1 074 617 A2

C-PLACE1009319//Rattus norvegicus outer membrane protein (OMP25) mRNA, complete cds; nuclear gene for mitochondrial product.//2.1E-132//1229bp//75%//AF107295

C-PLACE1009328

C-PLACE1009335

5 C-PLACE1009338

C-PLACE1009368//METAL HOMEOSTASIS FACTOR ATX2.//2.5E-10//151aa//29%//Q12067

C-PLACE1009375

C-PLACE1009388

10 C-PLACE1009404//HYPOTHETICAL 105.6 KD PROTEIN C16C9.06C IN CHROMOSOME I.//0.000000047//165aa//733%//Q09820

C-PLACE1009434

C-PLACE1009443

C-PLACE1009444//PHOSPHATIDYLINOSITOL 4-KINASE ALPHA (EC 2.7.1.67) (PI4-KINASE) (PTDINS-4-KINASE) (PI4K-ALPHA).//7.8E-71//82aa//89%//P42356

15 C-PLACE1009459

C-PLACE1009468//PHOSPHOLIPASE A-2-ACTIVATING PROTEIN (PLAP).//3.1E-289//550aa//93%//P54319

C-PLACE1009476//PUTATIVE ATP-DEPENDENT RNA HELICASE T26G10.1 IN CHROMOSOME III.//3.9E-40//179aa//37%//P34580

C-PLACE1009524//ARF NUCLEOTIDE-BINDING SITE OPENER (ARNO PROTEIN) (ARF EXCHANGE FACTOR).//8.1E-99//228aa//75%//Q99418

20 C-PLACE1009542

C-PLACE1009571

C-PLACE1009581

C-PLACE1009596//VEGETABLE INCOMPATIBILITY PROTEIN HET-E-1.//5.1E-54//291aa//40%//Q00808

25 C-PLACE1009607

C-PLACE1009621

C-PLACE1009622//MATERNAL EFFECT PROTEIN STAUFEN.//1.3E-60//209aa//41%//P25159

C-PLACE1009659//MEMBRANE-ASSOCIATED PROTEIN HEM-2 (NAPI PROTEIN).//1.5E-285//538aa//99%//P55161

30 C-PLACE1009665

C-PLACE1009670//Homo sapiens genethonin 1 mRNA, complete cds.//0//1854bp//100%//AF062534

C-PLACE1009708//HYPOTHETICAL 143.3 KD TRP-ASP REPEATS CONTAINING PROTEIN C12G12.13C IN CHROMOSOME I.//7E-33//166aa//43%//Q09876

C-PLACE1009721//MSF1 PROTEIN.//1.7E-22//176aa//33%//P35200

35 C-PLACE1009731//AIG1 PROTEIN.//1.6E-22//274aa//28%//P54120

C-PLACE1009763//Homo sapiens mRNA for Nedd8-activating enzyme hUba3, complete cds.//4.3E-294//1329bp//100%//AB012190

C-PLACE1009794

40 C-PLACE1009845//Homo sapiens mRNA for KIAA0905 protein, complete cds.//0//2685bp//99%//AB020712

C-PLACE1009886

C-PLACE1009908//HYPOTHETICAL GTP-BINDING PROTEIN IN SEH1-PRP20 INTERGENIC REGION.//1.9E-108//277aa//43%//P53145

C-PLACE1009971

45 C-PLACE1009992//LIMULUS CLOTTING FACTOR C PRECURSOR (EC 3.4.21.84).//4.6E-59//450aa//34%//P28175

C-PLACE1009995//Homo sapiens mRNA; cDNA DKFZp5640123 (from clone DKFZp5640123).//0//1962bp//99%//AL080122

C-PLACE1009997//Rattus norvegicus A-kinase anchoring protein AKAP 220 mRNA, complete cds.//5.2E-70//736bp//73%//U48288

50 C-PLACE1010023

C-PLACE1010031

C-PLACE1010053//M.musculus Spnr mRNA for RNA binding protein.//6E-279//1402bp//94%//X84692

C-PLACE1010074//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//0//2019bp//99%//AF065482

C-PLACE1010076

55 C-PLACE1010096//100 KD PROTEIN (EC 6.3.2.-).//1.4E-268//506aa//98%//C62671

C-PLACE1010102

C-PLACE1010105//RING CANAL PROTEIN (KELCH PROTEIN).//7.3E-114//537aa//44%//O04652

C-PLACE1010106//Homo sapiens mRNA; cDNA DKFZp586M1418 (from clone DKFZp586M1418).//0//1974bp//

99%/AL049385

C-PLACE1010134//TRANSCRIPTION REGULATORY PROTEIN SNF2 (SWI/SNF COMPLEX COMPONENT SNF2) (REGULATORY PROTEIN SWI2) (REGULATORY PROTEIN GAM1) (TRANSCRIPTION FACTOR TYE3).//1.7E-20//156aa//42%/P22082

C-PLACE1010148//CYCLIN I (MULTIPLE-BAND POLYPEPTIDE I).//0.00000046//431aa//23%/P35662

C-PLACE1010194//SPLICING FACTOR, ARGININE/SERINE-RICH 2 (SPLICING FACTOR SC35) (SC-35) (SPLICING COMPONENT, 35 KD) (PR264 PROTEIN).//9.8E-11//95aa//49%/Q01130

C-PLACE1010202

C-PLACE1010261//SEGREGATION DISTORTER PROTEIN.//1.6E-77//214aa//62%/P25722

C-PLACE1010274//Homo sapiens mRNA; cDNA DKFZp5640123 (from clone DKFZp5640123).//0//1964bp//99%/AL080122

C-PLACE1010293

C-PLACE1010321//NON-GREEN PLASTID TRIOSE PHOSPHATE TRANSLOCATOR PRECURSOR (CTPT).//1.1E-09//350aa//22%/P52178

C-PLACE1010324

C-PLACE1010329

C-PLACE1010362//1-PHOSPHATIDYLINOSITOL PHOSPHODIESTERASE PRECURSOR (EC 3.1.4.10) (PHOSPHATIDYLINOSITOL-SPECIFIC PHOSPHOLIPASE C) (PI-PLC).//0.000000002//126aa//29%/P34024

C-PLACE1010364

C-PLACE1010383

C-PLACE1010481//Homo sapiens mRNA for KIAA0836 protein, partial cds.//0//2121bp//99%/AB020643

C-PLACE1010491

C-PLACE1010492

C-PLACE1010522//Homo sapiens mRNA for DEPP (decidual protein induced by progesterone), complete cds.//0//1981bp//99%/AB022718

C-PLACE1010529

C-PLACE1010547//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//0.00000012//616aa//24%/P253 86

C-PLACE1010599//Homo sapiens Pex14 mRNA for peroxisomal membrane anchor protein, complete cds.//0//1904bp//99%/AB017546

C-PLACE1010616

C-PLACE1010622//TROPONIN T, CARDIAC MUSCLE ISOFORMS (TNTC).//0.00000016//120aa//28%/P02642

C-PLACE1010629

C-PLACE1010630

C-PLACE1010661//TESTIS-SPECIFIC PROTEIN PBS13.//5.7E-75//423aa//39%/Q01755

C-PLACE1010714

C-PLACE1010720//Homo sapiens mRNA for chromosome-associated polypeptide-C, complete cds.//4E-299//1091bp//99%/AB019987

C-PLACE1010743//Homo sapiens myosin-IXb splice variant (Myo9b) mRNA, partial cds.//8.9E-91//668bp//82%/AF020267

C-PLACE1010771//M.musculus HCNGP mRNA.//7.4E-168//966bp//89%/X68061

C-PLACE1010786

C-PLACE1010800

C-PLACE1010811

C-PLACE1010870//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//1.3E-143//407aa//58%/Q05481

C-PLACE1010877//Homo sapiens mRNA for KIAA0610 protein, partial cds.//0//1885bp//99%/AB011182

C-PLACE1010900

C-PLACE2000050

C-PLACE4000522//NEUROGENIC LOCUS NOTCH PROTEIN HOMOLOG PRECURSOR (XOTCH PROTEIN)-//2.4E-191//828aa//48%/P21783

C-PLACE4000590

C-PLACE4000638

C-PLACE4000650//TUBERIN (TUBEROUS SCLEROSIS 2 HOMOLOG PROTEIN).//7.9E-17//201aa//34%/P49816

C-Y79AA1001647

Homology Search Result Data 7.

[0315] The result of the homology search of the SwissProt using the 5'-end sequence (54 clones selected in EXAM-
PLE 16).

[0316] Data include

the name of clone,
definition of the top hit data,
the P-value: the length of the compared sequence: identity (%), and
the organism and the Accession No. of the top hit data, as in the order separated by //.

[0317] Data are not shown for the clones in which the P-value was higher than 1.

F-HEMBA1000497//METALLOTHIONEIN-LIKE PROTEIN 2A (MT-2A) (MT-K) (MT-1G).//0.13//52//38//P25860
F-HEMBA1001750//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 64E (EC 3.1.2.15) (UBIQUITIN THI-
OLESTERASE 64E) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 64E) (DEUBIQUITINATING ENZYME
64E).//2.2e-28//104//59//Q24574
F-HEMBA1003854//VERPROLIN.//0.012//138//31//P37370
F-HEMBA1004193//NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4L (EC 1.6.5.3) (FRAGMENT).//0.93//39//
33//Q37131
F-HEMBA1004860//HIGH POTENTIAL IRON-SULFUR PROTEIN, ISOZYME 2 (HiPIP 2).//0.90//20//50//P38524
F-HEMBA1005572//ZINC FINGER PROTEIN 124 (HZF-16).//7.6e-46//141//58//Q15973
F-HEMBA1006038//COLLAGEN ALPHA 1(XII) CHAIN (FRAGMENT).//0.0033//32//46//P70560
F-HEMBA1006092//VERPROLIN.//1.0//62//35//P37370
F-HEMBA1006406//MATING PHEROMONE ER-10 PRECURSOR (EUPLOMONE R10).//0.30//41//36//P12350
F-HEMBA1006650//MATING-TYPE PHEROMONE BAP1(2) PRECURSOR.//0.089//21//52//Q02593
F-HEMBA1006812//HEAT SHOCK PROTEIN HTGA (HEAT SHOCK PROTEIN HTPY).//0.38//156//30//P28697
F-HEMBA100672
F-HEMBA1001197//DNA-BINDING PROTEIN 65 (PROTEIN GP65).//1.0//30//36//P16012
F-HEMBA1001871//BONE/CARTILAGE PROTEOGLYCAN I PRECURSOR (BIGLYCAN) (PG-S1).//3.7e-54//
241//47//P47853
F-MAMMA1001252//HYPOTHETICAL 9.1 KD PROTEIN IN NIRQ 3'REGION (ORF3).//0.59//48//39//Q51483
F-MAMMA1002094
F-NT2RM4000634//T-CELL RECEPTOR BETA CHAIN PRECURSOR (ANA 11).//0.26//58//27//P06333
F-NT2RM4000657//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE DELTA 1 (EC
3.1.4.11) (PLC-DELTA-1) (PHOSPHOLIPASE C-DELTA-1) (PLC-III) (FRAGMENT).//8.9e-20//83//48//P10895
F-NT2RM4000783//ZINC FINGER PROTEIN (FRAGMENT).//1.0//42//40//P19326
F-NT2RM4000857//INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN COMPLEX ACID LABILE CHAIN
PRECURSOR (ALS).//6.0e-23//207//32//Q02833
F-NT2RM4001178//HOMEBOX PROTEIN OTX3 (ZOTX3).//0.012//156//28//Q90267
F-NT2RM4002420//GLUTAMIC ACID-RICH PROTEIN PRECURSOR.//0.0012//81//37//P13816
F-NT2RP2000198//CREB-BINDING PROTEIN.//0.29//98//37//Q92793
F-NT2RP2000551//PROTEIN Q300.//0.00017//23//60//Q02722
F-NT2RP2000660//HYPOTHETICAL PROTEIN MJ0401.//1.0//41//29//Q57844
F-NT2RP2001214//MALE SPECIFIC SPERM PROTEIN MST84DC.//0.27//13//61//Q01644
F-NT2RP2001460//PROTEIN KINASE C-LIKE (EC 2.7.1.-).//0.089//99//29//Q09014
F-NT2RP2001756//ZINC FINGER PROTEIN MFG-1 (ZINC FINGER PROTEIN 58) (FRAGMENT).//4.0e-13//177//
28//P16372
F-NT2RP2002056//HYPOTHETICAL 6.0 KD PROTEIN IN TH12 5'REGION.//0.37//12//75//P53820
F-NT2RP2002677//NONSPECIFIC LIPID-TRANSFER PROTEIN 3 PRECURSOR (LTP 3).//0.99//61//32//Q42616
F-NT2RP2002755//OCTAPEPTIDE-REPEAT PROTEIN T2.//3.3e-10//90//35//Q06666
F-NT2RP2002843//CYTOCHROME B.//0.78//103//26//P48884
F-NT2RP2003101//ATPASE INHIBITOR, MITOCHONDRIAL HOMOLOG.//0.40//28//46//P37209
F-NT2RP2003799//HYPOTHETICAL PROTEIN MJ0116.1.//0.80//55//32//P81303
F-NT2RP2004095
F-NT2RP2004732
F-NT2RP2004920//HISTIDINE-RICH, METAL BINDING POLYPEPTIDE.//0.18//18//55//Q48251
F-NT2RP2005454

F-NT2RP2005776//POLY(A) POLYMERASE (EC 2.7.7.19) (PAP) (POLYNUCLEOTIDE ADENYLYLTRANSFERASE) (FRAGMENT) //7.4e-38//136//41//P51003

F-NT2RP2005806//A-AGGLUTININ ATTACHMENT SUBUNIT PRECURSOR //4.0e-08//180//28//P32323

F-NT2RP2005882

F-NT2RP3001282//METHYL-ACCEPTING CHEMOTAXIS PROTEIN TLPB. //0.0022//69//39//P39217

F-NT2RP3001723//TRANSCRIPTIONAL REGULATORY PROTEIN ALGP (ALGINATE REGULATORY PROTEIN ALGR3) //0.00035//127//31//P15276

F-NT2RP3002099//NONHISTONE CHROMOSOMAL PROTEIN HMG-17 //0.97//71//28//P05204

F-NT2RP3003155//CCAAT DISPLACEMENT PROTEIN (HOMEOBOX PROTEIN CLOX) (CLOX-1) (FRAGMENT) //0.064//110//34//P39881

F-NT2RP3004028//NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 5 (EC 1.6.5.3) (FRAGMENT) //0.020//95//29//P15583

F-OVARC1000008//SKIN SECRETORY PROTEIN XP2 PRECURSOR (APEG PROTEIN) //2.8e-05//165//29//P17437

F-OVARC1000724//SALIVARY PROLINE-RICH PROTEIN PO (ALLELE K) [CONTAINS: PEPTIDE P-D] (FRAGMENT) //0.035//152//30//P10162

F-OVARC1000751//TRANS-ACTING TRANSCRIPTIONAL PROTEIN ICPO (VMW118 PROTEIN) //0.38//124//31//P28284

F-OVARC1001029

F-PLACE1000814//EC PROTEIN HOMOLOG 2 (FRAGMENT) //0.45//61//24//I042377

F-PLACE1003030//GALECTIN-3 (GALACTOSE-SPECIFIC LECTIN 3) (MAC-2 ANTIGEN) (IGE-BINDING PROTEIN) (35 KD LECTIN) (CARBOHYDRATE BINDING PROTEIN 35) (CBP 35) (LAMININ-BINDING PROTEIN) (LECTIN L-29) //0.70//121//32//P47845

F-PLACE1005549//RHO1 GDP-GTP EXCHANGE PROTEIN 1 (PROTEIN KINASE C SUPPRESSOR SKC1) //3.2e-08//205//24//P53046

F-PLACE1007218//IG KAPPA CHAIN V-III REGION (PC 7210) //0.99//52//38//P01668

Homology Search Result Data 8.

[0318] The result of the homology search of the GenBank using the clone sequence of 5'-end (54 clones selected in EXAMPLE 16.) except EST and STS.

[0319] Data include

the name of clone,

definition of the top hit data,

the P-value: the length of the compared sequence: identity (%), and

the Accession No. of the top hit data, as in the order separated by //.

[0320] Data are not shown for the clones in which the P-value was higher than 1.

F-HEMBA1000497

F-HEMBA1001750//Human mitochondrial genes for several tRNAs (Phe, Val, Leu) and 12S and 16S ribosomal RNAs //6.6e-101//473//99//V00710

F-HEMBA1003854//Homo sapiens clone RG270D13, *** SEQUENCING IN PROGRESS ***, 18 unordered pieces //1.7e-05//412//61//AC005081

F-HEMBA1004193//Human BAC clone RG343H22 from 7q31, complete sequence //0.77//466//59//AC002386

F-HEMBA1004860//Human pigment epithelium-derived factor gene, complete cds //6.7e-07//492//57//U29953

F-HEMBA1005572//H2F-16=Kruppel-related zinc finger gene homolog [alternatively spliced] [human, hepatoblastoma cell line, HEP-G2, mRNA, 2080 nt] //2.9e-47//341//77//S54641

F-HEMBA1006038//Human DNA sequence from clone 989H11 on chromosome 22q13.1-13.2, complete sequence //0.28//436//59//Z83851

F-HEMBA1006092//Human chromosome 16p13.11 BAC clone CIT987SK-29B12 complete sequence //0.28//309//60//U95738

F-HEMBA1006406//HS_2268_B2_C07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2268 Col=14 Row=F, genomic survey sequence //3.7e-69//340//99//AQ070566

F-HEMBA1006650//H.sapiens CpG island DNA genomic Mse1 fragment, clone 5h5, forward read cpG5h5.f1a //9.4e-24//143//96//Z55730

F-HEMBA1006812//X.laevis xUBFalpal mRNA for upstream binding factor 2 //0.96//234//64//X59863

- F-HEMBB1000672//CIT-HSP-2350H6.TF CIT-HSP Homo sapiens genomic clone 2350H6, genomic survey sequence.//1.1e-68//37//94//AQ059158
- F-HEMBB1001197//Drosophila melanogaster strawberry notch (sno) mRNA, complete cds.//2.8e-10//229//66//U95760
- 5 F-HEMBB1001871//Equus caballus dermatan sulfate proteoglycan II mRNA, complete cds.//1.2e-27//619//62//AF038127
- F-MAMMA1001252
- F-MAMMA1002094//H.sapiens CpG island DNA genomic MseI fragment, clone 184g7, forward read cpq184g7.ft1a.//3.4e-29//167//97//Z59993
- 10 F-NT2RM4000634//Chionoecetes opilio (clone COP41) DNA microsatellite repeat regions.//1.4e-21//230//73//L49136
- F-NT2RM4000657//Human mRNA for phospholipase C, complete cds.//0.029//245//61//D42108
- F-NT2RM4000783//Homo sapiens chromosome 16, cosmid clone 330D11 (LANL), complete sequence.//3.7e-36//324//70//AC005199
- 15 F-NT2RM4000857//RPC11-49P19.TJ RPC1-11 Homo sapiens genomic clone RPC1-11-49P19, genomic survey sequence.//1.5e-62//322//97//AQ051961
- F-NT2RM4001178//Streptomyces coelicolor cosmid 7H1.//0.0025//296//62//AL021411
- F-NT2RM4002420//Homo sapiens chromosome 17, clone hRPK.63_A_1, complete sequence.//0.00013//121//76//AC005670
- 20 F-NT2RP2000198//Human platelet glycoprotein IX mRNA, 3' end.//0.016//246//62//M25827
- F-NT2RP2000551//Rattus norvegicus microsatellite sequence clone 82G9.//2.0e-08//233//69//AJ233812
- F-NT2RP2000660//Homo sapiens chromosome 19, cosmid R30953, complete sequence.//0.0073//209//66//AC005622
- F-NT2RP2001214
- 25 F-NT2RP2001460//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//1.0//80//76//AC005189
- F-NT2RP2001756//CIT-HSP-2373P1.TR CIT-HSP Homo sapiens genomic clone 2373P1, genomic survey sequence.//3.0e-38//220//94//AQ110589
- F-NT2RP2002056//Genomic sequence from Human 17, complete sequence.//1.2e-80//317//91//AC002094
- 30 F-NT2RP2002677//Homo sapiens chromosome 10 clone CIT987SK-1031G15 map 10q25, *** SEQUENCING IN PROGRESS ***, 1 ordered pieces.//0.032//141//70//AC006097
- F-NT2RP2002755//Homo sapiens genomic DNA of 21q22.2 Down Syndrome region, segment 9/13.71.8e-22//377//69//AP000018
- F-NT2RP2002843//Homo sapiens BAC clone RG030L05 from 7q22, complete sequence.//6.5e-16//311//63//AC005050
- 35 F-NT2RP2003101//Human FMR1 gene, 5' end.//0.32//105//67//L19476
- F-NT2RP2003799//Human DNA for 5' terminal region of LINE-1 transposable element clone CGL1-4.//1.6e-33//119//96//X52233
- F-NT2RP2004095//HS_3083_A1_A02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3083 Col=3 Row=A, genomic survey sequence.//1.0e-14//154//79//AQ106698
- 40 F-NT2RP2004732//CIT-HSP-631P16.TP CIT-HSP Homo sapiens genomic clone 631P16, genomic survey sequence.//2.3e-20//120//99//B79035
- F-NT2RP2004920//Plasmodium falciparum MAL3P4, complete sequence.//0.030//397//59//AL008970
- F-NT2RP2005454//Plasmodium falciparum chromosome 2, section 47 of 73 of the complete sequence.//0.97//455//56//AE001410
- 45 F-NT2RP2005776//H.sapiens PAP mRNA.//1.0e-33//451//68//X76770
- F-NT2RP2005806//Mus musculus sex determining protein (Sry) gene, complete cds.//0.029//412//60//U07052
- F-NT2RP2005882//Human DNA sequence from PAC 389A20 on chromosome X contains ESTs STS, CpG islands and polymorphic CA repeat.//9.4e-25//155//90//Z93242
- 50 F-NT2RP3001282//RPC11-52L16.TJ RPC1-11 Homo sapiens genomic clone RPC1-11-52L16, genomic survey sequence.//3.2e-21//122//100//AQ052775
- F-NT2RP3001723//H.sapiens CpG island DNA genomic MseI fragment, clone 13g5, reverse read cpq13g5.ft1a.//2.2e-18//163//85//Z56771
- 55 F-NT2RP3002099//Homo sapiens chromosome 17, clone hCIT.296_K_1, complete sequence.//1.1e-76//351//86//AC005180
- F-NT2RP3003155
- F-NT2RP3004028//Sequence 1 from patent US 5618695.//3.3e-13//217//70//I40055

F-OVARC1000008//0.0040//674//57//M82836
 F-OVARC1000724//Herpes simplex virus type I immediate early (IE) gene 3 for transcriptional activator IE175 (= ICP 4)//1.1e-07//519//59//X06461
 F-OVARC1000751//Homo sapiens DNA from chromosome 19, cosmid R29144, complete sequence//1.7e-11//509//62//AC004221
 F-OVARC1001029//Human DNA sequence from clone 19408 on chromosome 6q24.1-25.3 Contains STS and GSSs, complete sequence//1.1e-05//388//61//AL031769
 F-PLACE1000814//Homo sapiens BAC clone GS011E15 from 5q31, complete sequence//1.4e-84//717//78//AC002427
 F-PLACE1003030
 F-PLACE1005549//Human guanine nucleotide regulatory protein (NET1) mRNA, complete cds.//4.9e-56//709//68//U02081
 F-PLACE1007218//Homo sapiens chromosome 20 clone RP3-387E22, *** SEQUENCING IN PROGRESS ***, in unordered pieces.//3.1e-39//214//98//AL031660

Homology Search Result Data 9.

[0321] The result of the homology search of the GenBank using the clone sequence of 3'-end (54 clones selected in EXAMPLE 16.) except EST and STS.

[0322] Data include

the name of clone,
 definition of the top hit data,
 the P-value: the length of the compared sequence: identity (%), and
 the Accession No. of the top hit data, as in the order separated by //.

[0323] Blank indicates that the 3'-end sequence corresponding to the 5'-end was not determined in the clone.

[0324] Data are not shown for the clones in which the P-value was higher than 1.

R-HEMBA1000497//***ALU WARNING: Human Alu-J subfamily consensus sequence.//1.4e-38//185//84//U14567
 R-HEMBA1001750//Hansenula wingiel mitochondrial DNA, complete sequence.//1.7e-07//399//59//D31785
 R-HEMBA1003854//Human DNA sequence from clone Z24A6 on chromosome 1p35.1-36.23 Contains part of a gene similar to Mouse Wnt-4 protein, the gene for CDC42 (cell division cycle 42 (GTP-binding protein, 25kD)), ESTs, STSs, GSSs and a CpG Island, complete sequence.//1.4e-75//309//85//AL031281
 R-HEMBA1004193//***ALU WARNING: Human Alu-J subfamily consensus sequence.//1.1e-34//188//81//U14567
 R-HEMBA1004860//Homo sapiens 12q13.1 PAC RPCI3-197B17 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.3e-06//239//66//AC004241
 R-HEMBA1005572//Homo sapiens chromosome 21 PAC RPCIP704E14135Q2, complete sequence.//3.1e-21//341//67//AJ010598
 R-HEMBA1006038//Homo sapiens chromosome 19, cosmid R34094, complete sequence.//1.7e-24//307//71//AC004678
 R-HEMBA1006092//H. Sapiens mRNA for alpha2-subunit of soluble guanylyl cyclase.//0.76//246//62//X63282
 R-HEMBA1006406//Human DNA sequence from clone 113J7 on chromosome Xp11.22-11.4 Contains part of a putative Homeobox (pseudo?) gene, ESTs and an STS, complete sequence.//1.3e-31//297//77//AL023574
 R-HEMBA1006650//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//1.8e-15//350//65//AC003071
 R-HEMBA1006812//Homo sapiens chromosome X clone RP3-424J12, *** SEQUENCING IN PROGRESS ***, in unordered pieces.//1.8e-55//430//81//Z82207
 R-HEMBA100672//Homo sapiens clone UWGC:y54c283 from 6p21, complete sequence.//9.1e-39//437//71//AC006166
 R-HEMBA1001197//Homo sapiens PAC clone DJ0964C11 from 7p14-p15, complete sequence.//1.5e-37//275//85//AC004593
 R-HEMBA1001871//Plasmodium falciparum chromosome 12 clone 3D7, *** SEQUENCING IN PROGRESS ***, 5 unordered pieces.//0.00097//410//59//AC004688
 R-MAMMA1001252//Homo sapiens clone 201104, *** SEQUENCING IN PROGRESS ***, 4 unordered pieces.//2.9e-13//364//64//AC004529
 R-MAMMA1002094//HS_3163_A1_A09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3163 Col=17 Row=A, genomic survey sequence.//5.9e-41//256//91//AQ141441

- R-NT2RM4000634//Homo sapiens chromosome 19, cosmid R30783, complete sequence.//1.6e-21//283//73//AC005258
- R-NT2RM4000657
- R-NT2RM4000783
- 5 R-NT2RM4000857//RPC11-63K2.TK RPC1-11 Homo sapiens genomic clone RPC1-11-63K2, genomic survey sequence.//4.0e-07//62//98//AQ203073
- R-NT2RM4001178
- R-NT2RM4002420
- 10 R-NT2RP2000198//Homo sapiens Chromosome 16 BAC clone CIT987-SK37914 -complete genomic sequence, complete sequence.//0.58//108//67//AC002307
- R-NT2RP2000551//Homo sapiens DNA, pseudautosomal boundary-like sequence PABL2.//6.2e-72//391//87//D30043
- R-NT2RP2000660//Homo sapiens chromosome 17, clone hRPK.640_1_15, complete sequence.//0.0058//166//69//AC005324
- 15 R-NT2RF2001214//Saccharomyces douglasii mitochondrial tRNA-Ser and tRNA-Phe genes, partial sequence, and Var1p (var1) gene, mitochondrial gene encoding mitochondrial protein, complete cds.//0.93//117//65//U49822
- R-NT2RP2001460
- R-NT2RP2001756//CIT-HSP-2382021.TR CIT-HSP Homo sapiens genomic clone 2382021, genomic survey sequence.//3.4e-91//507//92//AQ114228
- 20 R-NT2RP2002058//Homo sapiens DNA sequence from PAC 95C20 on chromosome Xp11.3-11.4. Contains STSs and the DXS7 locus with GT and GTC repeat polymorphisms, complete sequence.//0.00022//225//69//Z97181
- R-NT2RP2002677//CIT-HSP-2349K20.TF CIT-HSP Homo sapiens genomic clone 2349K20, genomic survey sequence.//3.1e-29//178//94//AQ062168
- R-NT2RP2002755//Human DNA sequence from cosmid U65A4, between markers DXS366 and DXS87 on chromosome X *.//5.3e-39//449//72//Z81014
- 25 R-NT2RP2002843//Homo sapiens chromosome 17, clone hRPK.22_N_12, complete sequence.//0.0097//498//59//AC005412
- R-NT2RP2003101//CIT-HSP-238301.TR CIT-HSP Homo sapiens genomic clone 238301, genomic survey sequence.//1.2e-32//344//75//AQ196754
- 30 R-NT2RP2003799//3.6e-05//408//60//AL010237
- R-NT2RP2004095//Plasmodium falciparum chromosome 4 strain 3D7, *** SEQUENCING IN PROGRESS ***, in unordered pieces.//2.1e-10//455//61//AL034557
- R-NT2RP2004732//Human DNA sequence from clone 703H14 on chromosome 1q23.2-24.3 Contains 3' end of a novel gene, ESTs, CA repeat(D1S445), STS, GSSs, complete sequence.//5.1e-51//383//74//AL031287
- 35 R-NT2RP2004920//Homo sapiens chromosome 5, P1 clone 878H11 (LBNL H45), complete sequence.//0.062//315//61//AC005219
- R-NT2RP2005454//Human DNA sequence from PAC 121G13 on chromosome 6 contains flow sorted chromosome 6 HindDIII fragment ESTs, polymorphic CA repeat, CpG island, CpG island genomic fragments.//0.75//246//63//Z86062
- 40 R-NT2RP2005776//Homo sapiens PAC clone DJ1189D06 from 7p15.3-p14, complete sequence.//0.91//232//61//AC005232
- R-NT2RP2005806//Human neurofibromatosis type 1 (NF1) gene, intron 19a, complete sequence.//1.3e-19//405//66//U37368
- R-NT2RP2005882//Plasmodium falciparum MAL3P1, complete sequence.//1.1e-09//533//60//Z97348
- 45 R-NT2RP3001282//Plasmodium falciparum MAL3P8, complete sequence.//0.00026//499//58//AL034560
- R-NT2RP3001723//Human BAC clone RG354L07 from 7q31, complete sequence.//0.00035//337//61//AC002466
- R-NT2RP3002099//Homo sapiens chromosome 17, clone hCIT.296_K_1, complete sequence.//1.8e-44//307//86//AC005180
- R-NT2RP3003155
- 50 R-NT2RP3004028//F14A6-Sp6 IGF Arabidopsis thaliana genomic clone F14A6, genomic survey sequence.//0.95//95//65//B21351
- R-OVARC1000008
- R-OVARC1000724//Homo sapiens BAC clone RG017K18 from 7q31, complete sequence.//0.91//83//71//AC005161
- 55 R-OVARC1000751//HS_2222_A2_C09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2222 Col=18 Row=E, genomic survey sequence.//2.8e-12//176//72//AQ033143
- R-OVARC1001029//Homo sapiens Xp22 Cosmid U151G1 (from Lawrence Livermore X library) and PAC RPC11-93D11 (from Roswell Park Cancer Center) complete sequence.//1.2e-09//165//75//AC002357

R-PLACE1000814//Homo sapiens BAC clone GS465N13 from 7p15-p21, complete sequence.//6.2e-52//514//75//AC004744

R-PLACE1003030//Homo sapiens snRNA activating protein complex 190kD subunit (SNAP190)mRNA, complete cds.//9.6e-33//225//90//AF032387

R-PLACE10e5549//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K19P17, complete sequence.//0.097//323//6//AB007644

R-PLACE1007218//Homo sapiens chromosome 20 clone RP3-387E22, *** SEQUENCING IN PROGRESS ***, in unordered pieces.//1.1e-88//497//91//AL031660

Homology Search Result Data 10.

[0325] The result of the homology search of the Human Unigene using the clone sequence of 5'-end (54 clones selected in EXAMPLE 16.) .

[0326] Data include

the name of clone,
title of the top hit data,
the P-value: the length of the compared sequence: identity (%), and
the Accession No. of the top hit data, as in the order separated by //.

[0327] Data are not shown for the clones in which the P-value was higher than 1.

F-HEMBA1000497//Iou15a11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1626332 3' mRNA sequence.//1.0//186//65//AI018130

F-HEMBA1001750//Human mRNA for TI-227H.//2.5e-101//473//99//D50525

F-HEMBA1003854//Homo sapiens mRNA for KIAA1031 protein, partial cds.//7.2e-06//103//80//AB028954

F-HEMBA1004193//Homo sapiens mRNA for TL132.//0.75//334//59//AJ012755

F-HEMBA1004860//my07e01.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1271064 3' similar to contains Alu repetitive element; mRNA sequence.//3.7e-06//140//70//AA749151

F-HEMBA1005572//hZF-16=Kruppel-related zinc finger gene homolog (alternatively spliced) [human, hepatoblastoma cell line, HEP-G2, mRNA, 2080 nt].//1.1e-48//341//77//S54641

F-HEMBA1006038//Homo sapiens gene for insulin receptor substrate-2, complete cds.//0.036//297//60//AB000732

F-HEMBA1006092//lab0f12.s1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:853295 3' similar to contains Alu repetitive element; mRNA sequence.//0.65//150//63//AA663266

F-HEMBA1006406//ws26e11.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2498348 3' similar to TR:002710 002710 GAG POLYPROTEIN; mRNA sequence.//1.4e-32//518//67//AI989639

F-HEMBA1006650//Homo sapiens Arp2/3 protein complex subunit p20-Arc (ARC20) mRNA, complete cds.//1.3e-19//136//90//AF006087

F-HEMBA1006812//zh49f01.s1 Soares fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:415417 3' mRNA sequence.//1.3e-120//579//98//W80404

F-HEMBA100672//Homo sapiens mRNA for KIAA1040 protein, partial cds.//0.00047//706//57//AB028963

F-HEMBA1001197//tc45e03.x1 NCI_CGAP_Ut1 Homo sapiens cDNA clone IMAGE:2211772 3' similar to TR:001940 001940 STRAWBERRY NOTCH1; mRNA sequence.//1.2e-16//117//92//AI580023

F-HEMBA1001871//Human chondroitin/dermatan sulfate proteoglycan (PG40) core protein mRNA, complete cds.//4.6e-26//527//62//M14219

F-MAMMA1001252

F-MAMMA1002094

F-NT2RM4000634//DKFZp434D1813_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D1813 5' mRNA sequence.//9.7e-16//226//69//AL040136

F-NT2RM4000657//Homo sapiens mRNA for KIAA1069 protein, partial cds.//7.6e-179//817//99//AB028992

F-NT2RM4000783//wd82f06.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2338115 3' mRNA sequence.//1.8e-20//470//65//AI703299

F-NT2RM4000857//Homo sapiens KIAA0416 mRNA, partial cds.//1.9e-46//749//65//AB007876

F-NT2RM4001178//Homo sapiens protein tyrosine phosphatase (PAC-1) mRNA, complete cds.//0.0024//254//63//L11329

F-NT2RM4002420//wg39f11.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2367501 3' similar to contains element L1 L1 repetitive element; mRNA sequence.//1.4e-13//127//84//AI742251

F-NT2RP2000198//Human mRNA for platelet glycoprotein IX.//0.0033//241//62//X52997
 F-NT2RP2000551//ze37d12.s1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:361175 3', mRNA sequence.//5.0e-07//116//71//AA017066
 F-NT2RP2000660//qx01g11.x1 NCI_CGAP_Br14 Homo sapiens cDNA clone IMAGE:1999364 3', mRNA sequence.//0.0271//120//65//AI225283
 F-NT2RP2001214
 F-NT2RP2001460//wb50h10.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2309155 3', mRNA sequence.//0.0013//89//78//AI851878
 F-NT2RP2001756//zw54e12.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773902 3' similar to contains element TAR1 repetitive element ; mRNA sequence.//2.3e-18//120//93//AA427992
 F-NT2RP2002056//tw44g09.x1 NCI_CGAP_Ut1 Homo sapiens cDNA clone IMAGE:2262592 3' similar to contains Alu repetitive element; mRNA sequence.//2.4e-07//99//79//AI811687
 F-NT2RP2002677
 F-NT2RP2002755//zj83d10.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:461491 3' similar to contains element TAR1 repetitive element ; mRNA sequence.//1.9e-19//229//76//AA705059
 F-NT2RP2002843//wl88d12.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2514551 3' similar to TR: P79522 MHC CLASS 1 REGION PROLINE RICH PROTEIN; mRNA sequence.//8.2e-15//314//67//AI964055
 F-NT2RP2003101//wi65a03.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2398156 3', mRNA sequence.//0.38//106//68//AI763133
 F-NT2RP2003799//Homo sapiens mRNA; cDNA DKFZp564C142 (from clone DKFZp564C142).//2.5e-29//124//91//AL049979
 F-NT2RP2004095
 F-NT2RP2004732//Homo sapiens mRNA for KIAA0884 protein, partial cds.//2.6e-109//533//96//AB020691
 F-NT2RP2004920//wz68d10.x1 NCI_CGAP_Mel15 Homo sapiens cDNA clone IMAGE:2563219 3' similar to TR: 000172 000172 LINE-1 REVERSE TRANSCRIPTASE ; mRNA sequence.//0.0020//220//61//AI969546
 F-NT2RP2005454//Homo sapiens mRNA for KIAA0977 protein, complete cds.//0.058//143//69//AB023194
 F-NT2RP2005776//H.sapiens PAP mRNA.//4.3e-35//451//68//X76770
 F-NT2RP2005806//HSZ78328 Human fetal brain S. Meier-Ewert Homo sapiens cDNA clone 2.48 (CEPH) 3', mRNA sequence.//2.0e-05//385//62//Z78328
 F-NT2RP2005882//Human mRNA for KIAA0364 gene, complete cds.//7.3e-23//141//94//AB002362
 F-NT2RP3001282
 F-NT2RP3001723//ws73d05.x1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:2503593 3' similar to contains MSR1.t1 TAR1 TAR1 repetitive element ; mRNA sequence.//2.6e-07//245//66//IAW008782
 F-NT2RP3002099//yg49d01.s1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:36239 3', mRNA sequence.//0.58//164//64//R46086
 F-NT2RP3003155
 F-NT2RP3004028//Homo sapiens mRNA for KIAA1074 protein, complete cds.//1.3e-29//488//66//AB028997
 F-OVARC1000008//Homo sapiens mRNA for KIAA0665 protein, complete cds.//0.00032//430//59//AB014565
 F-OVARC1000724//Homo sapiens mRNA for KIAA0641 protein, complete cds.//0.0054//426//58//AB014541
 F-OVARC1000751//Human Tis11d gene, complete cds.//4.6e-12//527//62//U07802
 F-OVARC1001029//qv29c05.x1 NCI_CGAP_Ov31 Homo sapiens cDNA clone IMAGE:1982984 3' similar to contains element L1 repetitive element ; mRNA sequence.//0.0012//145//68//AI252422
 F-PLACE1000814//ak42f05.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1408641 3', mRNA sequence.//7.1e-31//275//76//AA868469
 F-PLACE1003030
 F-PLACE1005549//Homo sapiens mRNA for Rho guanine nucleotide-exchange factor, splice variant NET1A.//1.2e-57//737//67//IAJ010046
 F-PLACE1007218//yo34a08.s1 Soares adult brain N2b4HB55Y Homo sapiens cDNA clone IMAGE:179798 3', mRNA sequence.//2.2e-21//216//76//H52716

Homology Search Result Data 11.

[0328] The result of the homology search of the Human Unigene using the clone sequence of 3'-end (54 clones selected in EXAMPLE 16.).

[0329] Data include

the name of clone,

title of the top hit data,
the P-value: the length of the compared sequence: identity (%), and
the Accession No. of the top hit data, as in the order separated by //.

- 5 [0330] Blank indicates that the 3'-end sequence corresponding to the 5'-end was not determined in the clone.
[0331] Data are not shown for the clones in which the P-value was higher than 1.
- R-HEMBA1000497//np09h02.s1 NCI_CGAP_Pr3 Homo sapiens cDNA clone IMAGE:1115859 similar to contains
Alu repetitive element; contains element MER22 repetitive element; mRNA sequence.//6.2e-38//185//83//
10 AA614254
- R-HEMBA1001750//yy71b10.s1 Soares_multiple_sclerosis_2NbHMSHP Homo sapiens cDNA clone IMAGE:
278971 3', mRNA sequence.//0.004511193//63//N63303
- R-HEMBA1003854//Homo sapiens mRNA; cDNA DKFZp564F133 (from clone DKFZp564F133).//3.4e-72//310//
80//AL049263
- 15 R-HEMBA1004193//tr01e08.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2217062 3' similar to contains
Alu repetitive element; contains element MER4 repetitive element; mRNA sequence.//1.5e-33//186//81//
AI914747
- R-HEMBA1004860//qh16b06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1844819 3', mRNA
sequence.//0.017//118//69//AI218308
- 20 R-HEMBA1005572//hw16h05.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2403033 3', mRNA sequence.
//4.6e-111//522//99//AI861830
- R-HEMBA1006038//DKFZp434E1117_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434E1117 5',
mRNA sequence.//1.2e-22//295//72//AL041450
- R-HEMBA1006092//qt30d09.x1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE: 1949489
25 3' similar to contains element PTR5 repetitive element; mRNA sequence.//1.4e-87//422//98//AI337963
- R-HEMBA1006406//Homo sapiens mRNA for KIAA0752 protein, partial cds.//4.1e-30//291//76//AB018295
- R-HEMBA1006650//H. sapiens mRNA for serine/threonine protein kinase EMK.//3.6e-09//319//62//X97630
- R-HEMBA1006812//Human mRNA for KIAA0118 gene, partial cds.//3.1e-52//337//87//D42087
- R-HEMBA100672//Homo sapiens mRNA; cDNA DKFZp434M011 (from clone DKFZp434M011).//3.2e-48//276//
30 74//AL096734
- R-HEMBA1001197//zt35b11.r1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:724317 5' similar
to contains Alu repetitive element; mRNA sequence.//9.9e-44//275//88//AA410788
- R-HEMBA1001871//wg20c02.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:
2365634 3', mRNA sequence.//6.3e-104//501//98//AI741321
- 35 R-MAMMA1001252//aa61h04.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:825463 3' similar to contains
Alu repetitive element; contains element XTR repetitive element; mRNA sequence.//9.0e-19//127//91//
AA504355
- R-MAMMA1002094//wd28h12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2329511 3', mRNA
sequence.//2.5e-68//328//99//AI936520
- 40 R-NT2RM4000634//DKFZp434F2016_s1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434F2016 3',
mRNA sequence.//8.2e-20//185//81//AL041146
- R-NT2RM4000657//Homo sapiens mRNA for KIAA1069 protein, partial cds.//5.7e-62//335//94//AB028992
- R-NT2RM4000783
- R-NT2RM4000857//Human megakaryocyte stimulating factor mRNA, complete cds.//0.00074//360//61//U70136
- 45 R-NT2RM4001178//tk08e03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2150428 3', mRNA sequence.
//0.77//96//62//AI457506
- R-NT2RM4002420//hw58b04.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2429071 3', mRNA sequence.
//2.4e-85//438//94//AI857508
- R-NT2RP2000198//nxt19b11.s1 NCI_CGAP_GC3 Homo sapiens cDNA clone IMAGE:1256541 3', mRNA sequence.
50 //1.9e-45//270//91//AA738352
- R-NT2RP2000551//tg80h11.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:2115141 3', mRNA sequence.
//3.3e-53//311//85//AI417680
- R-NT2RP2000660//ns42a06.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1186258 3', mRNA sequence.
//4.3e-26//142//97//AI805691
- 55 R-NT2RP2001214//tw65g08.x1 NCI_CGAP_Ut3 Homo sapiens cDNA clone IMAGE:2264606 3' similar to contains
element MSR1 repetitive element; mRNA sequence.//1.5e-57//289//97//AI680174
- R-NT2RP2001460
- R-NT2RP2001756//zw54e12.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773902 3'

similar to TR:G456660 G456660 ZINC FINGER PROTEIN ZFP-1 ; mRNA sequence.//6.0e-13//85//96//AA427992
 R-NT2RP2002056//yh26a12.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:130846 3', mRNA
 sequence.//0.0016//208//65//R22302
 R-NT2RP2002677//Homo sapiens mRNA for KIAA0524 protein, partial cds.//3.4e-26//339//71//AB011096
 5 R-NT2RP2002755//qd50d10.x1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732915 3',
 mRNA sequence.//1.5e-26//419//66//AI190698
 R-NT2RP2002843//a31f108.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2373639 3' similar to
 contains L1.11 L1 repetitive element; mRNA sequence.//1.8e-45//463//74//AI749673
 R-NT2RP2003101//ly24h05.x1 NCI_CGAP_U3 Homo sapiens cDNA clone IMAGE:2280057 3', mRNA se-
 10 quence.//7.5e-73//347//99//AI758824
 R-NT2RP2003799//Homo sapiens mRNA for KIAA0751 protein, complete cds.//0.0026//247//65//AB018294
 R-NT2RP2004095//zv08c02.s1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:753026 3' similar to con-
 tains element MER32 repetitive element ; mRNA sequence.//9.6e-07//188//66//AA436455
 R-NT2RP2004732//tu60a07.x1 NCI_CGAP_Cas4 Homo sapiens cDNA clone IMAGE:2255412 3' similar to con-
 15 tains Alu repetitive element;contains element L1 repetitive element ; mRNA sequence.//4.3e-25//414//68//
 AI678956
 R-NT2RP2004920//wd13h02.x1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:2328051 3', mRNA se-
 quence.//6.8e-91//483//93//AI694022
 R-NT2RP2005454//yy77g09.s1 Soares_multiple_sclerosis_2NbHMSP Homo sapiens cDNA clone IMAGE:
 20 279616 3', mRNA sequence.//0.0070//325//59//N48302
 R-NT2RP2005776//qq97d06.x1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1939307 3',
 mRNA sequence.//7.5e-08//89//82//AI338419
 R-NT2RP2005806//wc29h01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2316625 3' similar to con-
 tains MER2.b3 MER2 repetitive element ; mRNA sequence.//3.2e-16//235//71//AI671398
 25 R-NT2RP2005882//wo31f09.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2456969 3', mRNA se-
 quence.//0.00095//352//59//AI925528
 R-NT2RP3001282//wg35b03.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:
 2367053 3', mRNA sequence.//1.7e-113//555//97//AI769199
 R-NT2RP3001723//wo48e06.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2458594 3', mRNA se-
 30 quence.//4.2e-98//1471//98//AI926617
 R-NT2RP3002099//DKFZp564L227_s1 564 (synonym: htf2r) Homo sapiens cDNA clone DKFZp564L227 3', mR-
 NA sequence.//9.2e-50//329//87//AL037910
 R-NT2RP3003155//zp07a07.s1 Stratagene ovarian cancer (#937219) Homo sapiens cDNA clone IMAGE:595668
 3', mRNA sequence.//1.4e-30//159//99//AA173172
 35 R-NT2RP3004028//Homo sapiens protein kinase C-alpha mRNA, partial 3' UTR.//0.43//66//75//AF035594
 R-OVARC1000008//wa69e12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2301454 3', mRNA
 sequence.//1.0e-77//376//98//AI699393
 R-OVARC1000724//f94b10.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2106907 3', mRNA se-
 40 quence.//0.71//271//100//AI380236
 R-OVARC1000751//hg93d04.s1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1455847 3', mRNA se-
 quence.//3.5e-13//274//63//AA863306
 R-OVARC1001029//yz96e02.r1 Soares_melanocyte_2NbHM Homo sapiens cDNA clone IMAGE:290906 5' similar
 to contains Alu repetitive element;contains element PTR5 repetitive element ; mRNA sequence.//3.5e-13//175//74//
 N99464
 45 R-PLACE1000814//hg49a08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2112086 3' similar
 to contains LI.2 L1 L1 repetitive element; mRNA sequence.//2.2e-18//285//69//AI424789
 R-PLACE1003030//Homo sapiens snRNA activating protein complex 190kD subunit (SNAP190) mRNA, complete
 cds.//4.0e-34//225//90//AF032387
 50 R-PLACE1005549//tm26b11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2157693 3', mRNA
 sequence.//0.91//127//66//AI480253
 R-PLACE1007218//lyq06e01.r1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:196152 5'
 similar to contains Alu repetitive element;contains LTR4 repetitive element; mRNA sequence.//2.4e-36//245//87//
 R92256

55 Homology Search Result Data 12.

[0332] Data obtained by the homology search for full-length nucleotide sequences and deduced amino acid sequenc-
 es. Each data includes Clone name, Definition in hit data, P value, Length of sequence to be compared, Homology,

and Accession number (No.) of hit data. These items are shown in this order and separated by a double-slash mark, //.

- C-HEMBA1000012//PROBABLE LEUCYL-TRNA SYNTHETASE (EC 6.1.1.4) (LEUCINE-TRNA LIGASE) (LEURS).//6.4E-99//457aa//45%//Q09996
- 5 C-HEMBA1000020//Homo sapiens beta 2 gene.//7.5E-264//1194bp//95%//X02344
- C-HEMBA1000129//HYTOTHEICAL HELICASE C8A4.08C IN CHROMOSOME 1.//3.8E-25//166aa//36%//Q09884
- C-HEMBA1000201//Homo sapiens mRNA for integrase interactor 1b protein (INI1B).//0//1612bp//99%//AJ011738
- 10 C-HEMBA1000216//HYPOXIA-INDUCIBLE FACTOR 1 ALPHA (HIF-1 ALPHA) (ARNT INTERACTING PROTEIN).//1E-86//146aa//56%//Q61221
- C-HEMBA1000231
- C-HEMBA1000264
- C-HEMBA1000280
- C-HEMBA1000282
- 15 C-HEMBA1000303//"Mus musculus Plenty of SH3s (POSH) mRNA, complete cds."//7.1E-254//1440bp//87%//AF030131
- C-HEMBA1000333//"Homo sapiens mRNA for KIAA0874 protein, partial cds."//4.8E-253//1148bp//99%//AB020681
- C-HEMBA1000351
- 20 C-HEMBA1000356//Homo sapiens mRNA; cDNA DKFpZp566C243 (from clone DKFpZp566C243).//3.3E-287//815bp//98%//AL050274
- C-HEMBA1000396
- C-HEMBA1000411//ANKYRIN.//5.7E-12//127aa//38%//Q02357
- C-HEMBA1000442
- 25 C-HEMBA1000456
- C-HEMBA1000504
- C-HEMBA1000518//PECANEX PROTEIN.//2.1E-19//227aa//38%//P18490
- C-HEMBA1000519
- C-HEMBA1000523//TESTIS-SPECIFIC PROTEIN PBS13.//2.4E-44//292aa//36%//Q01755
- 30 C-HEMBA1000542//"Rattus norvegicus mRNA for dipeptidyl peptidase III, complete cds."//2.2E-194//663bp//83%//D89340
- C-HEMBA1000545
- C-HEMBA1000557
- C-HEMBA1000592//"Homo sapiens sorting nexin 6 (SNX6) mRNA, complete cds."//0//1465bp//99%//AF121856
- 35 C-HEMBA1000594
- C-HEMBA1000604
- C-HEMBA1000622
- C-HEMBA1000637
- 40 C-HEMBA1000655
- C-HEMBA1000657//"Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds."//7.2E-156//1366bp//76%//U35776
- C-HEMBA1000749
- C-HEMBA1000769
- 45 C-HEMBA1000773
- C-HEMBA1000774
- C-HEMBA1000822
- C-HEMBA1000843
- C-HEMBA1000852//ARYLSULFATASE D PRECURSOR (EC 3.1.6.-) (ASD).//1E-78//119aa//87%//P51689
- 50 C-HEMBA1000870
- C-HEMBA1000908
- C-HEMBA1000934
- C-HEMBA1000972
- C-HEMBA1000986
- 55 C-HEMBA1000991
- C-HEMBA1001008
- C-HEMBA1001059//"Human N-acetylgalactosamine 6-sulphatase (GALNS) gene, exon 14."//4.8E-169//786bp//99%//U06088

- C-HEMBA1001094
C-HEMBA1001302//"Homo sapiens calcium binding protein precursor, mRNA, complete cds."//9.6E-258//682bp//94%//AF153686
- 5 C-HEMBA1001330
C-HEMBA1001497
C-HEMBA1001569//SYNAPTOBREVIN 2 (VESICLE ASSOCIATED MEMBRANE PROTEIN 2) (VAMP-2).//2.3E-53//110aa//100%//P19065
C-HEMBA1001570
C-HEMBA1001620//MYO-INOSITOL-1-PHOSPHATE SYNTHASE (EC 5.5.1.4) (IPS).//1.6E-166//506aa//60%//P42803
- 10 C-HEMBA1001640
C-HEMBA1001655
C-HEMBA1001672//"Homo sapiens methyl-CpG binding domain-containing protein MBD3 (MBD3) mRNA, complete cds."//0//1707bp//98%//AF072247
- 15 C-HEMBA1001711
C-HEMBA1001723//"Rattus norvegicus G beta-like protein GBL mRNA, complete cds."//4.7E-172//1240bp//81%//AF051155
C-HEMBA1001746//"Homo sapiens squamous cell carcinoma antigen recognized by T cell (SART-2) mRNA, complete cds."//7.6E-59//998bp//64%//AF098066
- 20 C-HEMBA1001781
C-HEMBA1001804//"Homo sapiens zinc finger DNA binding protein 99 (ZNF281) mRNA, complete cds."//0//1637bp//99%//AF125158
C-HEMBA1001822//"Mus musculus Ese2L protein mRNA, complete cds."//1.9E-235//1329bp//89%//AF132479
- 25 C-HEMBA1001824
C-HEMBA1001866//UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE PRECURSOR (EC 2.4.1.-) (DUGT).//5.7E-51//234aa//41%//Q09332
C-HEMBA1001910
C-HEMBA1001913//GCN20 PROTEIN.//2.3E-81//158aa//50%//P43535
- 30 C-HEMBA1001921//"Homo sapiens germinal center kinase related protein kinase mRNA, complete cds."//0//1850bp//99%//AF000145
C-HEMBA1001939
C-HEMBA1001950//"Homo sapiens mRNA for KIAA0971 protein, complete cds."//0//1974bp//99%//AB023188
- 35 C-HEMBA1001967//"Homo sapiens NY-REN-57 antigen mRNA, partial cds."//0//1721bp//99%//AF155114
C-HEMBA1002035//Homo sapiens mRNA; cDNA DKFZp586E0518 (from clone DKFZp586E0518).//0//2149bp//99%//AL050089
- 40 C-HEMBA1002092//"Mus musculus Olf-1/EBF-like-3 transcription factor (O/E-3) mRNA, complete cds."//1.3E-271//1583bp//88%//U92703
C-HEMBA1002102//ANKYRIN.//4.40E-10//106aa//35%//Q02357
C-HEMBA1002150
C-HEMBA1002151//"Rattus norvegicus p34 mRNA, complete cds."//1.1E-153//1059bp//82%//AF178669
- 45 C-HEMBA1002189
C-HEMBA1002215//TESTIN 2 (TES2) [CONTAINS: TESTIN 1 (TES1)].//2.2E-199//392aa//89%//P47226
C-HEMBA1002229
C-HEMBA1002241//PROLIFERATING-CELL NUCLEOLAR ANTIGEN P120 (PROLIFERATION-ASSOCIATED NUCLEOLAR PROTEIN P120).//3.70E-06//95aa//33%//P46087
- 50 C-HEMBA1002341//"Homo sapiens mRNA for KIAA0771 protein, partial cds."//0//1514bp//99%//AB018314
C-HEMBA1002417//"Homo sapiens chromosome 19, cosmid R28784, complete sequence."//1.4E-299//294bp//100%//AC005954
C-HEMBA1002547//"Homo sapiens agrin precursor mRNA, partial cds."//0//1605bp//97%//AF016903
- 55 C-HEMBA1002703
C-HEMBA1002779
C-HEMBA1002816
C-HEMBA1002970

C-HEMBA1002999//"Rattus norvegicus lamina associated polypeptide 1C (LAP1C) mRNA, complete cds.
 "./1.4E-171//1552bp//75%//U20286
 C-HEMBA1003021
 C-HEMBA1003077//SLIT PROTEIN PRECURSOR./2.6E-15//199aa//31%//P24014
 5 C-HEMBA1003079
 C-HEMBA1003273
 C-HEMBA1003304
 C-HEMBA1003309
 C-HEMBA1003376
 10 C-HEMBA1003384
 C-HEMBA1003531
 C-HEMBA1003548
 C-HEMBA1003556
 C-HEMBA1003571
 15 C-HEMBA1003579
 C-HEMBA1003684//ZINC FINGER PROTEIN 151 (MIZ-1 PROTEIN)./2E-73//526aa//32%//Q13105
 C-HEMBA1003692
 C-HEMBA1003720
 C-HEMBA1003725
 20 C-HEMBA1003729
 C-HEMBA1003758
 C-HEMBA1003773//"Mus musculus signal recognition particle receptor beta subunit mRNA, complete cds.
 "./5.8E-81//511bp//86%//U17343
 C-HEMBA1003783//"Mus musculus bromodomain-containing protein BP75 mRNA, complete cds."/
 25 1.1E-190//1204bp//84%//AF084259
 C-HEMBA1003799
 C-HEMBA1003804
 C-HEMBA1003805//"Mus musculus KH domain RNA binding protein QKI-5A mRNA, complete cds."/
 0//988bp//95%//AF090402
 30 C-HEMBA1003836//MOB1 PROTEIN (MPS1 BINDER 1)./8.10E-31//134aa//52%//P40484
 C-HEMBA1003856
 C-HEMBA1003866//"Mus musculus semaphorin VIa mRNA, complete cds."./1.2E-105//1192bp//70%//
 AF030430
 C-HEMBA1003879
 35 C-HEMBA1003880
 C-HEMBA1003893
 C-HEMBA1003908
 C-HEMBA1003937
 C-HEMBA1003942
 40 C-HEMBA1003958
 C-HEMBA1003976
 C-HEMBA1003978//"Homo sapiens mRNA for KIAA0840 protein, partial cds."./0//1530bp//100%//
 AB020647
 C-HEMBA1003985
 45 C-HEMBA1004011
 C-HEMBA1004024
 C-HEMBA1004038
 C-HEMBA1004045
 C-HEMBA1004048
 50 C-HEMBA1004111//"Homo sapiens mRNA for KIAA1276 protein, partial cds."./1.00E-163//751bp//
 99%//AB033102
 C-HEMBA1004131//SEPTIN 2 HOMOLOG (FRAGMENT)./1.6E-166//416aa//72%//Q14141
 C-HEMBA1004138
 C-HEMBA1004143
 55 C-HEMBA1004150
 C-HEMBA1004168//"Homo sapiens geminin mRNA, complete cds."./3.9E-208//951 bp//99%//
 AF067855
 C-HEMBA1004200

C-HEMBA1004202//RAS-RELATED PROTEIN RAB-13.//6.2E-30//208aa//37%//P51153
 C-HEMBA1004203//NUCLEOLAR PROTEIN NOP2.//1.5E-12//258aa//29%//P40991
 C-HEMBA1004238
 5 C-HEMBA1004248//"Homo sapiens insulin induced protein 2 mRNA, complete cds."//8.20E-175//
 552bp//97%//AF125392
 C-HEMBA1004272
 C-HEMBA1004274
 C-HEMBA1004275//"Homo sapiens mRNA for KIAA1111 protein, partial cds."//0//1341bp//99%//
 AB029034
 10 C-HEMBA1004286//"Homo sapiens TGF beta receptor associated protein-1 mRNA, complete cds."//
 0//1982bp//99%//AF022795
 C-HEMBA1004312
 C-HEMBA1004321//ZINC FINGER PROTEIN 184 (FRAGMENT).//2.3E-93//357aa//42%//Q99676
 15 C-HEMBA1004323
 C-HEMBA1004327
 C-HEMBA1004330
 C-HEMBA1004341
 C-HEMBA1004366
 C-HEMBA1004372
 20 C-HEMBA1004389//"Homo sapiens zinc finger DNA binding protein 99 (ZNF281) mRNA, complete cds.
 "//0//1437bp//99%//AF125158
 C-HEMBA1004394
 C-HEMBA1004408//PEPTIDYL-PROLYL CIS-TRANS ISOMERASE 10 (EC 5.2.1.8) (PPIASE) (ROTAMASE) (CY-
 CLOPHILIN-10).//3.2E-32//148aa//52%//P52017
 25 C-HEMBA1004429
 C-HEMBA1004460
 C-HEMBA1004461
 C-HEMBA1004502
 C-HEMBA1004554
 30 C-HEMBA1004560
 C-HEMBA1004610
 C-HEMBA1004629
 C-HEMBA1004632
 C-HEMBA1004637
 35 C-HEMBA1004670
 C-HEMBA1004672
 C-HEMBA1004697
 C-HEMBA1004711
 C-HEMBA1004725
 40 C-HEMBA1004730
 C-HEMBA1004734//UBIQUITIN-CONJUGATING ENZYME E2-18 KD (EC 6.3.2.19) (UBIQUITIN- PROTEIN
 LIGASE) (UBIQUITIN CARRIER PROTEIN) (PM42).//9.9E-39//143aa//52%//P42743
 C-HEMBA1004751
 C-HEMBA1004752
 45 C-HEMBA1004889//"Human C3f mRNA, complete cds."//6.70E-24//341aa//26%//U72515
 C-HEMBA1004934
 C-HEMBA1004944
 C-HEMBA1004973
 C-HEMBA1004977
 50 C-HEMBA1005009//"Homo sapiens BAF53a (BAF53a) mRNA, complete cds."//0//1813bp//99%//
 AF041474
 C-HEMBA1005083
 C-HEMBA1005113
 C-HEMBA1005133
 55 C-HEMBA1005185
 C-HEMBA1005219//NUCLEAR PROTEIN SNF7.//5.3E-10//189aa//25%//P39929
 C-HEMBA1005252//"Homo sapiens mRNA for KIAA0585 protein, partial cds."//1.2E-268//1215bp//
 99%//AB011157

C-HEMBA1005296
 C-HEMBA1005314
 C-HEMBA1005331
 C-HEMBA1005394
 5 C-HEMBA1005403
 C-HEMBA1005423//"Homo sapiens cyclin-dependent kinase inhibitor (CDKN2C) mRNA, complete cds.
 "//2E-213//537bp//99%//AF041248
 C-HEMBA1005468
 C-HEMBA1005469
 10 C-HEMBA1005474
 C-HEMBA1005517
 C-HEMBA1005518
 C-HEMBA1005528//CCR4-ASSOCIATED FACTOR 1 (CAF1).//3.1E-154//285aa//99%//Q60809
 C-HEMBA1005558//NUCLEAR PROTEIN SNF7.//6.40E-16//170aa//31%//P39929
 15 C-HEMBA1005576//"Homo sapiens mRNA for KIAA0463 protein, partial cds."//1.1E-181//835bp//
 99%//AB007932
 C-HEMBA1005582//"TROPOMYOSIN 1, NON-MUSCLE ISOFORM (TROPOMYOSIN II) (CYTOSKELETAL
 TROPOMYOSIN)."//0.00000009//213aa//27%//P09492
 C-HEMBA1005583
 20 C-HEMBA1005595//"DYNEIN HEAVY CHAIN, CYTOSOLIC (DYHC) "//2.3E-54//562aa//29%//P34036
 C-HEMBA1005609//Homo sapiens mRNA; cDNA DKFZp564K133 (from clone DKFZp564K133).//2.2e-315//
 1448bp//99%//AL050012
 C-HEMBA1005621//"Homo sapiens Mad2B protein (MAD2B) mRNA, complete cds."//2.9E-224//
 1031bp//99%//AF139365
 25 C-HEMBA1005666
 C-HEMBA1005680
 C-HEMBA1005685
 C-HEMBA1005737//CALCINEURIN B SUBUNIT (PROTEIN PHOSPHATASE 2B REGULATORY SUBUNIT).//
 4.4E-17//167aa//34%//P25296
 30 C-HEMBA1005746
 C-HEMBA1005755
 C-HEMBA1005813
 C-HEMBA1005822
 C-HEMBA1005834
 35 C-HEMBA1005884
 C-HEMBA1005891
 C-HEMBA1005909
 C-HEMBA1005911
 C-HEMBA1005931
 40 C-HEMBA1005963
 C-HEMBA1005991
 C-HEMBA1006005
 C-HEMBA1006031//"Homo sapiens mRNA for putative phospholipase, complete cds."//0//1413bp//
 99%//AB019435
 45 C-HEMBA1006067
 C-HEMBA1006081
 C-HEMBA1006091
 C-HEMBA1006100
 C-HEMBA1006108//"Homo sapiens mRNA for KIAA0943 protein, partial cds."//4.8E-245//764bp//
 99%//AB023160
 50 C-HEMBA1006121
 C-HEMBA1006130//SEL-10 PROTEIN.//0.000000043//219aa//25%//Q93794
 C-HEMBA1006155
 C-HEMBA1006158//"Homo sapiens transcription factor forkhead-like 7 (FKHL7) gene, complete cds.".
 //0//1551bp//99%//AF048693
 55 C-HEMBA1006182
 C-HEMBA1006198//PROLINE-RICH PROTEIN MP-2 PRECURSOR.//1.9E-19//215aa//39%//P05142
 C-HEMBA1006235//Homo sapiens clone 24422 mRNA sequence.//0//1615bp//99%//AF070557

C-HEMBA1006253//DNA-DAMAGE-REPAIR/TOLERATION PROTEIN DRT111 PRECURSOR.//0.00000002//
 62aa//53%//P42698
 C-HEMBA1006259
 C-HEMBA1006272//RETROVIRUS-RELATED PROTEASE (EC 3.4.23.-).//1.3E-123//200aa//73%//P10265
 5 C-HEMBA1006278//POLY(A) POLYMERASE (EC 2.7.7.19) (PAP) (POLYNUCLEOTIDE ADENYLYLTRANS-
 FERASE).//1E-210//490aa//77%//P25500
 C-HEMBA1006283//NUCLEAR POLYADENYLATED RNA-BINDING PROTEIN NAB2.//0.000000012//176aa//
 30%//P32505
 C-HEMBA1006284
 10 C-HEMBA1006291//2-ARYLPROPIONYL-COA EPIMERASE (EC 5.-.-).//4.2E-12//215aa//23%//P70473
 C-HEMBA1006293
 C-HEMBA1006309//HYPOTHETICAL 54.2 KD PROTEIN IN ERP5-ORC6 INTERGENIC REGION.//1.4E-48//
 248aa//43%//P38821
 C-HEMBA1006349
 15 C-HEMBA1006364
 C-HEMBA1006381
 C-HEMBA1006398//"Human L1 element L1.6 putative p150 gene, complete cds."//2E-277//1729bp//
 85%//U93563
 C-HEMBA1006445//"Homo sapiens putative tumor supressor NOEY2 mRNA, complete cds."//1.4E-
 270//1224bp//100%//U96750
 20 C-HEMBA1006483
 C-HEMBA1006492
 C-HEMBA1006497
 C-HEMBA1006502
 25 C-HEMBA1006507//"Homo sapiens mRNA for KIAA0666 protein, partial cds."//0//2334bp//99%//
 AB014566
 C-HEMBA1006535
 C-HEMBA1006559//"Mus musculus PRAJA1 (Praja1) mRNA, complete cds."//2.8E-206//1107bp//83
 %//U06944
 30 C-HEMBA1006566
 C-HEMBA1006579
 C-HEMBA1006583
 C-HEMBA1006612
 C-HEMBA1006624//DNA/PANTOTHENATE METABOLISM FLAVOPROTEIN HOMOLOG.//0.00000069//109aa//
 38%//Q58323
 35 C-HEMBA1006643
 C-HEMBA1006674
 C-HEMBA1006682
 C-HEMBA1006708//HYPOTHETICAL 46.4 KD TRP-ASP REPEATS CONTAINING PROTEIN IN PMC1-TFG2
 40 INTERGENIC REGION.//3.3E-22//241aa//31%//P53196
 C-HEMBA1006717
 C-HEMBA1006744
 C-HEMBA1006754
 C-HEMBA1006767
 45 C-HEMBA1006789
 C-HEMBA1006832
 C-HEMBA1006885//"Homo sapiens gene for Proline synthetase associated, complete cds."//0//
 1467bp//96%//AB018566
 C-HEMBA1006900
 50 C-HEMBA1006926
 C-HEMBA1006941//Homo sapiens mRNA for putative thioredoxin-like protein.//1.8E-226//1039bp//99%//
 AJ010841
 C-HEMBA1006973//"Homo sapiens rab3-GAP regulatory domain mRNA, complete cds."//5.6E-143//
 740bp//94%//AF004828
 55 C-HEMBA1006993
 C-HEMBA1007002
 C-HEMBA1007062
 C-HEMBA1007080

C-HEMBA1007087//HYPOTHETICAL PROTEIN MJ0162.//2E-45//304aa//32%//Q57626
 C-HEMBA1007112//Homo sapiens mRNA; cDNA DKFZp586C1817 (from clone DKFZp586C1817).//0//1619bp//99%//AL117450
 5 C-HEMBA1007194//"Homo sapiens origin recognition complex subunit 6 (ORC6) mRNA, complete cds."//0//1588bp//99%//AF139658
 C-HEMBA1007206
 C-HEMBA1007256
 C-HEMBA1007267
 C-HEMBA1007281
 10 C-HEMBA1007300//"Homo sapiens 3',5'-cyclic nucleotide phosphodiesterase 10A1 (PDE10A) mRNA, splice variant 1, complete cds."//0//1519bp//99%//AF127479
 C-HEMBA1007301
 C-HEMBA1007319
 C-HEMBA1007320
 15 C-HEMBA1007327
 C-HEMBA1007347
 C-HEMBA1000005
 C-HEMBA1000030
 C-HEMBA1000048
 20 C-HEMBA1000099
 C-HEMBA1000141
 C-HEMBA1000198
 C-HEMBA1000217//"Homo sapiens SUMO-1-activating enzyme E1 N subunit (SUA1) mRNA, complete cds."//0//1038bp//99%//AF090385
 25 C-HEMBA1000218
 C-HEMBA1000274
 C-HEMBA1000312
 C-HEMBA1000402
 C-HEMBA1000420
 30 C-HEMBA1000480
 C-HEMBA1000530
 C-HEMBA1000550
 C-HEMBA1000556//"Homo sapiens mRNA for KIAA0750 protein, complete cds."//6.3E-74//1213bp//64%//AB018293
 35 C-HEMBA1000586
 C-HEMBA1000592
 C-HEMBA1000593//"Homo sapiens transferrin receptor 2 alpha (TFR2) mRNA, complete cds."//1.3E-107//503bp//99%//AF067864
 C-HEMBA1000649
 40 C-HEMBA1000693//"Homo sapiens neuroan1 mRNA, complete cds."//0//2952bp//94%//AF040723
 C-HEMBA1000822
 C-HEMBA1000826
 C-HEMBA1000890
 45 C-HEMBA1000915//SUBTILISIN-LIKE PROTEASE PACE4 PRECURSOR (EC 3.4.21.-).//1.10E-08//129aa//31%//P29122
 C-HEMBA1001008
 C-HEMBA1001020//"Homo sapiens mRNA for KIAA0889 protein, complete cds."//0//1812bp//98%//AB020696
 C-HEMBA1001051
 50 C-HEMBA1001112//"Homo sapiens sec61 homolog mRNA, complete cds."//6E-145//961bp//83%//AF077032
 C-HEMBA1001221
 C-HEMBA1001234//65 KD YES-ASSOCIATED PROTEIN (YAP65).//5.4E-93//196aa//54%//P46938
 C-HEMBA1001282//ANKYRIN R (ANKYRINS 2.1 AND 2.2) (ERYTHROCYTE ANKYRIN).//7E-43//394aa//34%//P16157
 55 C-HEMBA1001302
 C-HEMBA1001335
 C-HEMBA1001337

C-HEMBB1001356
 C-HEMBB1001364
 C-HEMBB1001366
 C-HEMBB1001367
 5 C-HEMBB1001527
 C-HEMBB1001537
 C-HEMBB1002359
 C-HEMBB1002415
 10 C-HEMBB1002457
 C-HEMBB1002492
 C-HEMBB1002495
 C-HEMBB1002502
 C-HEMBB1002550//HYPOTHETICAL UOG-1 PROTEIN.//5E-28//266aa//33%/P27544
 15 C-HEMBB1002600//"Homo sapiens tetraspan NET-5 mRNA, complete cds."//0//1417bp//99%/AF089749
 C-HEMBB1002607//"Homo sapiens vitamin D3 receptor interacting protein (DRIP80) mRNA, complete cds."//2E-136//660bp//98%/AF105421
 C-HEMBB1002684
 C-HEMBB1002692
 20 C-HEMBB1002697
 C-HEMBB1002705//"Homo sapiens CGI-27 protein mRNA, complete cds."//7.80E-285//841bp//96%/AF132961
 C-MAMMA1000019
 C-MAMMA1000020//H.sapiens mRNA for flavin-containing monooxygenase 5 (FM05).//8.2E-198//868bp//99%/Z47553
 25 C-MAMMA1000025
 C-MAMMA1000055//TESTIN 2 (TES2) [CONTAINS: TESTIN 1 (TES1)].//1.5E-90//323aa//48%/P47226
 C-MAMMA1000069
 C-MAMMA1000084
 30 C-MAMMA1000139
 C-MAMMA1000163
 C-MAMMA1000171
 C-MAMMA1000173//"Homo sapiens src homology 3 domain-containing protein HIP-55 mRNA, complete cds."//2.6E-164//1044bp//87%/AF197060
 35 C-MAMMA1000277
 C-MAMMA1000278
 C-MAMMA1000284//P.walti mRNA for mp associated protein 55.//2.2E-109//864bp//76%/X99836
 C-MAMMA1000309
 C-MAMMA1000312
 40 C-MAMMA1000313
 C-MAMMA1000361
 C-MAMMA1000388//"Homo sapiens UKLF mRNA for ubiquitous Kruppel like factor, complete cds."//0//1466bp//99%/AB015132
 C-MAMMA1000395
 45 C-MAMMA1000410
 C-MAMMA1000416//HYPOTHETICAL 32.0 KD PROTEIN C09F5.2 IN CHROMOSOME III.//2.00E-30//119aa//53%/Q09232
 C-MAMMA1000421
 C-MAMMA1000422
 50 C-MAMMA1000468
 C-MAMMA1000472
 C-MAMMA1000490
 C-MAMMA1000524
 C-MAMMA1000567
 55 C-MAMMA1000612//"Rattus norvegicus G beta-like protein GBL mRNA, complete cds."//1E-95//1115bp//72%/AF051155
 C-MAMMA1000623
 C-MAMMA1000625//GYP7 PROTEIN.//2.1E-41//198aa//40%/P48365

- C-MAMMA1000664
C-MAMMA1000670
C-MAMMA1000672//VITELLOGENIC CARBOXYPEPTIDASE PRECURSOR (EC 3.4.16.-)//4.4E-33//250aa//33%//P42660
- 5 C-MAMMA1000713//L-RIBULOKINASE (EC 2.7.1.16)//7.70E-17//246aa//29%//P94524
C-MAMMA1000731//CHROMODOMAIN-HELICASE-DNA-BINDING PROTEIN 1 (CHD-1)//1E-77//395aa//45%//014646
C-MAMMA1000734//Homo sapiens mRNA for SEC63 protein//0//1587bp//99%//AJ011779
- 10 C-MAMMA1000738//HYPOTHETICAL 116.5 KD PROTEIN C20G8.09C IN CHROMOSOME I//9E-299//1033aa//55%//P87115
C-MAMMA1000746
C-MAMMA1000775
C-MAMMA1000824//ACTIN//6.2E-20//284aa//28%//P53500
C-MAMMA1000831
- 15 C-MAMMA1000841//PUTATIVE AMIDASE (EC 3.5.1.4)//7.8E-40//101aa//54%//027540
C-MAMMA1000842
C-MAMMA1000843
C-MAMMA1000856
C-MAMMA1000865
- 20 C-MAMMA1000875
C-MAMMA1000906
C-MAMMA1000908
C-MAMMA1000914
C-MAMMA1000956//Homo sapiens CLDN8 gene for claudin-8//0//1767bp//99%//AJ250711
- 25 C-MAMMA1000968
C-MAMMA1000979
C-MAMMA1001008//"Homo sapiens aspartic-like protease mRNA, complete cds."//2.50E-276//1263bp//99%//AF117892
C-MAMMA1001021
- 30 C-MAMMA1001041//"SPECTRIN BETA CHAIN, BRAIN (SPECTRIN, NON-ERYTHROID BETA CHAIN) (FODRIN BETA CHAIN) (SPTBN1)."//1.6E-16//113aa//41%//Q01082
C-MAMMA1001059//Homo sapiens mRNA for DEAD Box Protein 5//0//1440bp//99%//AJ237946
C-MAMMA1001075//"Homo sapiens CGI-72 protein mRNA, complete cds."//1.3E-18//397bp//98%//AF151830
- 35 C-MAMMA1001078
C-MAMMA1001091
C-MAMMA1001105//OVO PROTEIN (SHAVEN BABY PROTEIN).//4E-49//125aa//68%//P51521
C-MAMMA1001110
C-MAMMA1001126
- 40 C-MAMMA1001139//SRE-2 PROTEIN//5.80E-35//239aa//38%//Q09273
C-MAMMA1001143
C-MAMMA1001154
C-MAMMA1001181//ABC1 PROTEIN HOMOLOG PRECURSOR//1.30E-07//81aa//45%//Q92338
C-MAMMA1001215
- 45 C-MAMMA1001244
C-MAMMA1001259//"Mus musculus F-box protein FBX18 mRNA, partial cds."//2.3E-271//1414bp//89%//AF184275
C-MAMMA1001260//HYPOTHETICAL 97.1 KD PROTEIN R05D3.4 IN CHROMOSOME IIII//2.1E-52//630aa//30%//P34537
- 50 C-MAMMA1001343
C-MAMMA1001411//Homo sapiens mRNA; cDNA DKFZp56400823 (from clone DKFZp56400823).//0//2131bp//99%//AL080121
C-MAMMA1001419
C-MAMMA1001476//URIDINE KINASE (EC 2.7.1.48) (URIDINE MONOPHOSPHOKINASE) (FRAGMENT).//6.5E-129//260aa//92%//P52623
- 55 C-MAMMA1001510
C-MAMMA1001522
C-MAMMA1001576//"Human gamma-tubulin mRNA, complete cds."//7.5E-276//1561bp//90%//

M61764
 C-MAMMA1001604
 C-MAMMA1001620
 C-MAMMA1001635
 5 C-MAMMA1001649
 C-MAMMA1001686
 C-MAMMA1001692
 C-MAMMA1001743//Y BOX BINDING PROTEIN-1 (Y-BOX TRANSCRIPTION FACTOR).//8.5E-32//171aa//36%//
 P21573
 10 C-MAMMA1001754//"Homo sapiens CGI-11 protein mRNA, complete cds."//0//1837bp//98%//
 AF132945
 C-MAMMA1001757
 C-MAMMA1001764
 C-MAMMA1001768//CELL DIVISION CYCLE PROTEIN 48 HOMOLOG MJ1156.//3.8E-45//351aa//38%//Q58556
 15 C-MAMMA1001771//M.musculus mRNA for semaphorin B.//2.60E-200//1272bp//79%//X85991
 C-MAMMA1001790
 C-MAMMA1001837//ZINC FINGER PROTEIN 29 (ZFP-29).//2.6E-77//507aa//38%//Q07230
 C-MAMMA1001858
 C-MAMMA1001868//TRICHOHYALIN.//2.7E-19//359aa//25%//P22793
 20 C-MAMMA1001970
 C-MAMMA1002042
 C-MAMMA1002068
 C-MAMMA1002153
 C-MAMMA1002156
 25 C-MAMMA1002170//40S RIBOSOMAL PROTEIN S2 (S4) (LLREP3 PROTEIN).//6E-66//157aa//70%//P15880
 C-MAMMA1002174
 C-MAMMA1002209
 C-MAMMA1002219//"Homo sapiens mRNA for KIAA1067 protein, partial cds."//1.1E-181//861bp//
 98%//AB028990
 30 C-MAMMA1002236//TRANSLATION INITIATION FACTOR EIF-2B GAMMA SUBUNIT (EIF-2B GDP-GTP EX-
 CHANGE FACTOR).//8.8E-217//310aa//86%//P70541
 C-MAMMA1002243
 C-MAMMA1002268//"Mus musculus sphingosine kinase (SPHK1a) mRNA, partial cds."//1E-190//
 1624bp//76%//AF068748
 35 C-MAMMA1002269
 C-MAMMA1002292
 C-MAMMA1002294
 C-MAMMA1002297//Homo sapiens mRNA for Rab6 GTPase activating protein.//1.1E-214//881bp//97%//
 AJ011679
 40 C-MAMMA1002312
 C-MAMMA1002329//M.musculus mRNA for semaphorin B.//3.80E-45//332bp//84%//X85991
 C-MAMMA1002333
 C-MAMMA1002351//FERRIPYOCHELIN BINDING PROTEIN.//0.000078//127aa//26%//P40882
 C-MAMMA1002353
 45 C-MAMMA1002355
 C-MAMMA1002356
 C-MAMMA1002362
 C-MAMMA1002380
 C-MAMMA1002384
 50 C-MAMMA1002427
 C-MAMMA1002470//PROBABLE NH(3)-DEPENDENT NAD(+) SYNTHETASE (EC 6.3.5.1).//1E-11//128aa//36%//
 P47623
 C-MAMMA1002485//"Homo sapiens stannocalcin-related protein mRNA, complete cds."//0//1822bp//
 99%//AF098462
 55 C-MAMMA1002494
 C-MAMMA1002524//HYPOTHETICAL 117.8 KD PROTEIN IN STE2-FRS2 INTERGENIC REGION.//1.2E-34//
 337aa//31%//P43571
 C-MAMMA1002530//"Homo sapiens cytosolic phospholipase A2 gamma (cPLA2 gamma) mRNA, complete

cds."//0//1910bp//99%//AF065214
 C-MAMMA1002554
 C-MAMMA1002585//"Homo sapiens mRNA for KIAA0860 protein, complete cds."//0//1405bp//99%//
 5 AB020667
 C-MAMMA1002598
 C-MAMMA1002619//PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE K02C4.3 (EC 3.1.2.15)
 (UBIQUITIN THIOLESTERASE) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE) (DEUBIQUITINATING EN-
 ZYME).//9.5E-16//159aa//37%//Q09931
 10 C-MAMMA1002655//"Homo sapiens mRNA for ganglioside sialidase, complete cds."//0//1515bp//
 99%//AB008185
 C-MAMMA1002671//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE-COALIGASE) (ACYL- AC-
 TIVATING ENZYME).//1.1E-45//618aa//26%//P27550
 C-MAMMA1002673
 15 C-MAMMA1002684//"Homo sapiens mRNA for KIAA0214 protein, complete cds."//0//3174bp//99%//
 D86987
 C-MAMMA1002711
 C-MAMMA1002769//"Homo sapiens cell cycle progression restoration 8 protein (CPR8) mRNA, complete
 cds."//2.2E-25//330bp//77%//AF011794
 C-MAMMA1002775
 20 C-MAMMA1002782
 C-MAMMA1002796
 C-MAMMA1002807
 C-MAMMA1002838
 C-MAMMA1002842//"Mus musculus c-Cb1 associated protein CAP mRNA, complete cds."//2.6E-58//
 25 373bp//81%//U58883
 C-MAMMA1002869//PINCH PROTEIN (PARTICULARY INTERESTING NEW CYS-HIS PROTEIN).//1.4E-160//
 305aa//85%//P48059
 C-MAMMA1002881//GLIOMA PATHOGENESIS-RELATED PROTEIN (RTVP-1 PROTEIN).//5.7E-30//214aa//
 35 35%//P48060
 C-MAMMA1002886
 C-MAMMA1002890
 C-MAMMA1002938//"Homo sapiens mRNA for KIAA0698 protein, complete cds."//8.4E-252//1139bp//
 100%//AB014598
 C-MAMMA1002964
 35 C-MAMMA1003011//HESTONE MACRO-H2A.1//2.7E-123//370aa//66%//Q02874
 C-MAMMA1003013//DNA POLYMERASE BETA (EC 2.7.7.7).//7.4E-46//332aa//36%//P06746
 C-MAMMA1003015
 C-MAMMA1003019
 C-MAMMA1003035//RIBOSOMAL LARGE SUBUNIT PSEUDOURIDINE SYNTHASE C (EC 4.2.1.70) (PSEU-
 40 DOURIDYLATE SYNTHASE) (URACIL HYDROLYASE).//1.9E-13//108aa//33%//P23851
 C-MAMMA1003039
 C-MAMMA1003044
 C-MAMMA1003049
 C-MAMMA1003056
 45 C-MAMMA1003057//MD6 PROTEIN.//3.1E-225//419aa//97%//Q60584
 C-MAMMA1003066
 C-MAMMA1003099
 C-MAMMA1003104
 C-MAMMA1003113//"Mus musculus COP9 complex subunit 7a (COPS7a) mRNA, complete cds."//
 50 1.1E-234//1178bp//86%//AF071316
 C-MAMMA1003127//MYOSIN I ALPHA (MMI-ALPHA).//2.2E-105//217aa//89%//P46735
 C-MAMMA1003135
 C-MAMMA1003146//Homo sapiens mRNA for GalT3 protein.//4.3E-218//996bp//99%//Y15062
 C-MAMMA1003150//"Homo sapiens mRNA for KIAA1096 protein, partial cds."//0//1342bp//99%//
 55 AB029019
 C-MAMMA1003166//"Homo sapiens MLL septin-like fusion protein (MSF) mRNA, complete cds."//
 3.10E-158//592bp//97%//AF123052
 C-NT2RM1000032

C-NT2RM1000035//"Human mRNA for KIAA0199 gene, partial cds."//0//2948bp//99%//D83782
 C-NT2RM1000039//HYPOTHETICAL 41.4 KD PROTEIN IN SRLQ-HYPF INTERGENIC REGION (EC 1.18.1.-)
 (ORF4) (ORF2) //2.90E-14//299aa//25%//P37596
 C-NT2RM1000055//"Homo sapiens mRNA for KIAA0829 protein, partial cds."//0//3111bp//99%//
 5 AB020636
 C-NT2RM1000059
 C-NT2RM1000062
 C-NT2RM1000118//CALCINEURIN B SUBUNIT (PROTEIN PHOSPHATASE 2B REGULATORY SUBUNIT) (CAL-
 CINEURIN REGULATORY SUBUNIT) //1.2E-10//150aa//28%//P87072
 10 C-NT2RM1000119
 C-NT2RM1000127
 C-NT2RM1000131//"Homo sapiens mRNA for KIAA0792 protein, complete cds."//0//2980bp//99%//
 AB018335
 C-NT2RM1000132//"Homo sapiens NADH:ubiquinone oxidoreductas NDUFS6 subunit mRNA, nuclear gene
 15 encoding mitochondrial protein, complete cds."//7.8E-110//516bp//99%//AF044959
 C-NT2RM1000153//CYTOSOLIC PURINE 5'-NUCLEOTIDASE (EC 3.1.3.5) //3.3E-3 8//469aa//27%//P49902
 C-NT2RM1000185//CALCINEURIN B SUBUNIT (PROTEIN PHOSPHATASE 2B REGULATORY SUBUNIT) (CAL-
 CINEURIN REGULATORY SUBUNIT) //1.2E-10//150aa//28%//P87072
 C-NT2RM1000187//PUTATIVE PRE-MRNA SPLICING FACTOR ATP-DEPENDENT RNA HELICASE
 20 SPAC10F6.02C //1.1E-10//94aa//47%//042643
 C-NT2RM1000199//Homo sapiens mRNA for type I transmembrane receptor (psk-1 gene) //0//2476bp//99%//
 AJ245820
 C-NT2RM1000244//"Homo sapiens TRAF4 associated factor 1 mRNA, partial cds."//2E-126//592bp//
 99%//J81002
 25 C-NT2RM1000252//H. sapiens E-MAP-115 mRNA //9.7E-35//569bp//64%//X73882
 C-NT2RM1000256//"Homo sapiens mRNA for Glutamine:fructose-6-phosphate amidotransferase, complete
 cds."//0//3012bp//99%//AB016789
 C-NT2RM1000260//"Human mRNA for KIAA0130 gene, complete cds."//0//3139bp//98%//D50920
 C-NT2RM1000271
 30 C-NT2RM1000300
 C-NT2RM1000314//"Human mRNA for KIAA0159 gene, complete cds."//0//4349bp//99%//D63880
 C-NT2RM1000354//"Xenopus laevis chromosome condensation protein XCAP-G mRNA, complete cds.
 "//7.4E-245//2101bp//68%//AF111423
 C-NT2RM1000355//"Homo sapiens transmembrane protein BRI (BRI) mRNA, complete cds."//0//
 35 1599bp//99%//AF152462
 C-NT2RM1000365
 C-NT2RM1000377//"Homo sapiens dual specificity phosphatase MKP5 (MKP5) mRNA, complete cds."//
 3.2E-196//1016bp//94%//AF179212
 C-NT2RM1000388//HYPOTHETICAL 27.7 KD PROTEIN IN CPT1-SPC98 INTERGENIC REGION //
 40 0.00000019//67aa//31%//P53915
 C-NT2RM1000399
 C-NT2RM1000430//"Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds."//
 1.4E-185//1486bp//81%//AF084928
 C-NT2RM1000555//"Homo sapiens mRNA for KIAA0885 protein, complete cds."//0//2885bp//99%//
 45 AB020692
 C-NT2RM1000563//TRANSMISSION-BLOCKING TARGET ANTIGEN S230 PRECURSOR //0.0000068//199aa//
 30%//Q08372
 C-NT2RM1000648//GLYCOSYLTRANSFERASE ALG2 (EC 2.4.1.-) //8.5E-75//301aa//39%//P43636
 C-NT2RM1000661//"Homo sapiens translation initiation factor 4e mRNA, complete cds."//4.3E-210//
 50 960bp//99%//AF038957
 C-NT2RM1000666//DNA-BINDING PROTEIN A //2.2E-09//165aa//34%//P16989
 C-NT2RM1000672
 C-NT2RM1000691//Homo sapiens mRNA for PLU-1 protein //0//3104bp//99%//AJ132440
 C-NT2RM1000699
 55 C-NT2RM1000741//"Homo sapiens mRNA for KIAA0567 protein, partial cds."//1.1E-295//1338bp//
 99%//AB011139
 C-NT2RM1000742//"Homo sapiens AC133 antigen mRNA, complete cds."//0//3524bp//99%//
 AF027208

- C-NT2RM1000746//"Homo sapiens polyamine modulated factor-1 (PMF1) mRNA, complete cds."//6.70E-227//1043bp//99%//AF141310
- C-NT2RM1000770//DXS6673E PROTEIN.//1.4E-39//194aa//48%//Q14202
- C-NT2RM1000772//VEGETATTOLE INCOMPATIBILITY PROTEIN HET-E-1.//7.3E-15//280aa//27%//Q00808
- C-NT2RM1000780
- C-NT2RM1000800//Mus musculus partial mRNA for B-IND1 protein (B-ind1 gene).//1.1E-98//571bp//89%//Z97207
- C-NT2RM1000802
- C-NT2RM1000811//"Homo sapiens AC133 antigen mRNA, complete cds."//0//3524bp//99%//AF027208
- C-NT2RM1000826//"Homo sapiens mRNA for KIAA0885 protein, complete cds."//0//2885bp//99%//AB020692
- C-NT2RM1000829
- C-NT2RM1000850//ANKYRIN R (ANKYRINS 2.1 AND 2.2) (ERYTHROCYTE ANKYRIN).//9.7E-42//333aa//36%//P16157
- C-NT2RM1000852//"Homo sapiens putative ATP-dependent RNA helicase ROK1 mRNA, complete cds."//0//2206bp//99%//AF077033
- C-NT2RM1000857//"Homo sapiens mRNA for KIAA0962 protein, partial cds."//0//3716bp//99%//AB023179
- C-NT2RM1000874//"Homo sapiens death effector domain-containing testicular molecule mRNA, complete cds."//1.4E-244//1113bp//99%//AF043733
- C-NT2RM1000882//"Homo sapiens delta-6 fatty acid desaturase mRNA, complete cds."//4.30E-122//1394bp//69%//AF126799
- C-NT2RM1000885//HYPOTHETICAL 97.1 KD PROTEIN R05D3.4 IN CHROMOSOME III.//1.8E-56//630aa//30%//P34537
- C-NT2RM1000894//DNA-DIRECTED RNA POLYMERASE 1135 KD POLYPEPTIDE (EC 2.7.7.6) (RNA POLYMERASE I SUBUNIT 2) (RPA135).//0//1020aa//89%//P70700
- C-NT2RM1000898//"ACTIN, CYTOPLASMIC (ACTIN, MICRONUCLEAR)."//8.9E-26//229aa//29%//P02583
- C-NT2RM1000905//"Homo sapiens HSPC021 mRNA, complete cds."//0//1480bp//99%//AF077207
- C-NT2RM1000924//HYPOTHETICAL 39.7 KD PROTEIN C34E10.2 IN CHROMOSOME III.//1E-15//266aa//26%//P46577
- C-NT2RM1000927
- C-NT2RM1000962
- C-NT2RM1000978
- C-NT2RM1001003//"Homo sapiens alpha-catenin-like protein (CTNNAL1) mRNA, complete cds."//0//2230bp//99%//AF030233
- C-NT2RM1001043
- C-NT2RM1001066
- C-NT2RM1001072//"1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE GAMMA-1 (EC 3.1.4.11) (PLC-GAMMA-1) (PHOSPHOLIPASE C-GAMMA-1) (PLC-II) (PLC-148)."//8.3E-47//259aa//35%//P08487
- C-NT2RM1001085//"Rattus norvegicus brain specific cortactin-binding protein CBP90 mRNA, partial cds."//3.7E-32//460bp//64%//AF053768
- C-NT2RM1001102//"Human HEM45 mRNA, complete cds."//2.3E-27//482bp//63%//U88964
- C-NT2RM1001105
- C-NT2RM1001139//Homo sapiens mRNA; cDNA DKFZp564F0522 (from clone DKFZp564F0522).//0//1756bp//99%//AL049943
- C-NT2RM2000420
- C-NT2RM2000566//"Homo sapiens integrin alpha-7 mRNA, complete cds."//0//2519bp//96%//AF032108
- C-NT2RM2000609
- C-NT2RM2000612//"Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds."//2.6E-106//1069bp//74%//U35776
- C-NT2RM2000735//ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6).//2.9E-103//249aa//73%//P28160
- C-NT2RM2001588
- C-NT2RM2001605//Homo sapiens mRNA for PLU-1 protein.//0//3114bp//99%//AJ132440
- C-NT2RM2001613//"Homo sapiens sec61 homolog mRNA, complete cds."//0//2601bp//99%//AF084458

- C-NT2RM2001632//KES 1 PROTEIN.//1.40E-31//342aa//34%//P35844
 C-NT2RM2001648//"Homo sapiens sec61 homolog mRNA, complete cds."//0//2421bp//99%//AF084458
 5 C-NT2RM2001652//"Homo sapiens guanine nucleotide exchange factor mRNA, complete cds."//0//2608bp//99%//AF111162
 C-NT2RM2001659//ZINC/CADMIUM RESISTANCE PROTEIN.//3.4E-39//161aa//34%//P20107
 C-NT2RM2001664//"Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds."//0//2471bp//99%//AF044195
 10 C-NT2RM2001668//"Homo sapiens putative WHSC1 protein (WHSC1) mRNA, alternative splice product ending in intron 11, complete cds."//6.2E-16//464bp//62%//AF083391
 C-NT2RM2001671//"Oryctolagus cuniculus sarcolemmal associated protein (SLAP1) mRNA, complete cds."//0//1843bp//94%//U21155
 C-NT2RM2001675
 C-NT2RM2001681
 15 C-NT2RM2001688//HYPOTHETICAL 33.8 KD PROTEIN C5H10.01 IN CHROMOSOME 1.//4.60E-20//253aa//30%//Q09674
 C-NT2RM2001695//Homo sapiens clone H63 unknown mRNA.//0//2016bp//99%//AF103804
 C-NT2RM2001696
 C-NT2RM2001698//"Homo sapiens XGalT-1 mRNA for galactosyltransferase I, complete cds."//6.2E-253//1170bp//99%//AB028600
 20 C-NT2RM2001700//"ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC (EC 1.3.99.-) (VL-CAD) (FRAGMENT)."//5.7E-130//536aa//49%//P50544
 C-NT2RM2001716
 C-NT2RM2001723
 25 C-NT2RM2001730//PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE K02C4.3 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE) (DEUBIQUITINATING ENZYME).//7.2E-16//381aa//27%//Q09931
 C-NT2RM2001743//"Homo sapiens cell cycle progression 2 protein (CPR2) mRNA, complete cds."//0//1498bp//99%//AF011792
 30 C-NT2RM2001753//HYPOTHETICAL PROTEIN KIAA0210.//8.8E-11//119aa//36%//Q92609
 C-NT2RM2001760//"Homo sapiens sec61 homolog mRNA, complete cds."//0//2379bp//99%//AF084458
 C-NT2RM2001768
 C-NT2RM2001771//ZINC FINGER PROTEIN 135.//6.4E-154//394aa//64%//P52742
 35 C-NT2RM2001782//"Homo sapiens GDP-mannose pyrophosphorylase A (GMPPA) mRNA, complete cds."//0//1470bp//99%//AF135422
 C-NT2RM2001784
 C-NT2RM2001785//Homo sapiens mRNA; cDNA DKFZp586C201 (from clone DKFZp586C201).//0//2146bp//99%//AL050118
 40 C-NT2RM2001813
 C-NT2RM2001823//CHD1 PROTEIN.//1.8E-106//631aa//39%//P32657
 C-NT2RM2001839//"Homo sapiens calumein (Calu) mRNA, complete cds."//0//2415bp//97%//AF013759
 C-NT2RM2001840
 45 C-NT2RM2001855
 C-NT2RM2001867//"Homo sapiens mRNA for KIAA0943 protein, partial cds."//0//967bp//99%//AB023160
 C-NT2RM2001879
 C-NT2RM2001983//"Homo sapiens RGS-GAIP interacting protein GIPC mRNA, complete cds."//0//1658bp//98%//AF089816
 50 C-NT2RM2002145//"Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds."//8.5E-191//1524bp//81%//AF084928
 C-NT2RM40000027
 C-NT2RM40000030//LAS1 PROTEIN.//5.6E-12//184aa//32%//P36146
 55 C-NT2RM40000046//GOLIATH PROTEIN (G1 PROTEIN).//0.000008//112aa//31%//Q06003
 C-NT2RM4000155//"THREONYL-TRNA SYNTHETASE, CYTOPLASMIC (EC 6.1.1.3) (THREONINE-TRNA LIGASE) (THRRS)."//1.2E-157//321aa//61%//P26639
 C-NT2RM4000156//H.sapiens HPBRII-7 gene.//3.6E-21//785bp//60%//X67336

- C-NT2RM4000167//"Homo sapiens kinesin superfamily motor KIF4 mRNA, complete cds."//0//1946bp//99%//AF071592
- C-NT2RM4000199
- C-NT2RM4000200
- 5 C-NT2RM4000202//ZINC FINGER PROTEIN MOK-2 (HOK-2).//4.9E-32//170aa//41%//Q16600
- C-NT2RM4000233//"Mus musculus semaphorin Via mRNA, complete cds."//3.4E-231//1395bp//86%//AF030430
- C-NT2RM4000244
- 10 C-NT2RM4000251
- C-NT2RM4000265
- C-NT2RM4000324
- C-NT2RM4000327
- C-NT2RM4000356//RAS-RELATED PROTEIN RAB-17 .//5.9E-80//213aa//75%//P35292
- C-NT2RM4000425
- 15 C-NT2RM4000433//"Mus musculus retinoic acid-responsive protein (Stra6) mRNA, complete cds."//4.1E-271//2085bp//77%//AF062476
- C-NT2RM4000514
- C-NT2RM4000531//ZINC FINGER PROTEIN 29 (ZFP-29).//2.4E-89//389aa//43%//007230
- C-NT2RM4000532
- 20 C-NT2RM4000534
- C-NT2RM4000603
- C-NT2RM4000611//VEGETATIBLE INCOMPATIBILITY PROTEIN HET-E-1.//2.9E-09//108aa//31%//Q00808
- C-NT2RM4000616//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- AC-TIVATING ENZYME).//2.7E-146//420aa//60%//P27550
- 25 C-NT2RM4000674//HYPOTHETICAL SYMPORTER SLL1374 .//1.2E-28//180aa//30%//P74168
- C-NT2RM4000689
- C-NT2RM4000698
- C-NT2RM4000700
- C-NT2RM4000712//"Homo sapiens ubiquitin hydrolyzing enzyme I (UBH1) mRNA, partial cds."//1E-136//1104bp//77%//AF022789
- 30 C-NT2RM4000717
- C-NT2RM4000733//TRANSCRIPTION TERMINATION FACTOR RHO .//0.0000041//207aa//29%//P52154
- C-NT2RM4000734//"Homo sapiens mRNA for KIAA0760 protein, partial cds."//0//2273bp//99%//AB018303
- 35 C-NT2RM4000741//"Homo sapiens hSGT1 mRNA for hSgt1p, complete cds."//0//2184bp//99%//D88208
- C-NT2RM4000751//ZINC FINGER PROTEIN 184 (FRAGMENT).//3.9E-125//301aa//53%//Q99676
- C-NT2RM4000764
- C-NT2RM4000778
- 40 C-NT2RM4000787
- C-NT2RM4000790
- C-NT2RM4000795//"Homo sapiens mRNA for KIAA0951 protein, complete cds."//0//1847bp//96%//AB023168
- C-NT2RM4000796
- 45 C-NT2RM4000798//"Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 mRNA, complete cds."//0//2603bp//99%//AF084521
- C-NT2RM4000813
- C-NT2RM4000820//VACUOLAR ATP SYNTHASE SUBUNIT AC45 PRECURSOR (EC 3.6.1.34) (V-ATPASE AC45 SUBUNIT).//1.10E-24//138aa//44%//P40682
- 50 C-NT2RM4000833
- C-NT2RM4000848
- C-NT2RM4000852
- C-NT2RM4000855
- C-NT2RM4000887
- 55 C-NT2RM4000895
- C-NT2RM4000950
- C-NT2RM4000979
- C-NT2RM4001002//Homo sapiens mRNA; cDNA DKFp586G0518 (from clone DKFp586G0518).//0//2259bp//

- 100%//AL050092
C-NT2RM4001032
C-NT2RM4001047//M025 PROTEIN //8E-140//333aa//80%//Q06138
C-NT2RM4001054//"Homo sapiens sec61 homolog mRNA, complete cds."//3.1E-190//1315bp//81%//
5 AF077032
C-NT2RM4001084//HYPOTHETICAL 105.6 KD PROTEIN C16C9.06C IN CHROMOSOME I.//0.00000032//
165aa//33%//Q09820
C-NT2RM4001116//HYPOTHETICAL 216.3 KD PROTEIN R06F6.8 IN CHROMOSOME II.//5.9E-86//292aa//
48%//Q09417
10 C-NT2RM4001140//HOMEOBOX PROTEIN MSH-D.//1E-11//103aa//38%//Q01704
C-NT2RM4001151
C-NT2RM4001155//ADRENAL MEDULLA 50 KD PROTEIN.//4.1E-197//445aa//78%//Q27969
C-NT2RM4001160
C-NT2RM4001187
15 C-NT2RM4001191//"Homo sapiens clone 24963 mRNA sequence, complete cds."//0//1950bp//99%//
AF131737
C-NT2RM4001200//ZINC FINGER PROTEIN 135.//9.5E-135//375aa//60%//P52742
C-NT2RM4001203//"Homo sapiens mRNA for KIAA0839 protein, partial cds."//0//3047bp//99%//
AB020646
20 C-NT2RM4001204//"Homo sapiens mRNA for KIAA1089 protein, partial cds."//0//2349bp//99%//
AB029012
C-NT2RM4001217//"Homo sapiens nuclear matrix protein NRP/B (NRPB) mRNA, complete cds."//
7.3E-148//1409bp//72%//AF059611
C-NT2RM4001256//"Xenopus laevis putative Zic3 binding protein mRNA, complete cds."//4.30E-55//
25 289bp//77%//AF129131
C-NT2RM4001258
C-NT2RM4001309
C-NT2RM4001313//PHOSPHATIDYLINOSITOL 3-KINASE VPS34-LIKE (EC 2.7.1.137) (PI3-KINASE) (PTDINS-
3-KINASE) (PI3K).//3.50E-35//124aa//65%//P54676
30 C-NT2RM4001316//"ACYL-COA DEHYDROGENASE, MEDIUM-CHAIN SPECIFIC PRECURSOR (EC
1.3.99.3) (MCAD)."//2.3E-31//334aa//30%//P08503
C-NT2RM4001320//"Homo sapiens mRNA for Neuroblastoma, complete cds."//1.8E-39//728bp//64%//
D89016
C-NT2RM4001340//UTR4 PROTEIN (UNKNOWN TRANSCRIPT 4 PROTEIN).//1E-28//171aa//37%//P32626
35 C-NT2RM4001344//HYPOTHETICAL GTP-BINDING PROTEIN IN POP2-HOL1 INTERGENIC REGION.//8.1E-
30//265aa//33%//P53742
C-NT2RM4001347//"Homo sapiens NY-REN-25 antigen mRNA, partial cds."//0//2300bp//99%//
AF155103
C-NT2RM4001371//"Homo sapiens IDN3 mRNA, partial cds."//0//2524bp//99%//AB019494
40 C-NT2RM4001382//"Homo sapiens RanBP7/importin 7 mRNA, complete cds."//2.2E-237//1079bp//
99%//AF098799
C-NT2RM4001384
C-NT2RM4001410
C-NT2RM4001411//"Mus musculus Pro-rich, PH, SH2 domain-containing signaling mediator (PSM) mRNA,
45 complete cds."//0//1962bp//87%//AF020526
C-NT2RM4001412//"Homo sapiens nGAP mRNA, complete cds."//0//1918bp//99%//AF047711
C-NT2RM4001414
C-NT2RM4001437
C-NT2RM4001444//SOLEUCYL-TRNA SYNTHETASE (EC 6.1.1.5) (ISOLEUCINE-TRNA LIGASE) (ILERS).//
50 1.4E-118//444aa//46%//P73505
C-NT2RM4001454
C-NT2RM4001455
C-NT2RM4001483//ZINC FINGER PROTEIN 136.//5.1E-106//357aa//55%//P52737
C-NT2RM4001489//"Homo sapiens mRNA for KIAA0685 protein, complete cds."//0//1810bp//99%//
55 AB014585
C-NT2RM4001522
C-NT2RM4001557//"Homo sapiens mRNA for KIAA1040 protein, partial cds."//0//1547bp//97%//
AB028963

- C-NT2RM4001565
C-NT2RM4001566//"Homo sapiens mRNA for KIAA1114 protein, complete cds."//0//1900bp//99%//
AB029037
- 5 C-NT2RM4001582//"Mus musculus COP9 complex subunit 7b (COPS7b) mRNA, complete cds."//
1.5E-284//1082bp//90%//AF071317
C-NT2RM4001592//"Homo sapiens mRNA for KIAA1122 protein, partial cds."//0//2170bp//99%//
AB032948
C-NT2RM4001594
C-NT2RM4001597//M.musculus red-1 gene.//2.1E-171//1414bp//78%//X92750
- 10 C-NT2RM4001611//SIS2 PROTEIN (HALOTOLERANCE PROTEIN HAL3).//2.6E-32//203aa//39%//Q12600
C-NT2RM4001629//"MAGUK P55 SUBFAMILY MEMBER 3 (MPP3 PROTEIN) (DISCS, LARGE HOMOLOG
3) "//1.5E-93//278aa//38%//Q13368
C-NT2RM4001650
C-NT2RM4001662
C-NT2RM4001666//HYPOTHETICAL 48.6 KD PROTEIN IN ALPA-GABP INTERGENIC REGION.//2.7E-84//
410aa//42%//P37339
C-NT2RM4001682
C-NT2RM4001710
C-NT2RM4001714//SEPTIN 2 HOMOLOG (FRAGMENT).//8.9E-141//354aa//72%//Q14141
- 20 C-NT2RM4001715
C-NT2RM4001731//"Homo sapiens mRNA for KIAA1004 protein, partial cds."//0//1922bp//100%//
AB023221
C-NT2RM4001746
C-NT2RM4001754
C-NT2RM4001758//PUTATIVE SERINE/THREONINE-PROTEIN KINASE EMK (EC 2.7.1.-).//4.1E-186//639aa//
58%//Q05512
C-NT2RM4001783//ZINC FINGER PROTEIN HRX (ALL-1).//7.9E-66//311aa//35%//Q03164
C-NT2RM4001810//"Homo sapiens mRNA for KIAA0863 protein, complete cds."//0//2377bp//99%//
AB020670
- 30 C-NT2RM4001813//LECTIN BRA-2.//0.0000048//114aa//30%//P17346
C-NT2RM4001823//ZINC FINGER PROTEIN 43 (ZINC FINGER HTF6).//2.9E-55//325aa//37%//P28160
C-NT2RM4001828//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//5.9E-161//481aa//56%//
P51523
C-NT2RM4001836
C-NT2RM4001841//"Homo sapiens mRNA for KIAA0920 protein, complete cds."//0//1861bp//98%//
AB023137
C-NT2RM4001842
C-NT2RM4001856
C-NT2RM4001858//T-BOX CONTAINING PROTEIN TBX6L (FRAGMENT).//6.5E-22//126aa//46%//P79779
- 40 C-NT2RM4001865//Homo sapiens mRNA for atopy related autoantigen CALC.//4.3E-244//1248bp//94%//Y17711
C-NT2RM4001876//RAS SUPPRESSOR PROTEIN 1 (RSU-1) (RSP-1 PROTEIN) (RSP-1).//6.5E-23//184aa//
36%//Q15404
C-NT2RM4001880//PUTATIVE DNA HELICASE II HOMOLOG (EC 3.6.1.-).//5.9E-09//268aa//26%//P47486
C-NT2RM4001922//"Homo-sapiens mRNA for KIAA0957 protein, complete cds."//0//2165bp//99%//
AB023174
C-NT2RM4001930//"Homo sapiens dolichyl-P-Glc:Man9GlcNAc2-PP-dolichyl glucosyltransferase (ALG6)
mRNA, complete cds."//0//1930bp//99%//AF102851
C-NT2RM4001940//"Homo sapiens timeless homolog mRNA, complete cds."//0//2087bp//99%//
AF098162
- 50 C-NT2RM4001953
C-NT2RM4001965
C-NT2RM4001969//R.norvegicus mRNA for IP63 protein.//2.6E-261//1563bp//84%//X99330
C-NT2RM4001979//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//1.8E-112//457aa//47%//
P51523
C-NT2RM4001984
C-NT2RM4001987//"NEURAL CELL ADHESION MOLECULE 1, LARGE ISOFORM PRECURSOR (N-CAM
180) [CONTAINS: N-CAM 140]."//3.2E-17//281aa//30%//P16170
C-NT2RM4002013//HYPOTHETICAL 89.4 KD TRP-ASP REPEATS CONTAINING PROTEIN IN PMT6-PCT1

INTERGENIC REGION.//6.9E-94//589aa//35%/P42935

C-NT2RM4002018

C-NT2RM4002034//"Homo sapiens hiwi mRNA, partial cds."//1.9E-53//1585bp//60%/AF104260

C-NT2RM4002044

C-NT2RM4002054

C-NT2RM4002063//"Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds."//0//1865bp//99%/U82267

C-NT2RM4002066//"Homo sapiens thyroid hormone receptor-associated protein complex component TRAP230 mRNA, complete cds."//1.50E-211//1123bp//71%/AF117755

C-NT2RM4002075//RING CANAL PROTEIN (KELCH PROTEIN).//2.8E-105//556aa//41%/Q04652

C-NT2RM4002128

C-NT2RM4002140

C-NT2RM4002145//SLIT PROTEIN PRECURSOR.//1.40E-09//127aa//33%/P24014

C-NT2RM4002161//"Homo sapiens laforin (EPM2A) mRNA, complete cds."//0//2671bp//99%/AF084535

C-NT2RM4002174//MRP PROTEIN.//9.1E-68//264aa//51%/P21590

C-NT2RM4002189//"GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE)."//6.2E-33//688aa//27%/P08640

C-NT2RM4002205//"ELONGATION FACTOR G, MITOCHONDRIAL PRECURSOR (MEF-G)."//3E-37//122aa//72%/Q07803

C-NT2RM4002213//"Homo sapiens protein phosphatase methylesterase-1 (PME-1) mRNA, complete cds."//0//2452bp//100%/AF157028

C-NT2RM4002226//GTPASE ACTIVATING PROTEIN ROTUND.//3.7E-19//147aa//41%/P40809

C-NT2RM4002251//"ALPHA-1,3-MANNOSYL-GLYCOPROTEIN BETA-1,2-N-ACETYLGLUCOSAMINYL-TRANSFERASE (EC 2.4.1.101) (N-GLYCOSYL-OLIGOSACCHARIDE-GLYCOPROTEIN N-ACETYLGLUCOSAMINYLTRANSFERASE I) (GNT-I) (GLCNAC-TI)."//2.2E-36//320aa//38%/P27808

C-NT2RM4002256

C-NT2RM4002266

C-NT2RM4002281

C-NT2RM4002287

C-NT2RM4002294

C-NT2RM4002301

C-NT2RM4002323//ANTIGEN GOR (FRAGMENT).//0.000000001//154aa//33 %//P48778

C-NT2RM4002339

C-NT2RM4002344

C-NT2RM4002373//"Homo sapiens mRNA for KIAA0649 protein, complete cds."//0//2666bp//99%/AB014549

C-NT2RM4002374

C-NT2RM4002383

C-NT2RM4002409//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- AC-TIVATING ENZYME).//1.3E-29//275aa//30%/P27095

C-NT2RM4002438//"Xenopus laevis putative Zic3 binding protein mRNA, complete cds."//1.1E-49//611bp//70%/AF129131

C-NT2RM4002446

C-NT2RM4002452

C-NT2RM4002457

C-NT2RM4002460//"ENV POLYPROTEIN (COAT POLYPROTEIN) [CONTAINS: COAT PROTEINS GP70, GP20]."//0.0000016//226aa//24%/P51515

C-NT2RM4002493

C-NT2RM4002527//VEGETABLE INCOMPATIBILITY PROTEIN HET-E-1.//8.9E-15//366aa//27%/Q00808

C-NT2RM4002532//PROTEIN HOM1.//2E-16//276aa//28%/P55137

C-NT2RM4002558//"Homo sapiens fatty acid transport protein (FATP) mRNA, complete cds."//0//1797bp//99%/AF055899

C-NT2RM4002567

C-NT2RM4002593

C-NT2RM4002594//MSP1 PROTEIN HOMOLOG.//2.7E-68//236aa//58%/P54815

C-NT2RM4002623//ASPARTYL-TRNA SYNTHETASE (EC 6.1.1.12) (ASPARTATE--TRNA LIGASE) (ASPRS).//2.3E-101//488aa//45%/032038

C-NT2RP1000324
 C-NT2RP1000363//"Homo sapiens mRNA for KIAA0638 protein, partial cds."//0//1345bp/99%//
 AB014538
 C-NT2RP1000418
 5 C-NT2RP1000513//"Human NifU-like protein (hNifU) mRNA, partial cds."//6.50E-171//516bp/99%//
 U47101
 C-NT2RP1000721
 C-NT2RP1000730
 C-NT2RP1000767
 10 C-NT2RP1000836
 C-NT2RP1000902//HYPOTHETICAL 127.4 KD PROTEIN F07F6.4 IN CHROMOSOME III.//5.2E-20//306aa//
 33%//Q09531
 C-NT2RP1000943
 C-NT2RP1001033//"Homo sapiens delta-tubulin mRNA, complete cds."//2.10E-285//1290bp//100%//
 15 AF201333
 C-NT2RP1001073//"Homo sapiens U6 snRNA-associated Sm-like protein Lsm5 mRNA, complete cds.
 "//8.1E-107//504bp/99%//AF182291
 C-NT2RP1001199
 C-NT2RP1001248
 20 C-NT2RP1001253//"Homo sapiens oscillin (hLn) mRNA, complete cds."//0//2020bp/99%//AF029914
 C-NT2RP1001286
 C-NT2RP1001294//MICROTUBULE-ASSOCIATED PROTEIN YTM1.//1.80E-38//258aa//32%//Q12024
 C-NT2RP1001302//MICROTUBULE-ASSOCIATED PROTEIN YTM1.//1.80E-38//258aa//32%//Q12024
 C-NT2RP1001310//"Homo sapiens mitochondrial carrier homolog 1 isoform a mRNA, partial cds; nuclear
 25 gene for mitochondrial product."//0//1732bp/99%//AF176006
 C-NT2RP1001361//"Homo sapiens NADH-ubiquinone oxidoreductase subunit B14.5B homolog mRNA,
 complete cds."//6.5E-116//541bp//100%//AF070652
 C-NT2RP1001385//HYPOTHETICAL 48.8 KD PROTEIN IN SSU81-SCS2 INTERGENIC REGION.//2.7E-22//
 284aa//25%//P40074
 30 C-NT2RP1001432
 C-NT2RP2000040//"Homo sapiens mRNA for KIAA0747 protein, partial cds."//0//2648bp/99%//
 AB013290
 C-NT2RP2000076//Homo sapiens partial mRNA for polyhomeotic 2 protein (PH2 gene).//7.9E-20//265bp//73%//
 AJ242730
 35 C-NT2RP2000098
 C-NT2RP2000108
 C-NT2RP2000257//PUTATIVE MITOCHONDRIAL CARRIER YIL006W.//9.7E-41//278aa//36%//P40556
 C-NT2RP2000258//ACTIVATOR 1 140 KD SUBUNIT (REPLICATION FACTOR C LARGE SUBUNIT) (A1 140 KD
 SUBUNIT) (RF-C 140 KD SUBUNIT) (ACTIVATOR 1 LARGE SUBUNIT) (DNA-BINDING PROTEIN PO-GA).//
 40 7.1E-12//1213aa//23%//P35251
 C-NT2RP2000289
 C-NT2RP2000327
 C-NT2RP2000337
 C-NT2RP2000420//ZINC FINGER PROTEIN 165.//8.5E-33//155aa//52%//P49910
 45 C-NT2RP2000459
 C-NT2RP2000498
 C-NT2RP2000758
 C-NT2RP2001137
 C-NT2RP2001149
 50 C-NT2RP2001168//VERPROLIN.//1.5E-09//143aa//33%//P37370
 C-NT2RP2001173//"Homo sapiens mRNA for KIAA0480 protein, complete cds."//0//1780bp/99%//
 AB007949
 C-NT2RP2001174//GASTRULA ZINC FINGER PROTEIN XLCCF46.1 (FRAGMENT).//6E-10//88aa//38%//
 P18722
 55 C-NT2RP2001196
 C-NT2RP2001226
 C-NT2RP2001268//"Homo sapiens mRNA for KIAA0810 protein, partial cds."//0//3301bp/98%//
 AB018353

- C-NT2RP2001290//BETA-SOLUBLE NSF ATTACHMENT PROTEIN (SNAP-BETA) (SNAP-ALPHA HOMOLOG) (BRAIN PROTEIN 147) (FRAGMENT).//4.4E-91//179aa//99%/P28663
- C-NT2RP2001295//ZINC/CADMIUM RESISTANCE PROTEIN.//8.3E-39//161aa//34%/P20107
- 5 C-NT2RP2001312
- C-NT2RP2001327//"TUMOR NECROSIS FACTOR, ALPHA-INDUCED PROTEIN 1, ENDOTHELIAL (B12 PROTEIN)."//5.5E-116//311aa//71%/Q13829
- C-NT2RP2001328
- C-NT2RP2001366
- 10 C-NT2RP2001378//MUCIN 2 PRECURSOR (INTESTINAL MUCIN 2).//2E-11//403aa//25%/Q02817
- C-NT2RP2001392//MITOCHONDRIAL LON PROTEASE HOMOLOG 1 PRECURSOR (EC 3.4.21.-).//8.4E-192//581aa//54%/P93647
- C-NT2RP2001394//Homo sapiens mRNA for SCML2 protein.//0//2068bp//99%/Y18004
- C-NT2RP2001420//"Mus musculus nuclear protein NIP45 mRNA, complete cds."//9E-112//742bp//82%/U76759
- 15 C-NT2RP2001450
- C-NT2RP2001467
- C-NT2RP2001506
- C-NT2RP2001511//"Homo sapiens putative RNA-binding protein Q99 mRNA, complete cds."//3.2E-297//2206bp//75 %//AF093097
- 20 C-NT2RP2001520//Homo sapiens mRNA for mitochondrial carrier protein ARALAR1.//0//2502bp//99%/Y14494
- C-NT2RP2001536//"Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds."//0//2326bp//99%/AF035586
- C-NT2RP2001560//NAV2 PROTEIN.//0.00000015//219aa//27%/Q60992
- C-NT2RP2001576//HYPOTHETICAL 62.2 KD PROTEIN C4G8.12C IN CHROMOSOME I.//8.2E-29//294aa//31%/Q09837
- 25 C-NT2RP2001581
- C-NT2RP2001597//"RYANODINE RECEPTOR, CARDIAC MUSCLE."//0.00000036//127aa//36%/P30957
- C-NT2RP2001628
- 30 C-NT2RP2001663//ENOLASE (EC 4.2.1.11) (2-PHOSPHOGLYCERATE DEHYDRATASE) (2-PHOSPHO-D-GLYCERATE HYDRO-LYASE) (FRAGMENT).//1.1E-47//126aa//53%/P42897
- C-NT2RP2001748//FARNESYL PYROPHOSPHATE SYNTHETASE (FPP SYNTHETASE) (FPS) (FARNESYL DI-PHOSPHATE SYNTHETASE) (DIMETHYLALLYLTRANSFERASE (EC 2.5.1.1) / GERANYLTRANSTRANS-FERASE (EC 2.5.1.10)) (KIAA0032).//5.40E-47//96aa//97%/P14324
- 35 C-NT2RP2001813
- C-NT2RP2001883//"Homo sapiens CGI-01 protein mRNA, complete cds."//0//2306bp//99%/AF132936
- C-NT2RP2001900//ACTIN-LIKE PROTEIN ARP5.//2.3E-38//395aa//30%/P53946
- C-NT2RP2001947
- 40 C-NT2RP2001985//"Homo sapiens high-risk human papilloma viruses E6 oncoproteins targeted protein E6TP1 alpha mRNA, complete cds."//2.00E-38//435bp//67%/AF090989
- C-NT2RP2001991//SODIUM- AND CHLORIDE-DEPENDENT TRANSPORTER NTT73.//6.5E-129//279aa//85%/Q08469
- 45 C-NT2RP2002025//NG-CAM RELATED CELL ADHESION MOLECULE PRECURSOR (NR-CAM) (BRAVO).//1.7E-47//1247aa//52%/P35331
- C-NT2RP2002058//"Homo sapiens WD repeat protein WDR3 (WDR3) mRNA, complete cds."//0//2510bp//99%/AF083217
- C-NT2RP2002076//Homo sapiens clone 24804 mRNA sequence.7/1.5E-294//1334bp//99%/AF052183
- 50 C-NT2RP2002078//PECANEX PROTEIN.//1.8E-09//195aa//32%/P18490
- C-NT2RP2002079//"HISTONE H1, GONADAL."//4.4E-11//214aa//34%/P02256
- C-NT2RP2002099//Homo sapiens mRNA for E1B-55kDa-associated protein.//0//3389bp//99%/AJ007509
- C-NT2RP2002185//"Homo sapiens ubiquitin mRNA, complete cds."//0//1789bp//99%/AF176069
- C-NT2RP2002193//"Homo sapiens PIAS3 mRNA for protein inhibitor of activated STAT3, complete cds."//0//2809bp//99%/AB021868
- 55 C-NT2RP2002231
- C-NT2RP2002235
- C-NT2RP2002252//"Mus musculus (clone pVZmSin3A9) mSin3A9 mRNA, complete cds."//0//3118bp//91%/L38621

- C-NT2RP2002292
C-NT2RP2002408
C-NT2RP2002442//HESA PROTEIN.//2.8E-14//163aa//30%//P46037
C-NT2RP2002464//DNA CROSS-LINK REPAIR PROTEIN PS02/SNM1.//6.50E-07//171aa//27%//P30620
5 C-NT2RP2002498
C-NT2RP2002503//ZINC FINGER PROTEIN 45 (BRC1744).//4.6E-144//537aa//49%//Q02386
C-NT2RP2002520//"Homo sapiens transcription factor RFX-B (RFXB) mRNA, complete cds."//3.70E-34//668bp//61%//AF105427
C-NT2RP2002549
10 C-NT2RP2002609//2-HYDROXYMUCONIC SEMIALDEHYDE HYDROLASE (EC 3.1.1.-) (HMSH).//2.80E-08//109aa//37%//P19076
C-NT2RP2002706
C-NT2RP2002710//SH3-BINDING PROTEIN 3BP-1.//4.9E-85//489aa//43%//P55194
C-NT2RP2002800
15 C-NT2RP2002880//GLUCOSE REPRESSION MEDIATOR PROTEIN.//0.000039//206aa//23%//P14922
C-NT2RP2002891
C-NT2RP2002929//HYPOTHETICAL 46.2 KD TRP-ASP REPEATS CONTAINING PROTEIN D2013.2 IN CHROMOSOME II.//4.1E-87//395aa//40%//Q18964
C-NT2RP2002939//ZINC FINGER PROTEIN 136.//5.4E-70//282aa//42%//P52737
20 C-NT2RP2002993//DNA-DIRECTED RNA POLYMERASE I 135 KD POLYPEPTIDE (EC 2.7.7.6) (RNA POLYMERASE I SUBUNIT 2) (RPA135).//0//716aa//91%//P70700
C-NT2RP2003034
C-NT2RP2003099
C-NT2RP2003137//UBIQUITIN.//0.000026//70aa//30%//P13117
25 C-NT2RP2003157//"Homo sapiens CGI-74 protein mRNA, complete cds."//0//2037bp//99%//AF151832
C-NT2RP2003158//"Homo sapiens mRNA for proteasome subunit p58, complete cds."//0//2091bp//99%//D67025
C-NT2RP2003165
30 C-NT2RP2003243//Homo sapiens partial mRNA for putative p621 protein which interacts with transcription factor Sp1.//0//1544bp//99%//AJ242978
C-NT2RP2003277//"Homo sapiens mRNA for KIAA0625 protein, partial cds."//0//3788bp//99%//AB014525
C-NT2RP2003286//PROBABLE RNA 3'-TERMINAL PHOSPHATE CYCLASE (EC 6.5.1.4) (RNA-3'-PHOSPHATE CYCLASE) (RNA CYCLASE).//4.1E-88//374aa//47%//Q23400
35 C-NT2RP2003297
C-NT2RP2003307//KINESIN LIGHT CHAIN (KLC).//2.2E-199//550aa//70%//Q07866
C-NT2RP2003308//CROOKED NECK PROTEIN.//5.4E-244//622aa//67%//P17886
C-NT2RP2003347//BREAST CANCER TYPE 1 SUSCEPTIBILITY PROTEIN HOMOLOG.//0.000022//261aa//24%//P48754
40 C-NT2RP2003391//Homo sapiens mRNA for nuclear transport receptor.//0//1509bp//99%//AJ133769
C-NT2RP2003393
C-NT2RP2003445
C-NT2RP2003466//"Homo sapiens delta-6 fatty acid desaturase mRNA, complete cds."//0//2194bp//99%//AF126799
45 C-NT2RP2003480//"Homo sapiens zinc finger DNA binding protein 99 (ZNF281) mRNA, complete cds."//0//3012bp//99%//AF125158
C-NT2RP2003506//NADPH-CYTOCHROME P450 REDUCTASE (EC 1.6.2.4) (CPR).//5.4E-14//106aa//46%//P04175
50 C-NT2RP2003511
C-NT2RP2003513//"Human mRNA for KIAA0270 gene, partial cds."//0//2137bp//97%//D87460
C-NT2RP2003567//"Homo sapiens mRNA for KIAA0462 protein, partial cds."//0//2343bp//99%//AB007931
C-NT2RP2003604//"Homo sapiens alpha-catenin-like protein (CTNNA1) mRNA, complete cds."//0//2442bp//99%//AF030233
55 C-NT2RP2003691
C-NT2RP2003713//"Homo sapiens ubiquitin-specific protease 3 (USP3) mRNA, complete cds."//0//2018bp//99%//AF073344

- C-NT2RP2003760//COATOMER GAMMA SUBUNIT (GAMMA-COAT PROTEIN) (GAMMA-COP).//0//869aa//80%//P53620
- C-NT2RP2003764
- C-NT2RP2003769
- 5 C-NT2RP2003777
- C-NT2RP2003840//HYPOTHETICAL 48.1 KD PROTEIN B0403.2 IN CHROMOSOME X.//3.7E-21//137aa//43%//Q11076
- C-NT2RP2003857//MYOTROPHIN (V-1 PROTEIN) (GRANULE CELL DIFFERENTIATION PROTEIN).//0.0000016//117aa//29%//Q91955
- 10 C-NT2RP2003981//"Homo sapiens mRNA for KIAA0804 protein, partial cds."//0//3046bp//99%//AB018347
- C-NT2RP2003984//Homo sapiens mRNA; cDNA DKFZp564A026 (from clone DKFZp564A026).//0//2514bp//99%//AL050367
- C-NT2RP2004041//SYNAPSINS IA AND IB.//0.00000074//159aa//32%//P17599
- 15 C-NT2RP2004066//"Human DNA sequence from clone 134019 on chromosome 1p36.11-36.33, complete sequence."//0//2410bp//99%//AL034555
- C-NT2RP2004081
- C-NT2RP2004124
- C-NT2RP2004152
- 20 C-NT2RP2004165
- C-NT2RP2004187//ZINC FINGER PROTEIN 38 (ZFP-38) (CTFIN51) (TRANSCRIPTION FACTOR RU49).//5.6E-31//424aa//28%//007231
- C-NT2RP2004239//"Homo sapiens lok mRNA for protein kinase, complete cds."//0//3044bp//99%//AB015718
- 25 C-NT2RP2004245
- C-NT2RP2004364
- C-NT2RP2004365
- C-NT2RP2004366//"Homo sapiens mRNA for KIAA0986 protein, partial cds."//0//2790bp//97%//AB023203
- 30 C-NT2RP2004373
- C-NT2RP2004476//"Homo sapiens cyclin L ania-6a mRNA, complete cds."//0//2075bp//99%//AF180920
- C-NT2RP2004551
- C-NT2RP2004568//PUTATIVE ATP-DEPENDENT RNA HELICASE C30D11.03.//3E-117//625aa//40%//Q09903
- 35 C-NT2RP2004600
- C-NT2RP2004664//"Homo sapiens mRNA for KIAA0460 protein, partial cds."//0//2368bp//99%//AB007929
- C-NT2RP2004743
- C-NT2RP2004768//SERINE/THREONINE-PROTEIN KINASE NRK1 (EC 2.7.1.-) (N-RICH KINASE 1).//1.3E-26//190aa//41.-%//P38692
- 40 C-NT2RP2004816//"Homo sapiens H beta 58 homolog mRNA, complete cds."//0//2144bp//96%//AF054179
- C-NT2RP2004861
- C-NT2RP2004897
- 45 C-NT2RP2004933//"Homo sapiens mRNA for ZIP-kinase, complete cds."//0//2103bp//99%//AB007144
- C-NT2RP2004978//ACTIN-LIKE PROTEIN ARP8.//3.3E-47//353aa//30%//Q12386
- C-NT2RP2005038//DNA NUCLEOTIDYLEXOTRANSFERASE (EC 2.7.7.31) (TERMINAL ADDITION ENZYME) (TERMINAL DEOXYNUCLEOTIDYLTRANSFERASE) (TERMINAL TRANSFERASE).//4E-91//218aa//44%//Q82089
- 50 C-NT2RP2005162//"Homo sapiens aspartyl aminopeptidase mRNA, complete cds."//0//1615bp//99%//AF005050
- C-NT2RP2005204//"Homo sapiens SUMO-1-activating enzyme E1 N subunit (SUA1) mRNA, complete cds."//0//1262bp//99%//AF090385
- C-NT2RP2005227
- 55 C-NT2RP2005287
- C-NT2RP2005288//"Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds."//0//2992bp//99%//AF060219
- C-NT2RP2005490//"Mus musculus D3Mm3e (D3Mm3e) mRNA, complete cds."//1.8E-175//1102bp//

- 83%//AF053628
C-NT2RP2005539//"Homo sapiens mRNA for KIAA0850 protein, complete cds."//0//1560bp//99%//AB020657
- 5 C-NT2RP2005605//QUEUINE TRNA-RIBOSYLTRANSFERASE (EC 2.4.2.29) (TRNA-GUANINE TRANSGLYCOSYLASE) (GUANINE INSERTION ENZYME).//8.2E-23//164aa//28%//032053
C-NT2RP2005722//"Homo sapiens ZK1 mRNA for Kruppel-type zinc finger protein, complete cds."//0//2545bp//99%//AB011414
C-NT2RP2005732
- 10 C-NT2RP2005784//"Homo sapiens ubiquitin-conjugating enzyme variant Kua (UBE2V) mRNA, complete cds."//0//2191bp//92%//AF155120
C-NT2RP2005812//HYPOTHETICAL 39.3 KD PROTEIN IN GCN4-WBP1 INTERGENIC REGION.//2.3E-39//318aa//31%//P40004
C-NT2RP2005859//"Homo sapiens mRNA for KIAA0863 protein, complete cds."//0//1649bp//99%//AB020670
- 15 C-NT2RP2006023
C-NT2RP2006334//Homo sapiens mRNA; cDNA DKFZp434J154 (from clone DKFZp434J154).//0//2318bp//99%//AL080155
C-NT2RP2006441
C-NT2RP3000002
- 20 C-NT2RP3000050//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//2.2E-150//490aa//53%//Q05481
C-NT2RP3000055
C-NT2RP3000068
C-NT2RP3000080
- 25 C-NT2RP3000085//ACETYL-/PROPIONYL-COENZYME A CARBOXYLASE ALPHA CHAIN[CONTAINS: BIOTIN CARBOXYLASE (EC 6.3.4.14); BIOTIN CARBOXYL CARRIER PROTEIN (BCCP)].//1.9E-123//436aa//50%//P46401
C-NT2RP3000092
C-NT2RP3000109//P54 PROTEIN PRECURSOR.//0.0000065//358aa//22%//P13692
- 30 C-NT2RP3000134
C-NT2RP3000149
C-NT2RP3000197
C-NT2RP3000207//"GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE)"//2.9E-11//721aa//23%//P08640
- 35 C-NT2RP3000233//"Human DNA sequence from clone 22D12 on chromosome Xq21.1-21.33. Contains a novel protein similar to Drosophila Kelch (Ring Canal protein, KEL) and a heterogenous set of other types of proteins. Contains ESTs and GSSs, complete sequence."//0//1462bp//99%//AL035424
C-NT2RP3000235
C-NT2RP3000247
- 40 C-NT2RP3000267
C-NT2RP3000299//"Rattus norvegicus mRNA for Crk-associated substrate, p130, complete cds."//0//2730bp//82%//D29766
C-NT2RP3000324
C-NT2RP3000341//"Homo sapiens mitochondrial inner membrane preprotein translocase Tim17a mRNA, nuclear gene encoding mitochondrial protein, complete cds."//1.5E-246//1124bp//99%//AF106622
- 45 C-NT2RP3000393//"Rattus norvegicus DNA-binding protein PREB (Preb) mRNA, complete cds."//5.8E-266//1373bp//86%//AF061817
C-NT2RP3000441//"Homo sapiens squamous cell carcinoma antigen recognized by T cell (SART-2) mRNA, complete cds."//3.40E-42//645bp//67%//AF098066
- 50 C-NT2RP3000449
C-NT2RP3000451
C-NT2RP3000456
C-NT2RP3000542
C-NT2RP3000561
- 55 C-NT2RP3000562//"Homo sapiens putative RNA-binding protein Q99 mRNA, complete cds."//0//2165bp//99%//AF093097
C-NT2RP3000578//HES1 PROTEIN.//1-3E-22//229aa//27%//P35843
C-NT2RP3000590//UVS-2 PROTEIN.//1.3E-22//458aa//24%//P33288

- C-NT2RP3000592
C-NT2RP3000622
C-NT2RP3000624
C-NT2RP3000685
- 5 C-NT2RP3000736//HYPOTHETICAL PROTEIN KIAA0140.//1.2E-166//305aa//99%/014153
C-NT2RP3000742//"1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE DELTA 1 (EC 3.1.4.11) (PLC-DELTA-1) (PHOSPHOLIPASE C-DELTA-1) (PLC-III) (FRAGMENT)."//4.1E-165//371aa//49%/P10895
- 10 C-NT2RP3000753
C-NT2RP3000826
C-NT2RP3000865
C-NT2RP3000875//MEVALONATE KINASE (EC 2.7.1.36) (MK).//7.7E-87//175aa//98%/Q03426
C-NT2RP3001007
C-NT2RP3001055
- 15 C-NT2RP300111//"Homo sapiens TRF-proximal protein mRNA, complete cds."//1.50E-149//731bp//97%/AF097725
C-NT2RP3001120//ZINC FINGER PROTEIN 136.//7.8E-170//512aa//58%/P52737
C-NT2RP3001126
C-NT2RP3001150//TRANSCRIPTION TERMINATION FACTOR RHO.//0.00000031//207aa//29%/P52154
- 20 C-NT2RP3001232
C-NT2RP3001268//"Homo sapiens zinc finger protein ZNF228 (ZNF228) mRNA, complete cds."//0//3606bp//99%/AF198358
C-NT2RP3001272//Mus musculus mRNA for macrophage actin-associated-tyrosine-phosphorylated protein.//1.3E-99//669bp//83%/Y18101
- 25 C-NT2RP3001274//"Homo sapiens mRNA for KIAA1037 protein, partial cds."//0//2254bp//99%/AB028960
C-NT2RP3001281
C-NT2RP3001297
C-NT2RP3001318
- 30 C-NT2RP3001338//ZINC FINGER PROTEIN 81 (FRAGMENT).//2.4E-16//175aa//28%/P51508
C-NT2RP3001355//TRICARBOXYLATE TRANSPORT PROTEIN PRECURSOR (CITRATE TRANSPORT PROTEIN) (CTP) (TRICARBOXYLATE CARRIER PROTEIN).//3.6E-25//129aa//34%/P32089
C-NT2RP3001374
C-NT2RP3001428//NUCLEOPROTEIN TPR.//1.4E-128//152aa//99%/P12270
- 35 C-NT2RP3001432
C-NT2RP3001447
C-NT2RP3001449//"Human DNA sequence from clone 283E3 on chromosome 1p36.21-36.33. Contains the alternatively spliced gene for Matrix Metalloproteinase in the Female Reproductive tract MIFR1, -2, MMP21/22A, -B and -C, a novel gene, the alternatively spliced CDC2L2 gene for Cell Division Cycle 2-Like 2 (PITSLRE, p58/GTA, Galactosyltransferase Associated Protein Kinase) beta 1, beta 2-1, beta 2-2 and alpha 2-4, a 40S Ribosomal Protein S7 pseudogene, part of the KIAA0447 gene, a novel alternatively spliced gene similar to many (archae) bacterial, worm and yeast hypothetical genes, and the GNB1 gene for Guanine Nucleotide Binding Protein (G protein), Beta polypeptide 1 (Transducin Beta chain 1). Contains putative CpG islands, ESTs, STSs and GSSs, complete sequence."//0//1827bp//99%/AL031282
- 40 C-NT2RP3001453//ANTIGEN PEPTIDE TRANSPORTER 2 (APT2) (HISTOCOMPATIBILITY ANTIGEN MODIFIER 2).//3.2E-90//157aa//59%/P36371
C-NT2RP3001459
C-NT2RP3001527//"Human Spl40 protein (Spl40) mRNA, complete cds."//4.3E-290//793bp//93%/U63420
- 50 C-NT2RP3001538//HYPOTHETICAL 39.0 KD PROTEIN T2.8D9.3 IN CHROMOSOME II.//9.10E-10//158aa//31%/Q10022
C-NT2RP3001580//"Mus musculus strain C57BL/J germ cell-less protein (Gd) mRNA, complete cds."//0//1730bp//85%/AF163665
C-NT2RP3001587//"Human anthracycline-associated resistance ARX mRNA, complete cds."//0//2617bp//99%/U35832
- 55 C-NT2RP3001589
C-NT2RP3001607
C-NT2RP3001608

- C-NT2RP3001671//"Homo sapiens mRNA for KIAA0850 protein, complete cds."//0//2310bp//99%//AB020657
- C-NT2RP3001672//"Homo sapiens Sex comb on midleg homolog 1 isoform 2 (SCMH1) mRNA, complete cds."//0//2836bp//99%//AF149046
- 5 C-NT2RP3001678
- C-NT2RP3001688//"Homo sapiens glucocorticoid modulatory element binding protein-1 (GMEB1) mRNA, complete cds."//0//1695bp//99%//AF099013
- C-NT2RP3001690//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1//0.00000024//481aa//21%//P25386
- 10 C-NT2RP3001698
- C-NT2RP3001708//TWISTED GASTRULATION PROTEIN PRECURSOR//3.4E-33//161aa//32%//P54356
- C-NT2RP3001716
- C-NT2RP3001752
- 15 C-NT2RP3001792//HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN M (HNRNP M)//1.8E-117//462aa//55%//P52272
- C-NT2RP3001844
- C-NT2RP3001854//Homo sapiens mRNA; cDNA DKFZp564G013 (from clone DKFZp564G013).//0//1528bp//99%//AL050011
- 20 C-NT2RP3001855//HOMEOBOX PROTEIN PKNOX1 (HOMEOBOX PROTEIN PREP-1)//8.1E-125//302aa//60%//P55347
- C-NT2RP3001898//"Homo sapiens mRNA for UDP-N-acetylglucosamine: alpha-1,3-D-mannoside beta-1,4-N-acetylglucosaminyltransferase IV, complete cds."//0//1587bp//100%//AB000624
- C-NT2RP3001931
- C-NT2RP3001969//TRICHOHYALIN//2.7E-11//442aa//23%//P37709
- 25 C-NT2RP3002002
- C-NT2RP3002004//H.sapiens mRNA for FAST kinase//1.50E-19211475bp//94%//X86779
- C-NT2RP3002007//SAP1 PROTEIN//1.1E-68//474aa//32%//P39555
- C-NT2RP3002014//HYPOTHETICAL 32.0 KD PROTEIN C09F5.2 IN CHROMOSOME III//5.30E-25//139aa//48%//Q09232
- 30 C-NT2RP3002045//"Homo sapiens mRNA for KIAA0899 protein, partial cds."//0//33 85bp//99%//AB020706
- C-NT2RP3002056//"Homo sapiens Rb binding protein homolog mRNA, partial cds."//0//2374bp//99%//AF083249
- 35 C-NT2RP3002062//"Homo sapiens mRNA for KIAA0873 protein, partial cds."//0//3764bp//99%//AB020680
- C-NT2RP3002081//"Xenopus laevis chromosome condensation protein XCAP-G mRNA, complete cds."//4.1E-233//1896bp//69%//AF111423
- C-NT2RP3002097
- 40 C-NT2RP3002108//DEC1 PROTEIN (MDM20 PROTEIN)//7.90E-09//181aa//22%//Q12387
- C-NT2RP3002142
- C-NT2RP3002146
- C-NT2RP3002151//G1 TO S PHASE TRANSITION PROTEIN 1 HOMOLOG (GTP-BINDING PROTEIN GST1-HS)//2.8E-253//474aa//93%//P15170
- 45 C-NT2RP3002165//TRANSCRIPTIONAL REGULATOR PROTEIN HCNGP7//1.9E-151//223aa//91%//Q02614
- C-NT2RP3002166
- C-NT2RP3002181
- C-NT2RP3002244
- C-NT2RP3002248
- 50 C-NT2RP3002273//SCD6 PROTEIN//1.30E-09//295aa//28%//P45978
- C-NT2RP3002276
- C-NT2RP3002304
- C-NT2RP3002501//THREONINE DEHYDRATASE CATABOLIC (EC 4.2.1.16) (THREONINE DEAMINASE)//3.70E-43//318aa//37%//P05792
- 55 C-NT2RP3002529//Homo sapiens mRNA for leucocyte vacuolar protein sorting//0//2276bp//99%//AJ133421
- C-NT2RP3002566
- C-NT2RP3002587
- C-NT2RP3002590
- C-NT2RP3002631

- C-NT2RP3002650//"Mus musculus growth suppressor 1L (Gros1) mRNA, complete cds."./0//2109bp//87%//AF165163
- C-NT2RP3002663//"Homo sapiens putative glycolipid transfer protein mRNA, complete cds."./8.10E-263//1243bp//97%//AF103731
- 5 C-NT2RP3002671//ELONGATION FACTOR 2 (EF-2).//2.50E-73//179aa//36%//P13060
- C-NT2RP3002763
- C-NT2RP3002861
- C-NT2RP3002911
- C-NT2RP3002948//RING CANAL PROTEIN (KELCH PROTEIN).//2E-111//551aa//42%//Q04652
- 10 C-NT2RP3002953//"Homo sapiens protocadherin beta 5 (PCDH-beta5) mRNA, complete cds."./0//2388bp//99%//AF152498
- C-NT2RP3002988//"Homo sapiens IκB kinase-b (IKK-beta) mRNA, complete cds."./1.8E-292//1325bp//99%//AF080158
- C-NT2RP3003008
- 15 C-NT2RP3003101//"Mouse mRNA for tetracycline transporter-like protein, complete cds."./3.6E-83//807bp//72%//D88315
- C-NT2RP3003204
- C-NT2RP3003278
- C-NT2RP3003282//"Homo sapiens dynamin (DNM) mRNA, complete cds."./0//2596bp//98%//L36983
- 20 C-NT2RP3003290//"Mus musculus mRNA for Ndr1 related protein Ndr3, complete cds."./1.5E-310//1466bp//82%//AB033922
- C-NT2RP3003302
- C-NT2RP3003313//"Homo sapiens thyroid hormone receptor-associated protein complex component TRAP80 mRNA, complete cds."./0//2476bp//99%//AF117657
- 25 C-NT2RP3003327//52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A)) (R052).//1.3E-35//178aa//44%//Q62191
- C-NT2RP3003344
- C-NT2RP3003353//HYPOTHETICAL 26.2 KD PROTEIN IN GDI1-COX15 INTERGENIC REGION.//2.80E-07//161aa//28%//P40084
- 30 C-NT2RP3003377
- C-NT2RP3003385//"Mus musculus SKD3 mRNA, complete cds."./0//2133bp//85%//U09874
- C-NT2RP3003433
- C-NT2RP3003490//"Homo sapiens mRNA for KIAA0725 protein, partial cds."./0//2437bp//99%//AB018268
- 35 C-NT2RP3003491//"Drosophila melanogaster Pelle associated protein Pellino (Pli) mRNA, complete cds."./5.6E-36//842bp//62%//AF091624
- C-NT2RP3004206//CROOKED NECK PROTEIN.//1.4E-220//567aa//67%//P17886
- C-NT2RP3004207//Homo sapiens mRNA for type I transmembrane receptor (psk-1 gene).//0//2445bp//100%//AJ245820
- 40 C-NT2RP3004209//"Homo sapiens ubiquitin processing protease (Ubp-M) mRNA, complete cds."./0//2320bp//99%//AF126736
- C-NT2RP3004242//PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR (RHO/RAC GEF) (FA-CIOGENITAL DYSPLASIA PROTEIN HOMOLOG).//4.7E-13//118aa//33%//P52734
- C-NT2RP3004246
- 45 C-NT2RP3004258//"Homo sapiens ZIS1 mRNA, complete cds."./0//1861bp//99%//AF065391
- C-NT2RP3004262//"Homo sapiens heat shock protein hsp40-3 mRNA, complete cds."./2.4E-248//1126bp//100%//AF088982
- C-NT2RP3004341
- C-NT2RP3004378
- 50 C-NT2RP3004424//Homo sapiens mRNA for stromal antigen 3 (STAG3 gene).//1E-66//364bp//93%//AJ007798
- C-NT2RP3004428
- C-NT2RP3004451
- C-NT2RP3004454//"Homo sapiens mRNA for KIAA0448 protein, complete cds."./0//2875bp//99%//AB007917
- 55 C-NT2RP3004472//GERM CELL-LESS PROTEIN.//1.6E-61//170aa//40%//Q01820
- C-NT2RP3004498//"Mus musculus ROSA 26 transcription AS ROSA26AS mRNA, complete cds."./2E-249//1777bp//80%//U83176
- C-NT2RP3004504//M.musculus mRNA for CPEB protein.//1.9E-295//893bp//92%//Y08260

C-NT2RP3004507//MOB1 PROTEIN (MPS1 BINDER 1)//3.7E-37//190aa//39%//P40484
 C-NT2RP3004534//"Mouse oncogene (ect2) mRNA, complete cds."//0//2075bp//87%//L11316
 C-NT2RP4000528//NPL4 PROTEIN//9.8E-86//515aa//37%//P33755
 5 C-NT2RP4000907//"Mouse NLR-1 mRNA for leucine-rich-repeat protein, complete cds."//0//2127bp//86%//045913
 C-NT2RP4001029//"Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds."//0//1711bp//90%//U20086
 C-NT2RP4001336//GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT-LIKE PROTEIN//0.000016//186aa//29%//024076
 10 C-NT2RP4001389//KES1 PROTEIN//1.70E-31//342aa//34%//P35844
 C-NT2RP4001442
 C-NT2RP4001529//"Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds."//1.70E-255//1148bp//90%//U20086
 15 C-NT2RP4001656//VACUOLAR BIOGENESIS PROTEIN END1 (PEP5 PROTEIN)//1.10E-45//310aa//27%//P12868
 C-OVARC1000106//"TROPOMYOSIN 1, FUSION PROTEIN 33."//0.000032//165aa//27%//P49455
 C-OVARC1000198
 C-OVARC1000682//"PROCESSING ALPHA-1,2-MANNOSIDASE (EC 3.2.1.-) (ALPHA-1,2-MANNOSIDASE 1B)."//1.1E-209//293aa//95%//P39098
 20 C-OVARC1000703
 C-OVARC1000722//"Homo sapiens chromosome 1q21-1q23 beta-1,4-galactosyltransferase mRNA, complete cds."//0//759bp//98%//AF038661
 C-OVARC1000730
 C-OVARC1000746//MATERNAL EFFECT PROTEIN STAUFEN//0.00000017//78aa//48%//P25159
 25 C-OVARC1000781
 C-OVARC1000787
 C-OVARC10008347//Homo sapiens mRNA for atopy related autoantigen CALCJ//2.8E-258//1183bp//99%//Y17711
 C-OVARC1000846//NUCLEOLIN (PROTEIN C23)//0.0000097//109aa//30%//P08199
 C-OVARC1000850//"Homo sapiens PB39 mRNA, complete cds."//0//2095bp//99%//AF045584
 30 C-OVARC1000862//M. musculus mRNA for FT1//5.9E-226//1498bp//81%//Z67963
 C-OVARC1000876//MOB1 PROTEIN (MPS1 BINDER 1)//2.2E-50//206aa//52%//P40484
 C-OVA-RC1000883
 C-OVARC1000886
 C-OVARC1000912
 35 C-OVARC1000915//"Homo sapiens histone deacetylase 5 mRNA, complete cds."//1.60E-121//591bp//97%//AF132608
 C-OVARC1000924
 C-OVARC1000964
 C-OVARC1000984
 40 C-OVARC1001004
 C-OVARC1001010
 C-OVARC1001011
 C-OVARC1001032
 C-OVARC1001044
 45 C-OVARC1001055//PRE-B CELL ENHANCING FACTOR PRECURSOR//1.9E-35//76aa//98%//P43490
 C-OVARC1001068//"Homo sapiens Era GTPase A protein (HERA-A) mRNA, partial cds."//0//1819bp//99%//AF082657
 C-OVARC1001074
 C-OVARC1001092//"Homo sapiens mRNA for JM5 protein, complete CDS (clone IMAGE 53337, LLNLc110F185707 (RZPD Berlin) and LLNLc110G0913Q7 (RZPD Berlin))."//2E-214//769bp//97%//AJ005897
 50 C-OVARC1001107//"Homo sapiens protein methyltransferase (JBP1) mRNA, complete cds."//6.1E-276//594bp//98%//AF167572
 C-OVARC1001154//"Homo sapiens clone 24720 epithelin 1 and 2 mRNA, complete cds."//2.3E-296//1561bp//93%//AF055008
 55 C-OVARC1001161
 C-OVARC1001167
 C-OVARC1001170

- C-OVARC1001171//"Homo sapiens translation initiation factor 3 47 kDa subunit mRNA, complete cds.";
//5.7E-151//436bp//92%//U94855
- C-OVARC1001173
- C-OVARC1001176
- 5 C-OVARC1001180//UBIQUITIN-LIKE PROTEIN DSK2.//1.1E-11//221aa//25%//P48510
- C-OVARC1001188
- C-OVARC1001232//"CLEAVAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT
(CPSF 100 KD SUBUNIT)";//5.10E-22//83aa//37%//Q10568
- C-OVARC1001270
- 10 C-OVARC1001271//NUCLEOLAR TRANSCRIPTION FACTOR 1 (UPSTREAM BINDING FACTOR 1) (UBF-1).//
0.0000014//224aa//26%//P25976
- C-OVARC1001306//N-MYC PROTO-ONCOGENE PROTEIN.//0.00000073//247aa//27%//P18444
- C-OVARC1001344
- C-OVARC1001369
- 15 C-OVARC1001372//"Homo sapiens mRNA for KIAA0897 protein, partial cds.";//0//840bp//97%//
AB020704
- C-OVARC1001391
- C-OVARC1001399
- C-OVARC1001417//"Homo sapiens thyroid hormone receptor-associated protein complex component
TRAP170 mRNA, complete cds.";//0//1715bp//99%//AF135802
- 20 C-OVARC1001419//"Homo sapiens GOK (STIM1) mRNA, complete cds.";//4.9E-48//586bp//69%//
U52426
- C-OVARC1001436//ENL PROTEIN.//0.00000009//81aa//39%//Q03111
- C-OVARC1001453
- 25 C-OVARC1001476//"Mus musculus YGR163w mRNA homologue, complete cds.";//1.80E-187//
510bp//89%//AB017616
- C-OVARC1001480
- C-OVARC1001489
- C-OVARC1001506//POLYCYSTIN PRECURSOR (AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE
PROTEIN 1).//0//777aa//91%//P98161
- 30 C-OVARC1001525
- C-OVARC1001555//NGG1-INTERACTING FACTOR 3.//4.4E-19//130aa//40%//P53081
- C-OVARC1001577//Homo sapiens SRp46 splicing factor transcribed retropseudogene.//0//1167bp//100%//
AF031165
- 35 C-OVARC1001600
- C-OVARC1001610//"Homo sapiens choline/ethanolaminephosphotransferase (CEPT1) mRNA, complete
cds.";//0//1870bp//99%//AF068302
- C-OVARC1001702
- C-OVARC1001703//"Mus musculus ARL-6 interacting protein-2 (Aip-2) mRNA, complete cds.";//3.5E-
16//399bp//61%//AF133670
- 40 C-OVARC1001711//CORNIFIN B (SMALL PROLINE-RICH PROTEIN 1B) (SPR1B) (SPR1 B).//2.80E-10//106aa//
38%//Q62267
- C-OVARC1001713//ENDOZEPINE-RELATED PROTEIN PRECURSOR (MEMBRANE-ASSOCIATED DI-
AZEPAM BINDING INHIBITOR) (MA-DBI).//4.4E-40//195aa//41%//P07106
- 45 C-OVARC1001726//APICAL-LIKE PROTEIN (APXL PROTEIN).//4.3E-16//116aa//43%//Q13796
- C-OVARC1001731//"TROPOMYOSIN ALPHA CHAIN, FIBROBLAST ISOFORM F2.";//4E-122//
282aa//85%//P08942
- C-OVARC1001745
- C-OVARC1001762//"N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88) (AMINO-TERMINAL, ALPHA-
AMINO, ACETYLTRANSFERASE 1)";//6.4E-85//514aa//34%//P12945
- 50 C-OVARC1001766//"Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete
cds.";//0//963bp//99%//U97670
- C-OVARC1001767//"Homo sapiens mRNA for KIAA0675 protein, complete cds.";//0//2083bp//99%//
AB014575
- 55 C-OVARC1001768
- C-OVARC1001791
- C-OVARC1001795
- C-OVARC1001802

- C-OVARC1001809//"Mus musculus sphingosine kinase (SPHK1a) mRNA, partial cds."//2.7E-190//1624bp//76%//AF068748
- C-OVARC1001828
- C-OVARC1001846
- 5 C-OVARC1001861
- C-OVARC1001879
- C-OVARC1001880
- C-OVARC1001883
- C-OVARC1001916
- 10 C-OVARC1001928
- C-OVARC1001942//"N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88) (AMINO-TERMINAL, ALPHA-AMINO, ACETYLTRANSFERASE 1)."//3.1E-81//497aa//35%//P12945
- C-OVARC1001943//"Mus musculus DEBT-91 mRNA, complete cds."//0//2035bp//87%//AF143859
- C-OVARC1001950
- 15 C-OVARC1001987//"Rattus norvegicus DNA-binding protein PREB (Preb) mRNA, complete cds."//2.3E-220//652bp//84%//AF061817
- C-OVARC1002050//"Homo sapiens mRNA for actin binding protein ABP620, complete cds."//0//1019bp//99%//AB029290
- C-OVARC1002082
- 20 C-OVARC1002107
- C-OVARC1002127//SODIUM-INDEPENDENT ORGANIC ANION TRANSPORTER 2 (BRAIN DIGOXIN CARRIER PROTEIN) (BRAIN-SPECIFIC ORGANIC ANION TRANSPORTER) (OATP-B1).//5.4E-52//306aa//35%//035913
- C-OVARC1002138//SAP1 PROTEIN.//7.6E-60//128aa//59%//P39955
- 25 C-OVARC1002156
- C-OVARC1002158
- C-PLACE1000004//"Homo sapiens IDN3-B mRNA, complete cds."//0//2365bp//99%//AB019602
- C-PLACE1000040//TRANSFORMING PROTEIN P21/K-RAS 2B.//1.4E-17//185aa//32%//P08643
- C-PLACE1000048
- 30 C-PLACE1000050
- C-PLACE1000061//Human ribosomal protein L37a mRNA sequence.//7.9E-54//190bp//94%//L22154
- C-PLACE1000081//"Human SEC7 homolog Tic (TIC) mRNA, complete cds."//0//2077bp//99%//U63127
- C-PLACE1000094
- 35 C-PLACE1000133//TRANSCRIPTION FACTOR BTF3 (RNA POLYMERASE B TRANSCRIPTION FACTOR 3).//1.8E-62//158aa//81%//P20290
- C-PLACE1000214
- C-PLACE1000236
- C-PLACE1000246
- 40 C-PLACE1000292
- C-PLACE1000308
- C-PLACE1000332
- C-PLACE1000453
- C-PLACE1000583//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//1.60E-47//207aa//46%//P51522
- 45 C-PLACE1000599
- C-PLACE1000610//MSN5 PROTEIN.//0.0000026//136aa//26%//P52918
- C-PLACE1000653//"Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds."//0//1992bp//99%//AF180371
- 50 C-PLACE1000656//"Homo sapiens mRNA for JM4 protein, complete CDS (clone IMAGE 546750 and LLNc110F1857Q7 (RZPD Berlin))."//2.1E-277//1260bp//99%//AJ005896
- C-PLACE1000706//"Homo sapiens transcriptional intermediary factor 1 gamma mRNA, complete cds."//0//1366bp//99%//AF119043
- C-PLACE1000712
- 55 C-PLACE1000749
- C-PLACE1000769//"Homo sapiens CGI-18 protein mRNA, complete cds."//0//1985bp//98%//AF132952
- C-PLACE1000786//PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR (RHO/RAC GEF) (FA-

CIOGENITAL DYSPLASIA PROTEIN HOMOLOG).//7.10E-09//59aa//47%//P52734
 C-PLACE1000849
 C-PLACE1000856//"Homo sapiens mRNA for KIAA0974 protein, partial cds."//0//1310bp//100%//
 5 AB023191
 C-PLACE1000931
 C-PLACE1000987//"Homo sapiens mRNA for KIAA0724 protein, complete cds."//0//1749bp//99%//
 AB018267
 C-PLACE1001010
 C-PLACE1001015
 10 C-PLACE1001024
 C-PLACE1001062//"Homo sapiens PAC clone DJ1049N15 from 7q31.2-7q32, complete sequence."//
 2.7E-32//470bp//71%//AC006020
 C-PLACE1001104
 C-PLACE1001168
 15 C-PLACE1001171//MYOTUBULARIN.//7.1E-84//198aa//73%//Q13496
 C-PLACE1001185//"Homo sapiens mRNA for KIAA0943 protein, partial cds."//0//1668bp//99%//
 AB023160
 C-PLACE1001238//"Mouse mRNA for RNA polymerase I associated factor (PAF53), complete cds."//
 2E-202//1333bp//80%//D14336
 20 C-PLACE1001280
 C-PLACE1001294//M.musculus GEG-154 mRNA.//4.3E-221//1057bp//78%//X71642
 C-PLACE1001304//"Homo sapiens zinc finger protein dp mRNA, complete cds."//0//2421bp//99%//
 AF153201
 C-PLACE1001311
 25 C-PLACE1001323
 C-PLACE1001351
 C-PLACE1001414
 C-PLACE1001440
 C-PLACE1001456
 30 C-PLACE1001517//"Homo sapiens gene for glycosylphosphatidylinositol anchor attachment 1 (GPA1),
 complete cds."//4.60E-112//392bp//87%//AB002137
 C-PLACE1001602//CCR4-ASSOCIATED FACTOR 1 (CAF1).//5.7E-130//244aa//99%//Q60809
 C-PLACE1001632//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//1.4E-118//429aa//48%//
 P51523
 35 C-PLACE1001634
 C-PLACE1001640
 C-PLACE1001672//PROBABLE AMINOTRANSFERASE T01B11.2 (EC 2.6.1.-).//4.3E-66//174aa//45%//P91408
 C-PLACE1001705
 C-PLACE1001716
 40 C-PLACE1001720
 C-PLACE1001745
 C-PLACE1001748//"Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds."//0//2602bp//99%//
 AF061243
 C-PLACE1001771//Homo sapiens mRNA for transient receptor potential protein
 45 TRP6.//0//2900bp//99%//AJ006276
 C-PLACE1001799
 C-PLACE1001845//"Mus musculus cyclin ania-6a mRNA, complete cds."//3.30E-31//925bp//62%//
 AF159159
 C-PLACE1001897
 50 C-PLACE1002090//SIGNAL RECOGNITION PARTICLE 72 KD PROTEIN (SRP72).//6.5E-58//112aa//100%//
 076094
 C-PLACE1002157
 C-PLACE1002171//TRANSCRIPTION REGULATORY PROTEIN SWI3 (SWI/SNF COMPLEX COMPONENT
 SWI3) (TRANSCRIPTION FACTOR TYE2).//0.00005//179aa//23%//P32591
 55 C-PLACE1002227
 C-PLACE1002259
 C-PLACE1002319
 C-PLACE1002395//"Mus musculus mRNA for UBE-1c1, UBE-1c2, UBE-1c3, complete cds."//7.9E-

- 100/966bp//75%//AB030505
 C-PLACE1002477
 C-PLACE1002493//"Homo sapiens signal transducing adaptor molecule 2A (STAM2) mRNA, complete cds.
 "//1.7E-113//545bp//98%//AF042273
 5 C-PLACE1002500
 C-PLACE1002514
 C-PLACE1002532//HOMEODOMAIN PROTEIN DLX-5.//1.2E-152//289aa//96%//P70396
 C-PLACE1002537
 C-PLACE1002571//ACTIN-LIKE PROTEIN 13E.//5E-99//386aa//46%//P45890
 10 C-PLACE1002583//"GLUT;GLUTAMATE RECEPTOR, IONOTROPIC KAINATE 2 PRECURSOR (GLUTAMATE
 RECEPTOR 6) (GLUR-6) (GLUTAMATE RECEPTOR BETA-2) (GLUR BETA-2) (FRAGMENT)."//5.6E-34//
 76aa//98%//P39087
 C-PLACE1002598//OLIGORIBONUCLEASE (EC 3.1.-.-).//5.5E-17//76aa//56%//P45340
 C-PLACE1002625
 15 C-PLACE1002655//ADSEVERIN (SCINDERIN)(SC).//2.5E-278//543aa//92%//Q28046
 C-PLACE1002768
 C-PLACE1002782//"Rattus norvegicus zinc transporter (ZnT-2) mRNA, complete cds."//3.8E-43//
 385bp//77%//U50927
 C-PLACE1002816//HISTONE DEACETYLASE HDA1.//2.20E-48//217aa//46%//P53973
 20 C-PLACE1002853
 C-PLACE1002908//"Homo sapiens XGalT-1 mRNA for galactosyltransferase I, complete cds."//0//
 1654bp//99%//AB028600
 C-PLACE1002962
 C-PLACE1002968
 25 C-PLACE1002991//PUTATIVE AMIDASE (EC 3.5.1.4).//1.4E-78//496aa//37%//Q49091
 C-PLACE1003025
 C-PLACE1003027//"Homo sapiens mRNA for KIAA0516 protein, partial cds."//2.1e-314//1417bp//
 100%//AB011088
 C-PLACE1003044//"Homo sapiens mRNA for KIAA0829 protein, partial cds."//0//1382bp//96%//
 30 AB020636
 C-PLACE1003176
 C-PLACE1003238//PROBABLE G PROTEIN-COUPLED RECEPTOR KIAA0001.//4.9E-76//309aa//47%//
 Q15391
 C-PLACE1003256
 35 C-PLACE1003258//EARLY EMBRYOGENESIS ZYG-11 PROTEIN.//7.9E-22//70aa//47%//P21541
 C-PLACE1003343
 C-PLACE1003361
 C-PLACE1003366//"Homo sapiens otoferlin (OTOF) mRNA, complete cds."//1.4E-78//542bp//67%//
 AF107403
 40 C-PLACE1003373
 C-PLACE1003375
 C-PLACE1003394//"Sprague-Dawley (clone LRB13) RAB14 mRNA, complete cds."//2.30E-150//
 774bp//94%//M83680
 C-PLACE1003420//PUTATIVE MITOCHONDRIAL CARRIER YIL006W.//1.3E-40//278aa//36%//P40556
 45 C-PLACE1003454
 C-PLACE1003478
 C-PLACE1003516
 C-PLACE1003519//H.sapiens hnRNP-E2 mRNA.//5.1E-218//905bp//99%//X78136
 C-PLACE1003521//HYPOTHETICAL HELICASE C28H8.3 IN CHROMOSOME III.//0.0000011//101aa//32%//
 50 Q09475
 C-PLACE1003528
 C-PLACE1003537//ENDOSOMAL P24A PROTEIN PRECURSOR (70 KD ENOMEMBRANE PROTEIN) (PHE-
 ROMONE ALPHA-FACTOR TRANSPORTER) (ACIDIC 24 KD LATE ENDOCYTIC INTERMEDIATE COMPO-
 NENT).//7.7E-68//404aa//33%//P32802
 55 C-PLACE1003566
 C-PLACE1003584
 C-PLACE1003593
 C-PLACE1003605//HAP5 TRANSCRIPTIONAL

ACTIVATOR.//0.0000023//82aa//35%//Q02516
 C-PLACE1003618
 C-PLACE1003638
 C-PLACE1003738//ZINC FINGER PROTEIN 135.//9.6E-118//350aa//46%//P52742
 5 C-PLACE1003760//"Homo sapiens tetraspanin TM4-A mRNA, complete cds."//5.2E-289//1313bp//97%//AF133423
 C-PLACE1003768
 C-PLACE1003795
 C-PLACE1003886
 10 C-PLACE1003888//"Homo sapiens mRNA for KIAA1092 protein, partial cds."//0//2057bp//99%//AB029015
 C-PLACE1003903//CTP SYNTHASE (EC 6.3.4.2) (UTP--AMMONIA LIGASE) (CTP SYNTHETASE).//1.4E-243//584aa//74%//P17812
 C-PLACE1003915//"PROBABLE ARGINYL-TRNA SYNTHETASE, CYTOPLASMIC (EC 6.1.1.19) (ARGININE- -TRNA LIGASE) (ARGRS)."//2.4E-108//581aa//40%//Q05506
 15 C-PLACE1004118
 C-PLACE1004256//"Mus musculus short coiled coil protein SCOCO (Scoc) mRNA, complete cds."//2E-93//960bp//76%//AF115778
 C-PLACE1004274
 20 C-PLACE1004284
 C-PLACE1005331
 C-PLACE1005739//Homo sapiens mRNA; cDNA DKFZp564A032 (from clone DKFZp564A032).//0//2190bp//99%//AL050267
 C-PLACE1005828
 25 C-PLACE1005876//"CLEAVAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT (CPSF 100 KD SUBUNIT)."//0//730aa//99%//Q10568
 C-PLACE1005890//BEM46 PROTEIN (FRAGMENT).//9.9E-42//224aa//43%//P54069
 C-PLACE1006157//E-SELECTIN PRECURSOR (ENDOTHELIAL LEUKOCYTE ADHESION MOLECULE 1) (ELAM-1) (LEUKOCYTE-ENDOTHELIAL CELL ADHESION MOLECULE 2) (LECAM2) (CD62E).//2E-28//236aa//30%//P98110
 30 C-PLACE1007053
 C-PLACE1007068
 C-PLACE1008368//RING CANAL PROTEIN (KELCH PROTEIN).//5.3E-26//309aa//30%//Q04652
 C-PLACE1009921
 35 C-PLACE1010401
 C-PLACE1010856
 C-PLACE1010857
 C-PLACE1010917
 C-PLACE1010925
 40 C-PLACE1010926//"Homo sapiens mRNA for KIAA0554 protein, partial cds."//0//1160bp//100%//AB011126
 C-PLACE1010942//"Homo sapiens intersectin long isoform (ITSN) mRNA, complete cds."//0//1440bp//99%//AF114487
 C-PLACE1010944
 45 C-PLACE1010954
 C-PLACE1010960//ACTIN-LIKE PROTEIN 13E.//5.3E-98//297aa//48%//P45890
 C-PLACE1011026
 C-PLACE1011046//"1-PHOSPHATIDYLINOSITOL 4,5-BISPHOSPHATE PHOSPHODIESTERASE BETA 1 (EC 3.1.4.11) (PLC-BETA-1) (PHOSPHOLIPASE C-BETA-1) (PLC-1) (PLC-154)."//0//646aa//97%//P10894
 50 C-PLACE1011054
 C-PLACE1011057
 C-PLACE1011109//"ELONGATION FACTOR G, MITOCHONDRIAL PRECURSOR (MEF-G)."//1.50E-22//63aa//88%//Q07803
 C-PLACE1011114//PROBABLE ATP-DEPENDENT RNA HELICASE HAS1.//2.9E-71//190aa//44%//Q03532
 55 C-PLACE1011133
 C-PLACE1011143
 C-PLACE1011165
 C-PLACE1011185//INSERTION ELEMENT IS1 PROTEIN INSB.//1.3E-89//167aa//100%//P03830

EP 1 074 617 A2

C-PLACE1011219//PROBABLEOXIDOREDUCTASE (EC 1.-.-.-)//3.2E-12//212aa//29%//Q03326
 C-PLACE1011221
 C-PLACE1011263//Homo sapiens mRNA; cDNA DKFZp5640043 (from clone DKFZp5640043)//0//2487bp//99%//AL050390
 5 C-PLACE1011325
 C-PLACE1011332//"Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds."//7.2E-151//697bp//99%//AF102265
 C-PLACE1011340//"Homo sapiens IDN3-B mRNA, complete cds."//1.20E-74//380bp//97%//AB019602
 10 C-PLACE1011399//"Homo sapiens CGI-72 protein mRNA, complete cds."//3.2E-90//427bp//99%//AF151830
 C-PLACE1011433//"Homo sapiens mRNA for KIAA0530 protein, partial cds."//0//1946bp//99%//AB011102
 C-PLACE1011452
 15 C-PLACE1011465
 C-PLACE1011472//"Homo sapiens mRNA for KIAA0712 protein, complete cds."//0//2022bp//99%//AB018255
 C-PLACE1011477//"Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds."//0//2040bp//99%//AF065482
 20 C-PLACE1011492//NON-GREEN PLASTID TRIOSE PHOSPHATE TRANSLOCATOR PRECURSOR (CTPT)//4.90E-11//147aa//32%//P52178
 C-PLACE1011520
 C-PLACE1011563
 C-PLACE1011567
 25 C-PLACE1011576//"Human Kruppel related zinc finger protein (HTF10) mRNA, complete cds."//0//1791bp//82%//L11672
 C-PLACE1011586
 C-PLACE1011643
 C-PLACE1011649
 30 C-PLACE1011664//CROOKED NECK PROTEIN//1.6E-187//505aa//64%//P17886
 C-PLACE1011682
 C-PLACE1011719
 C-PLACE1011729
 C-PLACE1011858//Homo sapiens mRNA; cDNA DKFZp586C021 (from clone DKFZp586C021)//0//1490bp//99%//AL050287
 35 C-PLACE1011874
 C-PLACE1011875//"Homo sapiens mRNA for KIAA0580 protein, partial cds."//4.1E-112//524bp//100%//AB011152
 C-PLACE1011923//"Homo sapiens serum-inducible kinase mRNA, complete cds."//0//2782bp//99%//AF059617
 40 C-PLACE1011982
 C-PLACE2000014//HYPOTHETICAL HELICASE C28H8.3 IN CHROMOSOME III//2.6E-42//104aa//49%//Q09475
 C-PLACE2000015//EPIDERMAL GROWTH FACTOR RECEPTOR SUBSTRATE SUBSTRATE 15 (PROTEIN EPS15) (AF-1P PROTEIN)//1.1E-116//364aa//45%//P42566
 45 C-PLACE2000017
 C-PLACE2000021//"Homo sapiens TRF1-interacting ankyrin-related ADP-ribose polymerase mRNA, complete cds."//2.7E-107//981bp//74%//AF082556
 C-PLACE2000047
 50 C-PLACE2000062//"Homo sapiens mRNA for type II membrane protein similar to HIV gp120-binding C-type lectin, complete cds, clone:HP01347."//6.3E-166//656bp//94%//AB015629
 C-PLACE2000100
 C-PLACE2000111
 C-PLACE2000172
 55 C-PLACE2000187
 C-PLACE2000216//"Dog nonerythroid beta-spectrin mRNA, 3' end."//3.2E-253//1799bp//83%//L02897
 C-PLACE2000246//"Homo sapiens mRNA for KIAA0795 protein, partial cds."//4.60E-172//796bp//99%//AB018338

- C-PLACE2000317
 C-PLACE2000341//"Homo sapiens sodium-dependent multivitamin transporter (SMVT) mRNA, complete cds."//1554bp//99%//AF069307
 C-PLACE2000366
- 5 C-PLACE2000373//F-SPONDIN PRECURSOR.//8.6E-16//371aa//28%//P35446
 C-PLACE2000394
 C-PLACE2000398//LAR PROTEIN PRECURSOR (LEUKOCYTE ANTIGEN RELATED) (EC 3.1.3.48).//6.3E-37//90aa//98%//P10586
- 10 C-PLACE2000411//"Homo sapiens mRNA for KIAA1037 protein, partial cds."//0//2515bp//99%//AB028960
 C-PLACE2000425
 C-PLACE2000427//PROBABLE HELICASE MOT1.//1.2E-26//200aa//27%//P32333
 C-PLACE2000433
- 15 C-PLACE2000438//"POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (EC 2.4.1.41) (PROTEIN- UDP ACETYL GALACTOSAMINYLTRANSFERASE) (UDP-GALNAC:POLYPEPTIDE, N-ACETYL GALACTOSAMINYLTRANSFERASE)(GALNAC-T1)."//2.1E-86//348aa//41%//Q10472
 C-PLACE2000458//CADHERIN-RELATED TUMOR SUPPRESSOR PRECURSOR (FAT PROTEIN).//2.5E-25//165aa//40%//P33450
- 20 C-PLACE2000477//"Homo sapiens putative secreted protein (ZSIG11) mRNA, complete cds."//6.7E-127//671bp//94%//AF072733
 C-PLACE3000009
 C-PLACE3000020//"Homo sapiens type III adenylyl cyclase (AC-III) mRNA, complete cds."//0//2253bp//99%//AF033861
 C-PLACE3000103
- 25 C-PLACE3000142
 C-PLACE3000145//TENSIN.//1E-108//277aa//75%//Q04205
 C-PLACE3000156
 C-PLACE3000157
 C-PLACE3000197
- 30 C-PLACE3000208
 C-PLACE3000226//"Homo sapiens mRNA for KIAA0962 protein, partial cds."//0//4805bp//99%//AB023179
 C-PLACE3000242//"Homo sapiens mRNA for KIAA1114 protein, complete cds."//0//2786bp//96%//AB029037
- 35 C-PLACE3000363
 C-PLACE3000405
 C-PLACE3000416//"Homo sapiens mRNA for actin binding protein ABP620, complete cds."//1.80E-141//565bp//98%//AB029290
 C-PLACE3000477
- 40 C-PLACE4000106//"Homo sapiens mRNA for KIAA0462 protein, partial cds."//0//6702bp//99%//AB007931
 C-PLACE4000323
 C-PLACE4000326//NAM7 PROTEIN (NONSENSE-MEDIATED MRNA DECAY PROTEIN 1) (UP-FRAMESHIFT SUPPRESSOR 1).//8.10E-24//319aa//31%//P30771
- 45 C-PLACE4000369//"Homo sapiens mRNA for KIAA1025 protein, partial cds."//0//4830bp//99%//AB028948
 C-PLACE4000445//Homo sapiens mRNA; cDNA DKFpZ434C212 (from clone DKFpZ434C212).//0//2565bp//99%//AL080196
 C-PLACE4000558//"Homo sapiens mRNA for KIAA0729 protein, partial cds."//0//1051bp//97%//AB018272
- 50 C-PLACE4000581//FIBROPELLIN I PRECURSOR (EPIDERMAL GROWTH FACTOR-RELATED PROTEIN 1) (UEGF-1).//9.3E-70//226aa//52%//P10079
 C-PLACE4000593
 C-PLACE4000612//POL POLYPROTEIN [CONTAINS: PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE (EC 2.7.7.49); ENDONUCLEASE].//7.1E-154//340aa//40%//P21414
- 55 C-PLACE4000670
 C-THYRO1000026
 C-THYRO1000085//"PAIRED BOX PROTEIN PAX-8, ISOFORMS 8A/8B."//2E-72//155aa//92%//

Q06710
 C-THYRO1000107
 C-THYRO1000111
 C-THYRO1000132//"Homo sapiens echinoderm microtubule-associated protein homolog HuEMAP mRNA,
 5 complete cds."//1.1E-159//824bp//95%/U97018
 C-THYRO1000156
 C-THYRO1000173//"Homo sapiens AP-mu chain family member mu1B (HSMU1B) mRNA, complete cds.
 "//0//1713bp//99%/AF020797
 10 C-THYRO1000186
 C-THYRO1000187
 C-THYRO1000241
 C-THYRO1000279
 C-THYRO1000327//"Homo sapiens autocrine motility factor receptor (AMFR) mRNA, complete cds."
 //0//1567bp//99%/AF124145
 15 C-THYRO1000452
 C-THYRO1000471
 C-THYRO1000484
 C-THYRO1000502
 C-THYRO1000505
 20 C-THYRO1000585//"Homo sapiens protein associated with Myc mRNA, complete cds."//0//1901bp//
 99%/AF075587
 C-THYRO1000596
 C-THYRO1000662//"Homo sapiens XPV mRNA for DNA polymerase eta, complete cds."//0//2341 bp//
 99%/AB024313
 25 C-THYRO1000666//Mus musculus mRNA for kinesin like protein 9.//0//2001bp//86%/AJ132889
 C-THYRO1000715
 C-THYRO1000734
 C-THYRO1000748//RHO-GAP HEMATOPOIETIC PROTEIN C1 (P115) (KIAA0131).//3.30E-96//335aa//52%/P98171
 30 C-THYRO1000756//"ALPHA-N-ACETYL GALACTOSAMINIDE ALPHA-2,6-SIALYLTRANSFERASE (EC
 2.4.99.-) (ST6GALNACII) (STY) "//1.8E-55//243aa//42%/Q64686
 C-THYRO1000777
 C-THYRO1000783//"Xenopus laevis tail-specific thyroid hormone up-regulated (gene 5) mRNA, complete
 cds."//2.4E-157//1656bp//70%/U37373
 35 C-THYRO1000787
 C-THYRO1000793
 C-THYRO1000796
 C-THYRO1000843
 C-THYRO1000852//"Human branched chain aminotransferase precursor (BCATm) mRNA, nuclear gene en-
 40 coding mitochondrial protein, complete cds."//3.3E-147//790bp//93%/U68418
 C-THYRO1000865
 C-THYRO1000895
 C-THYRO1000926//"Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds.
 "//0//2387bp//99%/AF079529
 45 C-THYRO1000951//DIHYDROXYACETONE KINASE 2 (EC 2.7.1.29) (GLYCERONE KINASE).//5E-83//566aa//
 37%/P43550
 C-THYRO1000952
 C-THYRO1000983//UBIQUITIN-CONJUGATING ENZYME E2-17 KD 9 (EC 6.3.2.19) (UBIQUITIN-PROTEIN
 LIGASE 9) (UBIQUITIN CARRIER PROTEIN 9) (UBCAT4B).//6.30E-17//143aa//39%/P35132
 50 C-THYRO1001003//UBIQUITIN-CONJUGATING ENZYME E2-21.2 KD (EC 6.3.2.19) (UBIQUITIN-PROTEIN
 LIGASE) (UBIQUITIN CARRIER PROTEIN).//5.90E-14//84aa//41%/P52491
 C-THYRO1001031
 C-THYRO1001062
 C-THYRO1001100//ZINC FINGER X-LINKED PROTEIN ZXDA (FRAGMENT).//1.2E-67//245aa//62%/P98168
 55 C-THYRO1001133
 C-THYRO1001134//"Homo sapiens CGI-78 protein mRNA, complete cds."//0//1898bp//99%/AF151835
 C-THYRO1001173

C-THYRO1001213
 C-THYRO1001321
 C-THYRO1001322
 C-THYRO1001365
 5 C-THYRO1001401
 C-THYRO1001411
 C-THYRO1001434
 C-THYRO1001534
 10 C-THYRO1001541
 C-THYRO1001559
 C-THYRO1001570
 C-THYRO1001595
 C-THYRO1001605
 C-THYRO1001617//Homo sapiens cDNA for dihydroxyacetone phosphate acyltransferase (DAP-AT).//0//1784bp//
 15 99%//AJ002190
 C-THYRO1001656//"Homo sapiens Leman coiled-coil protein (LCCP) mRNA, complete cds."//4.1E-
 273//1947bp//82%//AF175968
 C-THYRO1001671//Homo sapiens mRNA for 2'-5' oligoadenylate synthetase 59 kDa isoform.//0//1820bp//99%//
 AJ225089
 20 C-THYRO1001673
 C-THYRO1001703//NIFR3-LIKE PROTEIN.//2.90E-32//282aa//32%//P45672
 C-THYRO1001706
 C-THYRO1001738//TUBULIN-TYROSINE LIGASE (EC 6.3.2.25) (TTL).//2.4E-20//217aa//30%//P38584
 C-THYRO1001745
 25 C-THYRO1001793
 C-THYRO1001809//MYOCYTE NUCLEAR FACTOR (MNF).//1.4E-74//158aa//89%//P42128
 C-THYRO1001895
 C-THYRO1001907
 C-VESEN1000122
 30 C-Y79AA1000037//DNA-BINDING PROTEIN BMI-1.//2.4E-30//80aa//60%//P25916
 C-Y79AA1000059//"Homo sapiens immunophilin homolog ARA9 mRNA, complete cds."//2.9E-70//
 1040bp//65%//U78521
 C-Y79AA1000065
 C-Y79AA1000131
 35 C-Y79AA1000181//"Homo sapiens CGI-01 protein mRNA, complete cds."//0//1858bp//99%//
 AF132936
 C-Y79AA1000202
 C-Y79AA1000214//"Homo sapiens histone H2A.F/Z variant (H2AV) mRNA, complete cds."//7.1E-71//
 345bp//100%//AF081192
 40 C-Y79AA1000230
 C-Y79AA1000258
 C-Y79AA1000268//"Mus musculus Nip21 mRNA, complete cds."//2.10E-50//648bp//64%//AF035207
 C-Y79AA1000313//CALPHOTIN.//0.000011//336aa//23%//Q02910
 C-Y79AA1000328//SEL-10 PROTEIN.//0.000000067//219aa//25 %//Q93794
 45 C-Y79AA1000355
 C-Y79AA1000368//REDUCED VIABILITY UPON STARVATION PROTEIN 161.//4E-20//261 aa//27%//P25343
 C-Y79AA1000420
 C-Y79AA1000469//"Mus musculus ancient ubiquitous 46 kDa protein AUP1 precursor (Aup1) mRNA, com-
 plete cds."//8.30E-252//1207bp//85%//U41736
 50 C-Y79AA1000490
 C-Y79AA1000540
 C-Y79AA1000560//ALPHA-ADAPTIN C (CLATHRIN ASSEMBLY PROTEIN COMPLEX 2 ALPHA-C LARGE
 CHAIN) (100 KD COATED VESICLE PROTEIN C) (PLASMA MEMBRANE ADAPTOR HA2/AP2 ADAPTIN ALPHA
 C SUBUNIT).//0//652aa//98%//P17427
 55 C-Y79AA1000574//Homo sapiens clone H17 unknown mRNA.//0//1932bp//99%//AF103801
 C-Y79AA1000627//"Homo sapiens zinc finger protein (ZF5128) mRNA, complete cds."//2E-287//203
 1bp//82%//AF060503
 C-Y79AA1000705//M.musculus mRNA of enhancer-trap-locus 1.//5.80E-254//1477bp//84%//X69942

- C-Y79AA1000734//"Homo sapiens peroxisomal biogenesis factor (PEX11b) mRNA, complete cds."//0//1594bp//99%//AF093670
- C-Y79AA1000748//"Homo sapiens CGI-05 protein mRNA, complete cds."//1.9E-239//1367bp//91%//AF152097
- 5 C-Y79AA1000752//"PUTATIVE HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN X (HNRNP X) (CBP).//4.9E-91//200aa//64%//IQ61990
- C-Y79AA1000774
- C-Y79AA1000782//"CYTOSOLIC PURINE 5'-NUCLEOTIDASE (EC 3.1.3.5).//3E-37//469aa//27%//P49902
- 10 C-Y79AA1000784//"Homo sapiens RanBP7/importin 7 mRNA, complete cds."//1.10E-236//1076bp//99%//AF098799
- C-Y79AA1000794//"Homo sapiens actin-associated protein 2E4/kaptein (2E4) mRNA, 2E4-1 allele, complete cds."//0//1610bp//99%//AF105369
- C-Y79AA1000800//"Homo sapiens putative secreted protein (ZS1G1) mRNA, complete cds."//1.6E-284//1288bp//99%//AF072733
- 15 C-Y79AA1000805
- C-Y79AA1000824
- C-Y79AA1000833//"TUBULIN ALPHA-1 CHAIN.//5E-173//220aa//79%//P05209
- C-Y79AA1000850
- C-Y79AA1000962//"MYOSIN HEAVY CHAIN, NON-MUSCLE (ZIPPER PROTEIN) (MYOSIN II)."//4.2E-17//430aa//27%//IQ9323
- 20 C-Y79AA1000968//"Rattus norvegicus initiation factor eIF-2B gamma subunit (eIF-2B gamma) mRNA, complete cds."//3.9E-248//1468bp//87%//U38253
- C-Y79AA1000976
- C-Y79AA1001023
- 25 C-Y79AA1001041
- C-Y79AA1001048//"ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC PRECURSOR (EC 1.3.99.-) (VLCAD)."//3.1E-138//583aa//47%//P45953
- C-Y79AA1001077
- C-Y79AA1001078
- 30 C-Y79AA1001145
- C-Y79AA1001177
- C-Y79AA1001185
- C-Y79AA1001211//"Homo sapiens origin recognition complex subunit 6 (ORC6) mRNA, complete cds."//0//1435bp//99%//AF139658
- 35 C-Y79AA1001228
- C-Y79AA1001233//"ESTRADIOL 17 BETA-DEHYDROGENASE 1 (EC 1.1.1.62) (17-BETA-HSD 1) (17-BETA-HYDROXYSTEROID DEHYDROGENASE 1).//7.7E-50//228aa//42%//P51657
- C-Y79AA1001236//"Homo sapiens mRNA for JM23 protein, complete coding sequence (clone IMAGE 34581 and IMAGE 45355 and LLNLc1101133Q7 (RZPD Berlin))."//0//1653bp//99%//AJ005892
- 40 C-Y79AA1001281
- C-Y79AA1001312//"ZINC FINGER PROTEIN MLZ-4 (ZINC FINGER PROTEIN 46).//0.00000023//193aa//30%//Q03309
- C-Y79AA1001323//"Mus musculus mRNA for GSG1, complete cds."//3.3E-172//1171bp//83%//D87325
- 45 C-Y79AA1001391//"HOMEBOX PROTEIN HOX-A13 (HOX-1J).//1.2E-58//178aa//66%//P31271
- C-Y79AA1001394//"CELL DIVISION PROTEIN FTSH HOMOLOG (EC 3.4.24.-).//1.2E-13//230aa//32%//O83746
- C-Y79AA1001402//"Homo sapiens paraneoplastic cancer-testis-brain antigen (MA4) mRNA, partial cds."//8.50E-65//784bp//62%//AF083115
- C-Y79AA1001493//"UBIQUITIN-CONJUGATING ENZYME E2-17 KD 9 (EC 6.3.2.19) (UBIQUITIN-PROTEIN LIGASE 9) (UBIQUITIN CARRIER PROTEIN 9) (UBCAT4B).//3.80E-18//151aa//38%//P35132
- 50 C-Y79AA1001533//"Mouse mRNA for RNA polymerase I associated factor (PAF53), complete cds."//4.5E-193//1333bp//80%//D14336
- C-Y79AA1001541
- C-Y79AA1001548//"PHOSPHATIDYLINOSITOL 4-KINASE ALPHA (EC 2.7.1.67) (PI4-KINASE) (PTDINS-4-KINASE) (PI4K-ALPHA).//7.5E-76//85aa//90%//P42356
- 55 C-Y79AA1001555
- C-Y79AA1001581//"ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE-COA LIGASE) (ACYL-AC-TIVATING ENZYME).//1.9E-40//482aa//27%//P27550

C-Y79AA1001585
 C-Y79AA1001603//"POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (EC 2.4.1.41) (PRO-
 TEIN- UDP ACETYL GALACTOSAMINYLTRANSFERASE) (UDP-GALNAC:POLYPEPTIDE, N-ACETYL GALAC-
 TOSAMINYLTRANSFERASE) (GALNAC-T1)."./1.7E-84//313aa//48%/IQ07537
 5 C-Y79AA1001613//ZINC FINGER PROTEIN 132./3.8E-91//209aa//41%/P52740
 C-Y79AA1001665
 C-Y79AA1001679//"Homo sapiens lambda-crystallin mRNA, complete cds."./3.4E-310//1430bp//98%/
 AF077049
 10 C-Y79AA1001696//"Homo sapiens mRNA for KIAA1109 protein, partial cds."./0//1669bp//100%/
 AB029032
 C-Y79AA1001705//"Homo sapiens p53 regulated PA26-T2 nuclear protein (PA26) mRNA, complete cds.
 "./3.4E-47//626bp//68%/AF033120
 C-Y79AA1001711//"Human 60-kdal ribonucleoprotein (Ro) mRNA, complete cds."./1.2E-258//
 15 1185bp//99%/J04137
 C-Y79AA1001781
 C-Y79AA1001805
 C-Y79AA1001827//"Homo sapiens mammalian inositol hexakisphosphate kinase 2 (IP6K2) mRNA, com-
 plete cds."./0//1689bp//98%/AF177145
 C-Y79AA1001846
 20 C-Y79AA1001923
 C-Y79AA1001963//PUTATIVE PRE-MRNA SPLICING FACTOR ATP-DEPENDENT RNA HELICASE
 SPAC10F6.02C./1.1E-10//94aa//47%/IQ42643
 C-Y79AA1002027//UBIQUITIN-CONJUGATING ENZYME E2-18 KD (EC 6.3.2.19) (UBIQUITIN- PROTEIN
 LIGASE) (UBIQUITIN CARRIER PROTEIN) (PM42)./9.9E-39//143aa//52%/P42743
 25 C-Y79AA1002083//H.sapiens mRNA for MUF1 protein./5E-163//752bp//99%/X86018
 C-Y79AA1002089
 C-Y79AA1002115
 C-Y79AA1002125
 C-Y79AA1002204
 30 C-Y79AA1002208//ANKYRIN./8.1E-34//188aa//38%/IQ02357
 C-Y79AA1002209//"Homo sapiens CGI-04 protein mRNA, complete cds."./0//1617bp//99%/
 AF132939
 C-Y79AA1002229//DNA CROSS-LINK REPAIR PROTEIN PSO2/SNM1./7.10E-17//213aa//31%/P30620
 C-Y79AA1002246//SYNAPTOTAGMIN V./1.6E-28//286aa//32%/000445
 35 C-Y79AA1002298
 C-Y79AA1002307//"Homo sapiens astrotactin2 (ASTN2) mRNA, complete cds."./0//1209bp//99%/
 AF116574
 C-Y79AA1002311//R.norvegicus mRNA for cytosolic reseriferatoxin-binding protein./2.9E-186//1130bp//82%/
 40 X67877
 C-Y79AA1002351
 C-Y79AA1002407
 C-Y79AA1002433//"Homo sapiens chromatin-specific transcription elongation factor FACT 140 kDa subunit
 mRNA, complete cds."./0//1545bp//96%/AF152961
 C-Y79AA1002472//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7)./1.5E-136//472aa//
 45 49%/IQ05481

Homology Search Result Data 13.

[0333] Data obtained by the homology search for full-length nucleotide sequences and deduced amino acid sequenc-
 es. Each data includes Clone name, Definition in hit data, P value, Length of sequence to be compared, Homology,
 and Accession number (No.) of hit data. These items are shown in this order and separated by a double-slash mark, //.

C-HEMBA1000042

C-HEMBA1000141//Homo sapiens SUMO-1-specific protease (SSP1) mRNA, complete cds./0//1135bp//100%/
 AF196304

C-HEMBA1000150//H.sapiens gene for U5 snRNP-specific 200kD protein./2.50E-153//525bp//91%/Z70200

C-HEMBA1000213

C-HEMBA1000243

C-HEMBA1000244
 C-HEMBA1000251
 C-HEMBA1000338
 C-HEMBA1000357
 5 C-HEMBA1000376
 C-HEMBA1000428
 C-HEMBA1000469
 C-HEMBA1000497
 C-HEMBA1000561//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//3.40E-37//674aa//
 10 25%/Q05481
 C-HEMBA1000569//GPI-ANCHORED PROTEIN P137.//6.50E-19//265aa//32%/Q60865
 C-HEMBA1000575
 C-HEMBA1000591//PTB-ASSOCIATED SPLICING FACTOR (PSF).//2.20E-17//198aa//40%/P23246
 15 C-HEMBA1000673
 C-HEMBA1000702
 C-HEMBA1000722
 C-HEMBA1000726
 C-HEMBA1000876
 C-HEMBA1000942
 20 C-HEMBA1000943
 C-HEMBA1000960
 C-HEMBA1000985
 C-HEMBA1001019//CELL DIVISION CONTROL PROTEIN 2 HOMOLOG (EC 2.7.1.-) (P34 PROTEIN KINASE)
 (CYCLIN-DEPENDENT KINASE 1) (CDK1).//3.10E-10//70aa//58%/P06493
 25 C-HEMBA1001020
 C-HEMBA1001024
 C-HEMBA1001026
 C-HEMBA1001051
 C-HEMBA1001060
 30 C-HEMBA1001071//PROCOLLAGEN ALPHA 1(III) CHAIN PRECURSORS.//1.50E-92//82aa//100%/P02461
 C-HEMBA1001077//Homo sapiens transcriptional intermediary factor 1 gamma mRNA, complete cds.//2.00E-80//
 432bp//94%/AF119043
 C-HEMBA1001099
 C-HEMBA1001121
 35 C-HEMBA1001123
 C-HEMBA1001208
 C-HEMBA1001213
 C-HEMBA1001226
 C-HEMBA1001247
 40 C-HEMBA1001299
 C-HEMBA1001319
 C-HEMBA1001323
 C-HEMBA1001327
 C-HEMBA1001361
 45 C-HEMBA1001375
 C-HEMBA1001377
 C-HEMBA1001383
 C-HEMBA1001391
 C-HEMBA1001411
 50 C-HEMBA1001432
 C-HEMBA1001433
 C-HEMBA1001435
 C-HEMBA1001442
 C-HEMBA1001463
 55 C-HEMBA1001515
 C-HEMBA1001522
 C-HEMBA1001557
 C-HEMBA1001566

C-HEMBA1001589
 C-HEMBA1001608
 C-HEMBA1001636
 C-HEMBA1001647
 5 C-HEMBA1001651
 C-HEMBA1001658
 C-HEMBA1001675//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS9.//5.40E-09//101aa//35%//
 P54787
 C-HEMBA1001712
 10 C-HEMBA1001734//CADHERIN-11 PRECURSOR (OSTEOBLAST-CADHERIN) (OB-CADHERIN) (OSF-4).//
 1.10E-38//87aa//96%//P55288
 C-HEMBA1001745
 C-HEMBA1001750
 C-HEMBA1001784
 15 C-HEMBA1001791
 C-HEMBA1001803
 C-HEMBA1001820
 C-HEMBA1001835
 C-HEMBA1001888
 20 C-HEMBA1001912
 C-HEMBA1001915
 C-HEMBA1001918
 C-HEMBA1001940
 C-HEMBA1001942
 25 C-HEMBA1001964
 C-HEMBA1002022
 C-HEMBA1002039
 C-HEMBA1002100
 C-HEMBA1002113
 30 C-HEMBA1002119
 C-HEMBA1002139//LIM AND SH3 DOMAIN PROTEIN LASP-1 (MLN 50).//7.10E-05//51aa//49%//Q14847
 C-HEMBA1002160
 C-HEMBA1002162
 C-HEMBA1002166
 35 C-HEMBA1002185
 C-HEMBA1002204
 C-HEMBA1002328
 C-HEMBA1002337
 C-HEMBA1002348
 40 C-HEMBA1002381
 C-HEMBA1002486
 C-HEMBA1002498
 C-HEMBA1002538
 C-HEMBA1002552
 45 C-HEMBA1002555//Homo sapiens mSin3A associated polypeptide p30 mRNA, complete cds.//5.30E-51//768bp//
 68%//AF055993
 C-HEMBA1002558
 C-HEMBA1002621
 C-HEMBA1002629
 50 C-HEMBA1002645
 C-HEMBA1002659
 C-HEMBA1002661
 C-HEMBA1002666
 C-HEMBA1002678
 55 C-HEMBA1002679
 C-HEMBA1002712
 C-HEMBA1002716
 C-HEMBA1002742

C-HEMBA1002746//DNA POLYMERASE BETA (EC 2.7.7.7).//5.00E-37//1268aa//34%//P06746
 C-HEMBA1002748
 C-HEMBA1002780
 C-HEMBA1002801
 5 C-HEMBA1002826
 C-HEMBA1002833
 C-HEMBA1002921
 C-HEMBA1002934
 10 C-HEMBA1002944
 C-HEMBA1002968
 C-HEMBA1003034
 C-HEMBA1003037
 C-HEMBA1003071//INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN COMPLEX ACID LABILE CHAIN
 15 PRECURSOR (ALS).//1.30E-09//121aa//40%//P35858
 C-HEMBA1003078
 C-HEMBA1003083
 C-HEMBA1003086
 C-HEMBA1003098//Homo sapiens NY-REN-6 antigen mRNA, partial cds.//6.20E-273//1253bp//99%//AF155096
 20 C-HEMBA1003133
 C-HEMBA1003142
 C-HEMBA1003166
 C-HEMBA1003197
 C-HEMBA1003202
 C-HEMBA1003220
 25 C-HEMBA1003229
 C-HEMBA1003276
 C-HEMBA1003278
 C-HEMBA1003328
 C-HEMBA1003373
 30 C-HEMBA1003597
 C-HEMBA1003598
 C-HEMBA1003656
 C-HEMBA1003680//PUTATIVE AMINOPEPTIDASE ZK353.6 IN CHROMOSOME III (EC 3.4.11.-).//2.40E-92//
 35 423aa//47%//P34629
 C-HEMBA1003733
 C-HEMBA1003742
 C-HEMBA1003760//HYPOXIA-INDUCIBLE FACTOR 1 ALPHA (HIF-1 ALPHA) (ARNT INTERACTING PROTEIN)
 (MEMBER OF PAS PROTEIN 1) (MOP1) (HIF1 ALPHA).//3.70E-124//347aa//55%//Q16665
 40 C-HEMBA1003803
 C-HEMBA1003854
 C-HEMBA1003926
 C-HEMBA1003939
 C-HEMBA1003987
 C-HEMBA1004012
 45 C-HEMBA1004015
 C-HEMBA1004193
 C-HEMBA1004225
 C-HEMBA1004241
 C-HEMBA1004267
 50 C-HEMBA1004295//Homo sapiens NY-REN-25 antigen mRNA, partial cds.//9.40E-31//381bp//65%//AF155103
 C-HEMBA1004354//CHL1 PROTEIN.//9.90E-26//130aa//42%//P22516
 C-HEMBA1004356//H.sapiens MSSP-2 mRNA.//3.00E-243//573bp//98%//X77494
 C-HEMBA1004396
 55 C-HEMBA1004405
 C-HEMBA1004433
 C-HEMBA1004538
 C-HEMBA1004542
 C-HEMBA1004573

C-HEMBA1004577
 C-HEMBA1004604//Homo sapiens COP9 complex subunit 7a mRNA, complete cds.//0//1612bp//99%//AF193844
 C-HEMBA1004617
 C-HEMBA1004631
 5 C-HEMBA1004705
 C-HEMBA1004733
 C-HEMBA1004748
 C-HEMBA1004778
 C-HEMBA1004803
 10 C-HEMBA1004807
 C-HEMBA1004820
 C-HEMBA1004865
 C-HEMBA1004880
 C-HEMBA1004900
 15 C-HEMBA1004909
 C-HEMBA1004960
 C-HEMBA1004978
 C-HEMBA1004980
 C-HEMBA1004983
 20 C-HEMBA1004995
 C-HEMBA1005019//Homo sapiens mRNA for KIAA0648 protein, partial cds.//0//2212bp//99%//AB014548
 C-HEMBA1005029//Homo sapiens CGI-13 protein mRNA, complete cds.//0//1487bp//99%//AF132947
 C-HEMBA1005035
 C-HEMBA1005039
 25 C-HEMBA1005047//RAS-RELATED PROTEIN RAB-24 (RAB-16).//3.40E-101//106aa//98%//P35290
 C-HEMBA1005050
 C-HEMBA1005062
 C-HEMBA1005066
 C-HEMBA1005075
 30 C-HEMBA1005079
 C-HEMBA1005101//Homo sapiens SYT interacting protein SIP mRNA, complete cds.//0//2762bp//99%//AF080561
 C-HEMBA1005123
 C-HEMBA1005149
 35 C-HEMBA1005152
 C-HEMBA1005201//Homo sapiens CGI-07 protein mRNA, complete cds.//0//1608bp//99%//AF132941
 C-HEMBA1005202//SIGNAL RECOGNITION PARTICLE 68 KD PROTEIN (SRP68).//1.90E-179//361aa//95%//Q00004
 C-HEMBA1005223
 40 C-HEMBA1005232
 C-HEMBA1005241
 C-HEMBA1005275
 C-HEMBA1005293
 C-HEMBA1005311
 45 C-HEMBA1005338//Homo sapiens mRNA for matrilin-4, partial.//3.90E-241//1095bp//99%//AJ007581
 C-HEMBA1005359//ZINC FINGER PROTEIN 137.//3.90E-85//206aa//69%//P52743
 C-HEMBA1005367//Homo sapiens melastatin 1 (MLSN1) mRNA, complete cds.//9.00E-77//620bp//74%//AF071787
 C-HEMBA1005374
 50 C-HEMBA1005382
 C-HEMBA1005411
 C-HEMBA1005426
 C-HEMBA1005443
 C-HEMBA1005447
 55 C-HEMBA1005497
 C-HEMBA1005500
 C-HEMBA1005506
 C-HEMBA1005508

C-HEMBA1005526
 C-HEMBA1005530//Homo sapiens anaphase-promoting complex subunit 7 (APC7) mRNA, complete cds.//0//
 1578bp//98%//AF191340
 C-HEMBA1005548//Homo sapiens MAFB/Kreisler basic region/leucine zipper transcription factor (MAFB) mRNA,
 5 complete cds.//1.00E-220//1014bp//99%//AF134157
 C-HEMBA1005552
 C-HEMBA1005568
 C-HEMBA1005588
 C-HEMBA1005593
 10 C-HEMBA1005606
 C-HEMBA1005616
 C-HEMBA1005627
 C-HEMBA1005670
 C-HEMBA1005679
 15 C-HEMBA1005699
 C-HEMBA1005705
 C-HEMBA1005732//Human mRNA for KIAA1293 gene, complete cds.//5.50E-102//317bp//98%//D14697
 C-HEMBA1005815//CALPAIN, LARGE [CATALYTIC] SUBUNIT (EC 3.4.22.17) (CALCIUM ACTIVATED NEU-
 TRAL PROTEINASE) (CANP) (MU/M-TYPE).//2.00E-36//342aa//33%//P00789
 20 C-HEMBA1005852
 C-HEMBA1005894
 C-HEMBA1005921
 C-HEMBA1006035
 C-HEMBA1006036
 25 C-HEMBA1006090
 C-HEMBA1006138
 C-HEMBA1006173
 C-HEMBA1006252
 C-HEMBA1006268//Homo sapiens HQ0024c mRNA, complete cds.//3.50E-157//845bp//92%//AF073836
 30 C-HEMBA1006347//MALES-ABSENT ON THE FIRST PROTEIN (EC 2.3.1.-).//1.60E-130//332aa//62%//002193
 C-HEMBA1006359//ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6).//3.50E-105//381aa//54%//P28160
 C-HEMBA1006380
 C-HEMBA1006416
 C-HEMBA1006421
 35 C-HEMBA1006424
 C-HEMBA1006426
 C-HEMBA1006446
 C-HEMBA1006485//PUROMYCIN-SENSITIVE AMINOPEPTIDASE (EC 3.4.11.-) (PSA).//1.90E-81//153aa//
 97%//P55786
 40 C-HEMBA1006486
 C-HEMBA1006494
 C-HEMBA1006546
 C-HEMBA1006562
 C-HEMBA1006595
 45 C-HEMBA1006597
 C-HEMBA1006631
 C-HEMBA1006639
 C-HEMBA1006652//60S RIBOSOMAL PROTEIN L7.//2.40E-44//206aa//47%//P14148
 C-HEMBA1006659
 50 C-HEMBA1006665
 C-HEMBA1006676
 C-HEMBA1006695
 C-HEMBA1006709
 C-HEMBA1006758//Homo sapiens protocadherin beta 13 (PCDH-beta13) mRNA, complete cds.//0//1832bp//
 91%//AF152492
 55 C-HEMBA1006780
 C-HEMBA1006807//Homo sapiens mRNA for SPOP.//5.70E-125//1109bp//75%//AJ000644
 C-HEMBA1006824

C-HEMBA1006865
 C-HEMBA1006921
 C-HEMBA1006949
 5 C-HEMBA1006976//H.sapiens mRNA for Gal-beta(1-3/1-4)GlcNAc alpha-2,3-sialyltransferase.//1.90E-80//
 447bp//89%//X74570
 C-HEMBA1007051
 C-HEMBA1007052
 C-HEMBA1007066
 10 C-HEMBA1007073
 C-HEMBA1007078
 C-HEMBA1007085
 C-HEMBA1007113
 C-HEMBA1007121//Homo sapiens bisphosphate 3'-nucleotidase mRNA, complete cds.//1.70E-252//1118bp//
 92%//AF125042
 15 C-HEMBA1007129
 C-HEMBA1007147
 C-HEMBA1007151//Homo sapiens synphilin 1 mRNA, complete cds.//0//1900bp//99%//AF076929
 C-HEMBA1007178
 C-HEMBA1007203//Homo sapiens mRNA for KIAA0214 protein, complete cds.//0//1212bp//98%//D66987
 20 C-HEMBA1007224//Homo sapiens SUMO-1-specific protease (SSP1) mRNA, complete cds.//0//1590bp//99%//
 AF196304
 C-HEMBA1007243//Chinese hamster hprt mRNA, complete cds.//2.00E-58//650bp//70%//J00060
 C-HEMBA1007251
 C-HEMBA1007288
 25 C-HEMBA1007322
 C-HEMBA1007341
 C-HEMBA1000050
 C-HEMBA1000054
 C-HEMBA1000059
 30 C-HEMBA1000089
 C-HEMBA1000113
 C-HEMBA1000144//GUANYLATE CYCLASE ACTIVATING PROTEIN 2 (GCAP 2) (RETINAL GUANYLYL CYCLA-
 SE ACTIVATOR PROTEIN P24) //1.40E-24//71aa//77%//P51177
 C-HEMBA1000173
 35 C-HEMBA1000175
 C-HEMBA1000272
 C-HEMBA1000317//FIBULIN-1, ISOFORM D PRECURSOR.//7.10E-62//458aa//35%//P37888
 C-HEMBA1000318
 C-HEMBA1000336
 40 C-HEMBA1000341
 C-HEMBA1000343
 C-HEMBA1000354
 C-HEMBA1000374
 C-HEMBA1000434
 45 C-HEMBA1000441
 C-HEMBA1000491
 C-HEMBA1000493
 C-HEMBA1000510
 C-HEMBA1000652
 50 C-HEMBA1000672
 C-HEMBA1000684
 C-HEMBA1000709
 C-HEMBA1000726
 C-HEMBA1000770
 55 C-HEMBA1000827
 C-HEMBA1000831
 C-HEMBA1000883
 C-HEMBA1000888

C-HEMBB1000893
 C-HEMBB1000913
 C-HEMBB1000996
 C-HEMBB1001004
 5 C-HEMBB1001047
 C-HEMBB1001060
 C-HEMBB1001114
 C-HEMBB1001119
 C-HEMBB1001133
 10 C-HEMBB1001142
 C-HEMBB1001177
 C-HEMBB1001208
 C-HEMBB1001209
 C-HEMBB1001249
 15 C-HEMBB1001253
 C-HEMBB1001254
 C-HEMBB1001271
 C-HEMBB1001304
 C-HEMBB1001317
 20 C-HEMBB1001348
 C-HEMBB1001394
 C-HEMBB1001410
 C-HEMBB1001424
 C-HEMBB1001426
 25 C-HEMBB1001429//Homo sapiens leucine aminopeptidase mRNA, complete cds.//0//1933bp/99%//AF061738
 C-HEMBB1001436
 C-HEMBB10014437//Rattus norvegicus pyruvate dehydrogenase phosphatase isoenzyme 1 mRNA, complete
 cds.//3.00E-130//553bp//86%//AF062740
 C-HEMBB1001449
 30 C-HEMBB1001458
 C-HEMBB1001521
 C-HEMBB1001531
 C-HEMBB1001535
 C-HEMBB1001536
 35 C-HEMBB1001564
 C-HEMBB1001565
 C-HEMBB1001585
 C-HEMBB1001588
 C-HEMBB1001603
 40 C-HEMBB1001618
 C-HEMBB1001635
 C-HEMBB1001653
 C-HEMBB1001668
 C-HEMBB1001673//Homo sapiens mRNA for KIAA0646 protein, complete cds.//0//2035bp/99%//AB014546
 45 C-HEMBB1001685
 C-HEMBB1001695
 C-HEMBB1001707
 C-HEMBB1001735
 C-HEMBB1001736//EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT 9 (EIF3 P116) (EIF3
 50 P110).//4.60E-15//391aa//25%//P55884
 C-HEMBB1001747
 C-HEMBB1001749//TRANSCRIPTIONAL ACTIVATOR GCN5.//1.70E-16//84aa//47%//Q03330
 C-HEMBB1001753
 C-HEMBB1001756
 55 C-HEMBB1001760
 C-HEMBB1001785
 C-HEMBB1001797
 C-HEMBB1001802//Human desmin mRNA, complete cds.//0//1523bp//98%//U59167

C-HEMBB1001816
 C-HEMBB1001831//Homo sapiens PAM COOH-terminal interactor protein 1 (PCIP1) mRNA complete cds.//0//
 1514bp//99%//AF056209
 C-HEMBB1001839//GASTRULA ZINC FINGER PROTEIN XLCGF42.1 (FRAGMENT).//6.90E-11//B7aa//35%//
 5 P18720
 C-HEMBB1001850
 C-HEMBB1001863
 C-HEMBB1001868
 C-HEMBB1001874
 10 C-HEMBB1001880
 C-HEMBB1001899
 C-HEMBB1001906
 C-HEMBB1001910
 C-HEMBB1001911
 15 C-HEMBB1001921
 C-HEMBB1001922
 C-HEMBB1001930
 C-HEMBB1001944
 C-HEMBB1001945
 20 C-HEMBB1001947
 C-HEMBB1001950//PROBABLE OXYGEN-INDEPENDENT COPROPORPHYRINOGEN III OXIDASE (EC 1.-.-.)
 (COPROPORPHYRINOGENASE) (COPROGEN OXIDASE).//1.60E-41//370aa//31%//P54304
 C-HEMBB1001952
 C-HEMBB1001957
 25 C-HEMBB1001962
 C-HEMBB1001983
 C-HEMBB1001990
 C-HEMBB1001996
 C-HEMBB1002002
 30 C-HEMBB1002005
 C-HEMBB1002042//CYTOCHROME P450 4C1 (EC 1.14.14.1) (CYP1VC1).//2.70E-49//139aa//55%//P29981
 C-HEMBB1002043
 C-HEMBB1002045
 C-HEMBB1002049
 35 C-HEMBB1002050
 C-HEMBB1002068
 C-HEMBB1002092
 C-HEMBB1002139
 C-HEMBB1002142
 40 C-HEMBB1002190
 C-HEMBB1002193
 C-HEMBB1002217//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//2.10E-132//399aa//
 44%//Q05481
 C-HEMBB1002218
 45 C-HEMBB1002232
 C-HEMBB1002247
 C-HEMBB1002249
 C-HEMBB1002266//NEURONAL PROTEIN.//2.10E-46//121aa//76%//P41737
 C-HEMBB1002327
 50 C-HEMBB1002329
 C-HEMBB1002342//Homo sapiens mRNA for putative thioredoxin-like protein.//1.10E-274//1249bp//99%//
 AJ010841
 C-HEMBB1002358
 C-HEMBB1002371
 55 C-HEMBB1002387
 C-HEMBB1002409
 C-HEMBB1002425
 C-HEMBB1002442//LIN-10 PROTEIN.//9.70E-14//121aa//31%//P34692

C-HEMBB1002453
 C-HEMBB1002458
 C-HEMBB1002477//Human Grb2-associated binder-1 mRNA, complete cds.//7.70E-258//774bp/99%/U43885
 C-HEMBB1002489
 5 C-HEMBB1002510//GYP7 PROTEIN.//3.10E-50//192aa//42%/P48365
 C-HEMBB1002520
 C-HEMBB1002522
 C-HEMBB1002545
 10 C-HEMBB1002579
 C-HEMBB1002582
 C-HEMBB1002596
 C-HEMBB1002603
 C-HEMBB1002610
 C-HEMBB1002613
 15 C-HEMBB1002617
 C-HEMBB1002623
 C-HEMBB1002635
 C-HEMBB1002677
 C-HEMBB1002683
 20 C-HEMBB1002689
 C-HEMBB1002702
 C-MAMMA1000009
 C-MAMMA1000043
 25 C-MAMMA1000045//ENV POLYPROTEIN [CONTAINS: SURFACE PROTEIN GP85; MEMBRANE PROTEIN
 GP37].//1.90E-07//249aa//27%/P03396
 C-MAMMA1000057
 C-MAMMA1000085//PUTATIVE CYSTEINYL-TRNA SYNTHETASE C29E6.06C (EC 6.1.1.16) (CYSTEINE--
 TRNA LIGASE) (CYRSR).//2.10E-90//427aa//39%/Q09860
 C-MAMMA1000092
 30 C-MAMMA1000103
 C-MAMMA1000117
 C-MAMMA1000129
 C-MAMMA1000133
 C-MAMMA1000155
 35 C-MAMMA1000175
 C-MAMMA1000198
 C-MAMMA1000241
 C-MAMMA1000251
 C-MAMMA1000254
 40 C-MAMMA1000287
 C-MAMMA1000307
 C-MAMMA1000331
 C-MAMMA1000339
 C-MAMMA1000340
 45 C-MAMMA1000348
 C-MAMMA1000356
 C-MAMMA1000360
 C-MAMMA1000402
 C-MAMMA1000414
 50 C-MAMMA1000431
 C-MAMMA1000444
 C-MAMMA1000458
 C-MAMMA1000500
 C-MAMMA1000522
 55 C-MAMMA1000576
 C-MAMMA1000583
 C-MAMMA1000594
 C-MAMMA1000605

C-MAMMA1000616
 C-MAMMA1000643
 C-MAMMA1000684//Homo sapiens 7-60 mRNA, complete cds.//0//2402bp//99%//AF109134
 C-MAMMA1000696
 5 C-MAMMA1000707
 C-MAMMA1000714
 C-MAMMA1000720
 C-MAMMA1000744
 10 C-MAMMA1000761
 C-MAMMA1000776
 C-MAMMA1000798
 C-MAMMA1000839
 C-MAMMA1000851
 15 C-MAMMA1000863
 C-MAMMA1000867
 C-MAMMA1000876
 C-MAMMA1000880
 C-MAMMA1000883
 C-MAMMA1000921
 20 C-MAMMA1000931
 C-MAMMA1000941
 C-MAMMA1000957
 C-MAMMA1000962
 C-MAMMA1000975
 25 C-MAMMA1000987
 C-MAMMA1001003
 C-MAMMA1001030//LUTROPIN-CHORIOGONADOTROPIC HORMONE RECEPTOR (LH/CG-R) (LSH-R)
 (LUTEINIZING HORMONE RECEPTOR) (FRAGMENT).//1.20E-26//276aa//28%//Q90674
 C-MAMMA1001038//MYOSIN LIGHT CHAIN KINASE, SMOOTH MUSCLE AND NON-MUSCLE ISOZYMES (EC
 30 2.7.1.117) (MLCK) [CONTAINS: TELOKIN].//2.60E-107//190aa//95%//Q15746
 C-MAMMA1001082
 C-MAMMA1001162
 C-MAMMA1001186
 C-MAMMA1001191
 35 C-MAMMA1001206
 C-MAMMA1001220
 C-MAMMA1001243
 C-MAMMA1001249
 C-MAMMA1001256
 40 C-MAMMA1001268
 C-MAMMA1001271
 C-MAMMA1001274
 C-MAMMA1001292
 C-MAMMA1001305//RHO-GTPASE-ACTIVATING PROTEIN 1 (GTPASE-ACTIVATING PROTEIN RHOGAP)
 (RHO-RELATED SMALL GTPASE PROTEIN ACTIVATOR) (CDC42 GTPASE-ACTIVATING PROTEIN)
 (P50-RHOGAP).//2.20E-98//283aa//63%//Q07960
 C-MAMMA1001324
 C-MAMMA1001341
 50 C-MAMMA1001388//LEUCINE-RICH ALPHA-2-GLYCOPROTEIN (LRG).//1.40E-165//312aa//99%//P02750
 C-MAMMA1001397
 C-MAMMA1001408
 C-MAMMA1001420
 C-MAMMA1001442
 C-MAMMA1001452
 55 C-MAMMA1001465
 C-MAMMA1001487
 C-MAMMA1001501//CALPAIN 1, LARGE [CATALYTIC] SUBUNIT (EC 3.4.22.17) (CALCIUM-ACTIVATED NEU-
 TRAL PROTEINASE) (CANP) (MU-TYPE).//5.70E-55//86aa//97%//P07384

C-MAMMA1001547
 C-MAMMA1001551
 C-MAMMA1001575
 C-MAMMA1001590
 5 C-MAMMA1001600
 C-MAMMA1001606
 C-MAMMA1001627//Homo sapiens mRNA for transcription factor TBX6.//5.20E-189//871bp//99%//AJ007989
 C-MAMMA1001663
 C-MAMMA1001670
 10 C-MAMMA1001671
 C-MAMMA1001679//F-ACTIN CAPPING PROTEIN BETA SUBUNIT (CAPZ).//0.00000058//29aa//100%//P47756
 C-MAMMA1001711
 C-MAMMA1001735//TUBULIN BETA-5 CHAIN (BETA-TUBULIN CLASS-V).//5.90E-240//445aa//97%//P09653
 15 C-MAMMA1001744
 C-MAMMA1001745
 C-MAMMA1001751//Homo sapiens tandem pore domain potassium channel TWIK-2 (KCNK6) mRNA, complete
 cds.//0//2332bp//99%//AF117708
 C-MAMMA1001783
 C-MAMMA1001788
 20 C-MAMMA1001806
 C-MAMMA1001812
 C-MAMMA1001815
 C-MAMMA1001817
 C-MAMMA1001818
 25 C-MAMMA1001820//Rattus norvegicus mRNA for PAG608 gene.//1.30E-198//1157bp//80%//Y13148
 C-MAMMA1001824
 C-MAMMA1001851
 C-MAMMA1001854
 C-MAMMA1001864
 30 C-MAMMA1001878
 C-MAMMA1001890
 C-MAMMA1001907
 C-MAMMA1001908
 C-MAMMA1001931
 35 C-MAMMA1001969
 C-MAMMA1002011
 C-MAMMA1002032
 C-MAMMA1002041
 C-MAMMA1002047
 40 C-MAMMA1002056
 C-MAMMA1002058
 C-MAMMA1002078
 C-MAMMA1002082
 C-MAMMA1002084
 45 C-MAMMA1002093
 C-MAMMA1002094
 C-MAMMA1002118
 C-MAMMA1002125
 C-MAMMA1002132
 50 C-MAMMA1002140
 C-MAMMA1002143//Homo sapiens Cdc42 effector protein 4 mRNA, complete cds7//1.70E-252//1170bp//99%//
 AF099664
 C-MAMMA1002145
 C-MAMMA1002198//THIOREDOXIN PEROXIDASE 1 (THIOREDOXIN-DEPENDENT PEROXIDE REDUCTASE
 55 1) (THIOL-SPECIFIC ANTIOXIDANT PROTEIN) (TSA) (PRP) (NATURAL KILLER CELL ENHANCING FACTOR
 B) (NKEF-B).//5.20E-61//60aa//90%//P32119
 C-MAMMA1002230
 C-MAMMA1002250

C-MAMMA1002282
 C-MAMMA1002293
 C-MAMMA1002298
 C-MAMMA1002299
 5 C-MAMMA1002308
 C-MAMMA1002310
 C-MAMMA1002311
 C-MAMMA1002322
 10 C-MAMMA1002339
 C-MAMMA1002352
 C-MAMMA1002359
 C-MAMMA1002360
 C-MAMMA1002392
 C-MAMMA1002411
 15 C-MAMMA1002413
 C-MAMMA1002417
 C-MAMMA1002428//LYSOSOME MEMBRANE PROTEIN II (LIMP II) (85 KD LYSOSOMAL MEMBRANE
 SIALOGLYCOPROTEIN) (LGP85) (CD36 ANTIGEN-LIKE 2).//1.10E-24//96aa//68%/Q14108
 C-MAMMA1002434
 20 C-MAMMA1002446
 C-MAMMA1002454
 C-MAMMA1002461
 C-MAMMA1002475
 C-MAMMA1002556
 25 C-MAMMA1002566
 C-MAMMA1002612
 C-MAMMA1002622//VILLIN.//7.20E-35//53aa//64%/P02640
 C-MAMMA1002637//KINESIN LIGHT CHAIN (KLC).//1.30E-198//550aa//70%/Q07866
 C-MAMMA1002650//Mus musculus ODA-8S protein mRNA, complete cds.//5.40E-57//480bp//68%/AF194030
 30 C-MAMMA1002699//Rattus norvegicus EH domain binding protein Epsin mRNA, complete cds.//4.3e-317//
 1942bp//85%/AF018261
 C-MAMMA1002727
 C-MAMMA1002748
 C-MAMMA1002758
 35 C-MAMMA1002780
 C-MAMMA1002820
 C-MAMMA1002833
 C-MAMMA1002843
 C-MAMMA1002895
 40 C-MAMMA1002937//ZINC FINGER PROTEIN 135.//8.30E-99//393aa//43%/P52742
 C-MAMMA1003004
 C-MAMMA1003047//Homo sapiens protein inhibitor of activated STAT protein PIASy mRNA, complete cds.//0//
 1533bp//99%/AF077952
 C-NT2RM1000001//D.melanogaster sap47-2 mRNA.//1.50E-10//417bp//62%/X80110
 45 C-NT2RM1000018//Human mRNA for KIAA0066 gene, partial cds.//0//3376bp//99%/D31886
 C-NT2RM1000037//Homo sapiens mRNA for KIAA0690 protein, partial cds.//0//3551bp//99%/AB014590
 C-NT2RM1000086//Homo sapiens mRNA for KIAA0661 protein, complete cds.//0//3035bp//96%/AB014561
 C-NT2RM1000421//RIBONUCLEASE INHIBITOR.//4.40E-21//372aa//30%/P10775 C-NT2RM1000499
 C-NT2RM1001059//NUCLEAR POLYADENYLATED RNA-BINDING PROTEIN NAB4.//3.60E-11//180aa//28%/I
 50 Q99383
 C-NT2RM1001092//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//3.60E-115//332aa//
 52%/Q05481
 C-NT2RM2001592//Homo sapiens mRNA for KIAA1067 protein, partial cds.//0//3471bp//99%/AB028990
 C-NT2RM2001635//Homo sapiens mRNA for KIAA0618 protein, complete cds.//0//1632bp//99%/AB014518
 55 C-NT2RM2001637
 C-NT2RM2001641
 C-NT2RM2001670//ZINC FINGER PROTEIN 29 (ZFP-29).//6.50E-104//407aa//43%/Q07230
 C-NT2RM2001699

- C-NT2RM2001706
C-NT2RM2001718
C-NT2RM2001727//Homo sapiens mRNA for KIAA0462 protein, partial cds.//0//28292bp//99%/AB007931
C-NT2RM2001805
5 C-NT2RM4000086
C-NT2RM4000215//MAK16 PROTEIN.//1.30E-68//295aa//49%/P10962
C-NT2RM4000414
C-NT2RM4000590//RING CANAL PROTEIN (KELCH PROTEIN).//1.00E-59//595aa//28%/Q04652
C-NT2RM4000634
10 C-NT2RM4000657//Homo sapiens mRNA for KIAA1069 protein, partial cds.//0//1412bp//100%/AB028992
C-NT2RM4000783
C-NT2RM4000857//LEUCINE-RICH ALPHA-2-GLYCOPROTEIN (LRG).//6.70E-22//250aa//29%/P02750
C-NT2RM4000971
C-NT2RM4000996//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//8.00E-211//738aa//
15 50%/Q05481
C-NT2RM4001092//ZINC FINGER PROTEIN GLO3.//3.10E-24//265aa//33%/P38682
C-NT2RM4001178//PROBABLE ATP-DEPENDENT RNA HELICASE HAS1.//1.10E-48//218aa//43%/Q03532
C-NT2RM4001569
C-NT2RM4001819//Human p58/GTA (galactosyltransferase associated protein kinase) mRNA, complete cds.//
20 8.10E-300//1395bp//98%/M37712
C-NT2RM4001905
C-NT2RM4001938//Homo sapiens mRNA for KIAA0898 protein, partial cds.//0//2234bp//99%/AB020705
C-NT2RM4002062//ASPARTYL-TRNA SYNTHETASE (EC 6.1.1.12) (ASPARTATE--TRNA LIGASE) (ASPRS).//
1.90E-31//80aa//52%/P36419
25 C-NT2RM4002073//Mus musculus fatty acid transport protein 3 mRNA, partial cds.//9.30E-293//1751bp//83%/AF072758
C-NT2RM4002093//Homo sapiens neural polypyrimidine tract binding protein (PTB) mRNA, complete cds.//0//
2550bp//99%/AF176085
C-NT2RM4002109//Homo sapiens kinesin superfamily motor KIF4 mRNA, complete cds.//0//2572bp//99%/AF071592
30 C-NT2RM4002146//Homo sapiens MAGOH mRNA, complete cds.//6.90E-70//454bp//85%/AF035940
C-NT2RM4002194//Mus musculus semaphorin VIa mRNA, complete cds.//5.20E-297//1753bp//87%/AF030430
C-NT2RM4002390
C-NT2RM4002398
35 C-NT2RM4002420
C-NT2RM4002534
C-NT2RM4002565//Mus musculus Sec8 mRNA, complete cds.//0//1915bp//87%/AF022962
C-NT2RM4002571//H. sapiens mRNA for UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase (T2).//
4.60E-78//921bp//69%/X85019
40 C-NT2RP1000358//Homo sapiens mRNA; cDNA DKFZp564C186 (from clone DKFZp564C186).//0//1938bp//88%/AL050019
C-NT2RP1000522//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE DUB-1 (EC 3.1.2.15) (UBIQUITIN THI-
OLESTERASE DUB-1) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE DUB-1) (DEUBIQUITINATING EN-
ZYME 1).//8.20E-83//345aa//47%/Q61068
45 C-NT2RP1000609//Homo sapiens mRNA; cDNA DKFZp586C201 (from clone DKFZp586C201).//0//2165bp//99%/AL050118
C-NT2RP1000677//SODIUM-INDEPENDENT ORGANIC ANION TRANSPORTER (ORGANIC ANION TRANS-
PORTING POLYPEPTIDE).//1.20E-78//483aa//31%/P46721
C-NT2RP1000701//Homo sapiens phospholipase A2 activating protein (PLA2P) mRNA, complete cds.//0//
50 1687bp//99%/AF145020
C-NT2RP1000834//Homo sapiens alpha-methylacyl-CoA racemase mRNA, complete cds.//1.80E-176//829bp//
98%/AF047020
C-NT2RP1000860//Homo sapiens KL04P mRNA, complete cds.//0//1555bp//99%/AF064094
C-NT2RP1000916
55 C-NT2RP1000944
C-NT2RP1001079//Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds.//0//2085bp//99%/U82267
C-NT2RP1001080//PROBABLE ATP-DEPENDENT RNA HELICASE DBP9.//2.30E-116//319aa//46%/Q06218

- C-NT2RP1001113
C-NT2RP1001173//Homo sapiens mRNA; cDNA DKFZp566D1146 (from clone DKFZp566D1146).//0//2333bp//99%/AL080222
- 5 C-NT2RP1001177//Rattus norvegicus histone macroH2A1.2 mRNA, complete cds.//5.20E-108//1278bp//69%/U79139
C-NT2RP1001185//Human isovaleryl-coA dehydrogenase (IVD) mRNA, complete cds.//1.90E-158//729bp//99%/M34192
C-NT2RP1001247//Homo sapiens TGF-beta type secreted signaling protein LEFTYA mRNA, complete cds.//0//2006bp//100%/AF081513
- 10 C-NT2RP1001311
C-NT2RP1001313//Homo sapiens delta-6 fatty acid desaturase mRNA, complete cds.//7.50E-121//1394bp//69%/AF126799
C-NT2RP2000001//Homo sapiens mRNA for KIAA1111 protein, partial cds.//0//3188bp//99%/AB029034
C-NT2RP2000027
- 15 C-NT2RP2000183//DIHYDROPYRIMIDINASE RELATED PROTEIN-2 (DRP-2) (NEURAL SPECIFIC PROTEIN NSP60).//3.30E-16//114aa//44%/002675
C-NT2RP2000198
C-NT2RP2000523//APOLOPROTEIN B mRNA EDITING PROTEIN (HEPR) (APOBEC-1).//6.00E-16//124aa//34%/P41238
- 20 C-NT2RP2000551
C-NT2RP2000644
C-NT2RP2000660//SAP1 PROTEIN.//5.20E-68//474aa//32%/P39955
C-NT2RP2000678
C-NT2RP2000715
- 25 C-NT2RP2000842//Human lysophosphatidic acid receptor homolog mRNA, complete cds.//0//1562bp//99%/U80811
C-NT2RP2000970
C-NT2RP2001347
C-NT2RP2001460//TRICHOHYALIN.//1.00E-14//521aa//24%/P37709
- 30 C-NT2RP2001613//MITOCHONDRIAL IMPORT RECEPTOR SUBUNIT TOM40 (MOM38 PROTEIN) (TRANSLOCASE OF OUTER MEMBRANE 40 KD SUBUNIT).//6.10E-12//184aa//31%/P24391
C-NT2RP2001634//Homo sapiens alpha-catenin-like protein mRNA, complete cds.//0//2445bp//99%/U97067
C-NT2RP2001660//Homo sapiens putative 13 S Golgi transport complex 90kD subunit brain-specific isoform mRNA, complete cds.//0//1287bp//99%/AF058718
- 35 C-NT2RP2001677
C-NT2RP2001678
C-NT2RP2001720
C-NT2RP2001740//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE DUB-1 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE DUB-1) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE DUB-1) (DEUBIQUITINATING ENZYME 1).//7.90E-52//220aa//44%/Q61068
- 40 C-NT2RP2001756//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//1.70E-49//411aa//32%/P51523
C-NT2RP2001839//SCY1 PROTEIN.//5.40E-32//621aa//24%/P53009
C-NT2RP2001861
- 45 C-NT2RP2001869//ZINC FINGER PROTEIN 191.//7.10E-26//126aa//52%/O14754
C-NT2RP2001876//ALLOGRAFT INFLAMMATORY FACTOR-1 (AIF-1) (IONIZED CALCIUM BINDING ADAPTER MOLECULE 1).//1.20E-45//141aa//65%/P55008
C-NT2RP2001898//Human inositol polyphosphate 5-phosphatase (5ptase) mRNA, 3' end.//0//2518bp//98%/M74161
- 50 C-NT2RP2001936
C-NT2RP2001943
C-NT2RP2001946
C-NT2RP2002032
C-NT2RP2002033
- 55 C-NT2RP2002041
C-NT2RP2002047
C-NT2RP2002066//Rattus norvegicus transmembrane receptor Unc5H2 mRNA, complete cds.//1.60E-226//1301bp//88%/U87306

- C-NT2RP2002124//Homo sapiens mRNA for KIAA1097 protein, partial cds.//0//1772bp//95%//AB029020
 C-NT2RP2002172
 C-NT2RP2002219
 C-NT2RP2002256//Homo sapiens retinoic acid hydroxylase mRNA, complete cds.//0//1528bp//98%//AF005418
 5 C-NT2RP2002316
 C-NT2RP2002373
 C-NT2RP2002439
 C-NT2RP2002475
 C-NT2RP2002546
 10 C-NT2RP2002591//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//1.20E-155//562aa//50%//P51523
 C-NT2RP2002606//Rattus norvegicus Rabin3 mRNA, complete cds.//9.20E-147//874bp//87%//U19181
 C-NT2RP2002643
 15 C-NT2RP2002727//Rattus norvegicus tulip 2 mRNA, complete cds.//3.50E-74//727bp//72%//AF041107
 C-NT2RP2002736
 C-NT2RP2002740
 C-NT2RP2002741//Homo sapiens mRNA for Neuroblastoma, complete cds.//9.90E-54//964bp//64%//D89016
 C-NT2RP2002752
 C-NT2RP2002753
 20 C-NT2RP2002857
 C-NT2RP2003000//TUMOR NECROSIS FACTOR, ALPHA-INDUCED PROTEIN 1, ENDOTHELIAL (B12 PROTEIN).//1.90E-11//132aa//38%//Q13829
 C-NT2RP2003073
 C-NT2RP2003164//Homo sapiens mRNA for protein kinase.//0//2313bp//99%//AJ132545
 25 C-NT2RP2003206
 C-NT2RP2003228//H.sapiens P1-Cdc21 mRNA.//0//2870bp//98%//X74794
 C-NT2RP2003230//Rattus norvegicus endo-alpha-D-mannosidase (Enman) mRNA, complete cds.//2.60E-186//1551bp//77%//AF023657
 C-NT2RP2003237
 30 C-NT2RP2003272//Homo sapiens ubiquitin mRNA, complete cds.//0//1789bp//99%//AF176069
 C-NT2RP2003280
 C-NT2RP2003293
 C-NT2RP2003394//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//5.50E-13//302aa//26%//P25386
 35 C-NT2RP2003401//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE DUB-1 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE DUB-1) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE DUB-1) (DEUBIQUITINATING ENZYME 1).//9.60E-78//346aa//43%//061068
 C-NT2RP2003456
 C-NT2RP2003517//Human c-sis/platelet-derived growth factor 2 (SIS/PDGF2) mRNA, complete cds.//0//1746bp//95%//M12783
 40 C-NT2RP2003522//Homo sapiens zinc finger DNA binding protein 99 (ZNF281) mRNA, complete cds.//0//1764bp//99%//AF125158
 C-NT2RP2003559
 C-NT2RP2003564//52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A)).//2.10E-59//270aa//46%//P19474
 45 C-NT2RP2003581
 C-NT2RP2003643//Mus musculus mRNA for CMP-N-acetylneuraminic acid synthetase.//9.40E-243//1624bp//82%//AJ006215
 C-NT2RP2003702//Homo sapiens 17 beta-hydroxysteroid dehydrogenase type VII (HSD17B7) mRNA, complete cds.//2.1E-313//978bp//99%//AF098786
 50 C-NT2RP2003704//Homo sapiens mRNA for ATP-dependent metalloprotease YME1L.//1.80E-72//350bp//100%//AJ132637
 C-NT2RP2003727
 C-NT2RP2003751
 55 C-NT2RP2003781//HYPOTHETICAL 36.7 KD PROTEIN AH6.2 IN CHROMOSOME II.//5.50E-63//253aa//50%//Q09201
 C-NT2RP2003825
 C-NT2RP2003871

C-NT2RP2003885
 C-NT2RP2003912//SERINE/THREONINE-PROTEIN KINASE NEK1 (EC 2.7.1.-) (NIMA-RELATED PROTEIN KINASE 1).//6. 10E-183//387aa//87%/P51954
 C-NT2RP2003976//Homo sapiens mRNA for KIAA0447 protein, complete cds.//0//2866bp//98%/AB007916
 5 C-NT2RP2003988
 C-NT2RP2004013//TRANSCRIPTION FACTOR BTF3 (RNA POLYMERASE B TRANSCRIPTION FACTOR 3).//2.30E-53//141aa//78%/P20290
 C-NT2RP2004098//ADENYLATE CYCLASE (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYL CYCLASE).//5.40E-30//319aa//31%/Q01513
 10 C-NT2RP2004142
 C-NT2RP2004170//Homo sapiens mRNA for transducin (beta) like 1 protein.//1.10E-138//1236bp//74%/Y12781
 C-NT2RP2004194//Rattus norvegicus Golgi SNARE GS15 mRNA, complete cds.//3.80E-52//397bp//82%/AF003998
 C-NT2RP2004207
 15 C-NT2RP2004226
 C-NT2RP2004232//Homo sapiens EPK2 mRNA for serine/threonine kinase, complete cds.//0//2272bp//99%/AB015982
 C-NT2RP2004242//NEUROFILAMENT TRIPLET H PROTEIN (200 KD NEUROFILAMENT PROTEIN) (NF-H).//9.90E-12//427aa//26%/P19246
 20 C-NT2RP2004270//PROTEIN PTM1 PRECURSOR.//1.40E-16//334aa//24%/P32857
 C-NT2RP2004321
 C-NT2RP2004339
 C-NT2RP2004347
 C-NT2RP2004396//Homo sapiens mRNA for activator of S phase Kinase, complete cds.//5.40E-243//1108bp//99%/AB028069
 25 C-NT2RP2004399
 C-NT2RP2004400
 C-NT2RP2004412
 C-NT2RP2004425//Mus musculus axotrophin mRNA, complete cds.//0//2321bp//86%/AF155739
 30 C-NT2RP2004490
 C-NT2RP2004523
 C-NT2RP2004538//Mus musculus kinesin-like protein KIF1B (Kif1b) mRNA, complete cds.//0//1387bp//86%/AF090190
 C-NT2RP2004580
 35 C-NT2RP2004587//Homo sapiens mRNA for KIAA0888 protein, partial cds.//0//2886bp//100%/AB020695
 C-NT2RP2004594
 C-NT2RP2004681
 C-NT2RP2004709
 C-NT2RP2004710//Homo sapiens mRNA for KIAA1014 protein, partial cds.//0//2587bp//100%/AB023231
 40 C-NT2RP2004732//Homo sapiens mRNA for KIAA0884 protein, partial cds.//0//1774bp//99%/AB020691
 C-NT2RP2004767
 C-NT2RP2004775
 C-NT2RP2004961//Rattus norvegicus KRAB/zinc finger suppressor protein 1 (KS1) mRNA, complete cds.//1.00E-228//1666bp//75%/U56732
 45 C-NT2RP2004962
 C-NT2RP2004982
 C-NT2RP2005003//52 KD RO PROTEIN (SJOEGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A)).//1.80E-99//376aa//43%/P19474
 C-NT2RP2005018
 50 C-NT2RP2005020
 C-NT2RP2005022
 C-NT2RP2005031
 C-NT2RP2005116//Homo sapiens mRNA for KIAA0664 protein, partial cds.//0//4069bp//99%/AB014564
 C-NT2RP2005139//2-5A-DEPENDENT RIBONUCLEASE (EC 3.1.26.-) (2-5A-DEPENDENT RNAASE) (RNASE L) (RIBONUCLEASE 4) (FRAGMENT).//0.000000022//139aa//35%/Q05921
 55 C-NT2RP2005168//Homo sapiens mRNA for E1B-55kDa-associated protein.//0//2769bp//98%/AJ007509
 C-NT2RP2005254
 C-NT2RP2005325//Homo sapiens LIM-homeodomain protein HLHX2 (LHX2) mRNA, complete cds.//0//1643bp//

- 99%//AF124735
 C-NT2RP2005336//TRICHOHYALIN.//5.40E-10//545aa//22%//P37709
 C-NT2RP2005344//PROBABLE CALCIUM-TRANSPORTING ATPASE 5 (EC 3.6.1.38).//2.10E-124//636aa//38%//P32660
- 5 C-NT2RP2005360
 C-NT2RP2005407//OXISTEROL-BINDING PROTEIN.//5.30E-63//410aa//40%//P22059
 C-NT2RP2005454
 C-NT2RP2005457//Homo sapiens NADH-ubiquinone oxidoreductase subunit B14.5B homolog mRNA, complete cds.//1.20E-130//608bp//99%//AF070652
- 10 C-NT2RP2005476//Human p190-B (p190-B) mRNA, complete cds.//3.40E-108//668bp//88%//U17032
 C-NT2RP2005491//PARAMYOSIN (PMY) (ANTIGEN B).//0.0000015//279aa//26%//P35418
 C-NT2RP2005496//ZINC FINGER PROTEIN 135.//2.90E-146//398aa//59%//P52742
 C-NT2RP2005501
 C-NT2RP2005531//PROTEIN 4.1 (BAND 4.1) (P4.1).//5.50E-70//393aa//39%//P11171
- 15 C-NT2RP2005600//Homo sapiens mRNA for KIAA1020 protein, partial cds.//0//2554bp//99%//AB028943
 C-NT2RP2005645
 C-NT2RP2005694//X-LINKED RETINITIS PIGMENTOSA GTPASE REGULATOR.//2.60E-10//175aa//27%//Q92834
 C-NT2RP2005701//ZINC-FINGER PROTEIN RFP (RET FINGER PROTEIN).//3.00E-63//323aa//39%//Q62158
- 20 C-NT2RP2005741
 C-NT2RP2005806
 C-NT2RP2005815
 C-NT2RP2005841
 C-NT2RP2005882
- 25 C-NT2RP2005942//POLY(A) POLYMERASE (EC 2.7.7.19) (PAP) (POLYNUCLEOTIDE ADENYLYLTRANSFERASE).//1.50E-67//388aa//44%//P25500
 C-NT2RP2006103
 C-NT2RP2006166
 C-NT2RP2006258
 C-NT2RP2006261
 C-NT2RP2006321
 C-NT2RP2006454
 C-NT2RP2006598//Homo sapiens retinoid x receptor interacting protein mRNA, complete cds.//3.10E-295//1193bp//99%//AF113538
- 35 C-NT2RP3000046//MITOCHONDRIAL GTPASE MSS1 PRECURSOR.//4.60E-78//421aa//37%//P32559
 C-NT2RP3000047//NPL4 PROTEIN.//1.10E-85//526aa//36%//P33755
 C-NT2RP3000418
 C-NT2RP3000439//HYPOTHETICAL 46.4 KD PROTEIN IN FFH-GRPE INTERGENIC REGION.//2.90E-1511319aa//26%//P37908
- 40 C-NT2RP3000487
 C-NT2RP3000512//Human HOX2G mRNA from the Hox2 locus.//0//1934bp//99%//X16667
 C-NT2RP3000526
 C-NT2RP3000603//NEUROGENIC DIFFERENTIATION FACTOR 1.//3.70E-11//90aa//42%//Q13562
 C-NT2RP3000605//Mus musculus mRNA for wizL, complete cds.//0//2232bp//82%//AB012265
- 45 C-NT2RP3000628
 C-NT2RP3000739//ATROPHIN-1 (DENTATORUBRAL-PALLIDOLUYSIAN ATROPHY PROTEIN).//1.40E-24//155aa//37%//Q10149
 C-NT2RP3000845//PUTATIVE SERINE/THREONINE-PROTEIN KINASE P78 (EC 2.7.1.).//8.30E-108//331aa//50%//P27448
- 50 C-NT2RP3000968//40S RIBOSOMAL PROTEIN S15A.//1.90E-46//73aa//98%//P39027
 C-NT2RP3001057//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//9.00E-201//584aa//54%//Q05481
 C-NT2RP3001113//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//2.90E-11//631aa//23%//P25386
- 55 C-NT2RP3001245//Homo sapiens mRNA for KIAA0923 protein, complete cds.//0//2659bp//99%//AB023140
 C-NT2RP3001253//NUF1 PROTEIN (SPINDLE POLY BODY SPACER PROTEIN SPC110).//1.70E-10//540aa//23%//P32380
 C-NT2RP3001356

- C-NT2RP3001383
 C-NT2RP3001399//SSU72 PROTEIN.//1.30E-16//84aa//52%//P53538
 C-NT2RP3001554//MICROTUBULE-ASSOCIATED PROTEIN 1B [CONTAINS: LIGHT CHAIN LC1].//1.40E-76//388aa//32%//P46821
- 5 C-NT2RP3001712//Homo sapiens HP1-BP74 protein mRNA, complete cds.//0//1788bp//99%//AF113534
 C-NT2RP3001724//Homo sapiens chromodomain-helicase-DNA-binding protein mRNA, complete cds.//1.10E-240//902bp//99%//AF054177
 C-NT2RP3001727//Rattus norvegicus implantation-associated protein (IAG2) mRNA, partial cds.//6.90E-132//774bp//88%//AF008554
- 10 C-NT2RP3001730//SEPTIN 2 HOMOLOG (FRAGMENT).//7.10E-132//294aa//84%//Q14141
 C-NT2RP3001739
 C-NT2RP3001777
 C-NT2RP3001857//VEGETATIBLE INCOMPATIBILITY PROTEIN HET-E-1.//1.20E-14//242aa//24%//Q00808
 C-NT2RP3001943//Homo sapiens mRNA for KIAA0675 protein, complete cds.//0//3747bp//99%//AB014575
- 15 C-NT2RP3001944
 C-NT2RP3002033
 C-NT2RP3002054
 C-NT2RP3002063//Homo sapiens mRNA for KIAA1033 protein, partial cds.//0//2830bp//99%//AB028956
 C-NT2RP3002099
 C-NT2RP3002102
 C-NT2RP3002147
 C-NT2RP3002163
 C-NT2RP3002173
 C-NT2RP3002255
- 25 C-NT2RP3002303//PROBABLE UNDECAPRENYL PYROPHOSPHATE SYNTHETASE (EC 2.5.1.31) (UPP SYNTHETASE) (DI-TRANS-POLY-CIS-DECAPRENYLCISTRANSFERASE).//8.60E-49//243aa//43%//Q58767
 C-NT2RP3002343
 C-NT2RP3002351//Human mRNA for NAD-dependent methylene tetrahydrofolate dehydrogenase cyclohydrolase (EC 1.5.1.15).//4.20E-70//590bp//76%//X16396
 C-NT2RP3002399//DNA REPLICATION LICENSING FACTOR MCM4 (CDC21 HOMOLOG)(P1-CDC21).//8.60E-79//416aa//34%//P33991
- 30 C-NT2RP3002455//Homo sapiens mRNA for KIAA0678 protein, partial cds.//0//3811bp//99%//AB014578
 C-NT2RP3002545//Homo sapiens mRNA; cDNA DKFZp586G0518 (from clone DKFZp586G0518).//0//2499bp//99%//AL050092
- 35 C-NT2RP3002549//HYPOTHETICAL 26.6 KD PROTEIN T19C3.4 IN CHROMOSOME III.//5.80E-40//161aa//52%//Q10010
 C-NT2RP3002602//PROBABLE PROTEIN DISULFIDE ISOMERASE ER-60 PRECURSOR (EC 5.3.4.1) (ERP60) (58 KD MICROSMAL PROTEIN) (P58) (HIP-70) (Q-2).//2.90E-19//173aa//28%//P11598
 C-NT2RP3002603
 C-NT2RP3002628//PROBABLE PROTEIN DISULFIDE ISOMERASE P5 PRECURSOR (EC 5.3.4.1).//2.50E-26//90aa//42%//P38660
 C-NT2RP3002659
 C-NT2RP3002660
 C-NT2RP3002682//Homo sapiens CGI-145 protein mRNA, complete cds.//0//1596bp//98%//AF151903
- 45 C-NT2RP3002687
 C-NT2RP3002688//Mouse mRNA for kinesin-like protein (Kif1b), complete cds.//1.10E-93//1205bp//69%//D17577
 C-NT2RP3002701
 C-NT2RP3002785//LETHAL(2)DENTICLELESS PROTEIN (DTL83 PROTEIN).//2.50E-55//187aa//39%//Q24371
 C-NT2RP3002869//Mus musculus semaphorin VIa mRNA, complete cds.//2.50E-232//1282bp//85%//AF030430
- 50 C-NT2RP3002876
 C-NT2RP3002877
 C-NT2RP3002909//Homo sapiens mRNA for KIAA0771 protein, partial cds.//0//2085bp//94%//AB018314
 C-NT2RP3002969//Homo sapiens mRNA for Acyl-CoA synthetase 3, complete cds.//0//2722bp//99%//D89053
 C-NT2RP3002972//Halocynthia roretzi mRNA for HrPET-1, complete cds.//3.90E-52//899bp//64%//AB029333
 C-NT2RP3003032//Homo sapiens okadaic acid-inducible and cAMP-regulated phosphoprotein 19 (ARPP-19) mRNA, complete cds.//0//2656bp//99%//AF084555
- 55 C-NT2RP3003061//ANKYRIN.//1.40E-20//200aa//37%//Q02357
 C-NT2RP3003071//NEUROGENIC PROTEIN BIG BRAIN.//1.10E-05//258aa//24%//P23645

- C-NT2RP3003078
C-NT2RP3003139
C-NT2RP3003145//Mus musculus metalcarboxypeptidase CPX-1 mRNA, complete cds.//0//2251bp//81%//AF07773 8
- 5 C-NT2RP3003150
C-NT2RP3003197//HYPOTHETICAL 33.8 KD PROTEIN C5H10.01 IN CHROMOSOME 1.//5.70E-09//169aa//31%//Q09674
C-NT2RP3003203//Rattus norvegicus golgi stacking protein homolog GRASP55 mRNA, complete cds.//2.00E-210//1851bp//76%//AF110267
- 10 C-NT2RP3003210
C-NT2RP3003212//Rattus norvegicus lamina associated polypeptide 1C (LAP1C) mRNA, complete cds.//4.30E-187//1750bp//75%//U20286
C-NT2RP3003230//Homo sapiens mRNA for hCRNN4, complete cds.//0//2350bp//99%//AB030656
C-NT2RP3003242//Homo sapiens stanniocalcin-related protein mRNA, complete cds.//0//2366bp//99%//AF098462
- 15 C-NT2RP3003251//52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A))(RO(SS-A)).//4.20E-86//366aa//48%//P19474
C-NT2RP3003301//MITOCHONDRIAL LON PROTEASE HOMOLOG 1 PRECURSOR (EC 3.4.21.-).//1.10E-170//585aa//54%//064948
- 20 C-NT2RP3003311
C-NT2RP3003409//Human DHHC-domain-containing cysteine-rich protein mRNA, complete cds.//9.20E-45//782bp//65%//U90653
C-NT2RP3003427
C-NT2RP3003543
- 25 C-NT2RP3003552
C-NT2RP3003555//HYPOTHETICAL 32.6 KD PROTEIN IN MET30-PIG2 INTERGENIC REGION.//4.50E-30//191aa//40%//P40529
C-NT2RP3003564
C-NT2RP3003589//Homo sapiens ras-related GTP-binding protein mRNA, complete cds.//0//3131bp//94%//AF106681
- 30 C-NT2RP3003621
C-NT2RP3003625
C-NT2RP3003656
C-NT2RP3003659//HES1 PROTEIN.//5.90E-22//229aa//27%//P35843
- 35 C-NT2RP3003686
C-NT2RP3003701//F-SPONDIN PRECURSOR.//1.80E-17//324aa//26%//P35446
C-NT2RP3003716//SLIT PROTEIN PRECURSOR.//6.60E-10//150aa//34%//P24014
C-NT2RP3003726//Homo sapiens spermatogenesis associated PD1 mRNA, complete cds.//0//2568bp//99%//U28164
- 40 C-NT2RP3003795
C-NT2RP3003805
C-NT2RP3003809//SAV PROTEIN.//1.10E-131//576aa//41%//Q07590
C-NT2RP3003819
C-NT2RP3003825//PHOSPHATIDYLCHOLINE TRANSFER PROTEIN (PC-TP).//9.60E-19//174aa//31%//P02720
- 45 C-NT2RP3003831//Homo sapiens ENDOGL-1 (alias ENGL-a) mRNA for endonuclease G-like protein-1, complete cds.//2.2e-316//1436bp//99%//AB020523
C-NT2RP3003833
C-NT2RP3003842
- 50 C-NT2RP3003846//Homo sapiens mRNA for putative phospholipase, complete cds.//4.80E-277//1255bp//99%//AB019435
C-NT2RP3003870//Homo sapiens mRNA for KIAA0800 protein, complete cds.//0//2557bp//99%//AB018343
C-NT2RP3003876
C-NT2RP3003914//UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE PRECURSOR (EC 2.4.1.-) (DUGT).//2.20E-20//76aa//64%//Q09332
- 55 C-NT2RP3003918//Homo sapiens VAMP-associated protein B (VAP-B) mRNA, complete cds.//0//2191bp//99%//AF086628
C-NT2RP3003989

- C-NT2RP3004016//TRANSCRIPTION INTERMEDIARY FACTOR 1-BETA (NUCLEAR COREPRESSOR KAP-1) (KRAB-ASSOCIATED PROTEIN 1).//1.50E-17//226aa//26%//Q13263
- C-NT2RP3004070
- C-NT2RP3004145
- 5 C-NT2RP3004215
- C-NT2RP3004253
- C-NT2RP3004282//Homo sapiens torsinA (DYT1) mRNA, complete cds.//5.10E-24//597bp//61 %//AF007871
- C-NT2RP3004348//R. norvegicus mRNA for cytosolic resiniferatoxin-binding protein.//1.10E-185//1130bp//82%//X67877
- 10 C-NT2RP3004490//Homo sapiens PAC clone 166H1 from 12q, complete sequence.//0//1778bp//99%//AC003982
- C-NT2RP3004503
- C-NT2RP3004566//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//1.20E-95//434aa//43%//P51523
- C-NT2RP3004670//Homo sapiens GN6ST mRNA for N-acetylglucosamine-6-O-sulfotransferase (GlcNAc6ST), complete cds.//0//2393bp//99%//AB014679
- 15 C-NT2RP4000023
- C-NT2RP4000218
- C-NT2RP4000424
- C-NT2RP4001213//ZINC FINGER PROTEIN 184 (FRAGMENT).//5.70E-14//511aa//43%//Q99676
- 20 C-NT2RP4001447
- C-NT2RP4001841
- C-NT2RP4001849//SH3-BINDING PROTEIN 3BP-1.//1.40E-85//489aa//43%//P55194
- C-NT2RP4002047//GTP-BINDING PROTEIN LEPA.//1.50E-168//601aa//52%//O067618
- C-NT2RP4002075
- 25 C-NT2RP4002083
- C-OVARC1000001//Homo sapiens mRNA for actin binding protein ABP620, complete cds.//7.00E-217//683bp//99%//AB028290
- C-OVARC1000008
- C-OVARC1000017
- 30 C-OVARC1000058
- C-OVARC1000068
- C-OVARC1000071//Homo sapiens NTF2-related export protein NXT1 (NXT1) mRNA, complete cds.//1.50E-47//727bp//67%//AF156957
- C-OVARC1000085//Human mRNA for proteasome subunit HC5.//1.00E-151//699bp//100%//D00761
- 35 C-OVARC1000109
- C-OVARC1000114
- C-OVARC1000145
- C-OVARC1000240
- C-OVARC1000302
- 40 C-OVARC1000408
- C-OVARC1000414
- C-OVARC1000440
- C-OVARC1000442
- C-OVARC1000496
- 45 C-OVARC1000556//RIBOSOMAL PROTEIN S6 KINASE II ALPHA 2 (EC 2.7.1.-) (S6KII-ALPHA 2) (P90-RSK 2) (RIBOSOMAL S6 KINASE 3) (RSK3) (PP90RSK3).//3.30E-67//132aa//95%//O15349
- C-OVARC1000557
- C-OVARC1000578
- C-OVARC1000622
- 50 C-OVARC1000679//Homo sapiens myosin-Ixa mRNA, complete cds.//0//808bp//99%//AF117888
- C-OVARC1000681
- C-OVARC1000700
- C-OVARC1000724
- C-OVARC1000751//PROBABLE PROTEIN PHOSPHATASE 2C T23F11.1 (EC 3.1.3.16) (PP2C).//5.60E-11//74aa//37%//P49596
- 55 C-OVARC1000800//MITOCHONDRIAL STRESS-70 PROTEIN PRECURSOR (75 KD GLUCOSE REGULATED PROTEIN) (GRP 75).//3.90E-46//78aa//98%//O35501
- C-OVARC1000885//OXIDOREDUCTASE UCFA (EC 1.-.-.-).//1.30E-32//170aa//34%//P37440

C-OVARC1000936//COAT PROTEIN GP37 (ENV PROTEIN GP37).//0.0000054//135aa//28%/P03398
 C-OVARC1000937//S-PHASE ENTRY CYCLIN 6.//4.90E-10//61aaa//49%/P32943
 C-OVARC1000960
 C-OVARC1000971
 5 C-OVARC1000999//ANKYRIN HOMOLOG PRECURSOR.//4.10E-11//189aa//32%/Q06527
 C-OVARC1001000
 C-OVARC1001029
 C-OVARC1001040
 C-OVARC1001051//EPIDERMAL GROWTH FACTOR RECEPTOR SUBSTRATE SUBSTRATE 15 (PROTEIN
 10 EPS15) (AF-1P PROTEIN).//1.10E-08//216aa//23%/P42566
 C-OVARC1001113//Homo sapiens diaphanous 1 (HDI/1) mRNA, complete cds.//5.1e-310//1588bp//93%/AF051782
 C-OVARC1001118
 C-OVARC1001129
 15 C-OVARC1001169
 C-OVARC1001240
 C-OVARC1001261
 C-OVARC1001339
 C-OVARC1001342//40S RIBOSOMAL PROTEIN S8.//1.40E-110//207aa//99%/P09058
 20 C-OVARC1001357
 C-OVARC1001442
 C-OVARC1001611
 C-OVARC1001813
 C-OVARC1002112//Homo sapiens histone macroH2A1.2 mRNA, complete cds.//0//1760bp//99%/AF054174
 25 C-OVARC1002143
 C-OVARC1002165//3-OXO-5-ALPHA-STEROID 4-DEHYDROGENASE 2 (EC 1.3.99.5) (STEROID 5-ALPHA-
 REDUCTASE 2) (SR TYPE 2).//7.60E-08//114aa//37%/P31213
 C-OVARC1002182//BETA-TRCP (BETA-TRANSDUCIN REPEAT-CONTAINING PROTEIN) (BTRCP).//1.70E-
 09//207aa//30%/Q91854
 30 C-PLACE1000014
 C-PLACE1000078
 C-PLACE1000492//Rat vacuolar protein sorting homolog r-vps33b mRNA, complete cds.//0//2041bp//87%/U35245
 C-PLACE1000793//NEUROGENIC PROTEIN BIG BRAIN.//1.70E-07//251aa//24%/P23645
 35 C-PLACE1000814
 C-PLACE1000979//ZINC FINGER PROTEIN 135.//2.50E-153//326aa//64%/P52742
 C-PLACE1001007
 C-PLACE1001054//Homo sapiens mRNA for RuvB-like DNA helicase TIP49b, complete cds.//4.00E-300//
 1355bp//100%/AB024301
 40 C-PLACE1001088
 C-PLACE1001136
 C-PLACE1001241
 C-PLACE1001377//Homo sapiens ADAM10 (ADAM10) mRNA, complete cds.//5.90E-228//827bp//99%/AF009615
 45 C-PLACE1001395
 C-PLACE1001740
 C-PLACE1001746
 C-PLACE1001983//HYPOTHETICAL 46.4 KD PROTEIN IN FFH-GRPE INTERGENIC REGION.//7.50E-16//
 319aa//26%/P37908
 50 C-PLACE1002066
 C-PLACE1002115
 C-PLACE1002213
 C-PLACE1002342//Homo sapiens mRNA for KIAA0728 protein, partial cds.//0//1657bp//98%/AB018271
 C-PLACE1002450//Human zinc finger protein mRNA, complete cds.//0//2565bp//99%/U69274
 55 C-PLACE1002474//Mus musculus matrilin-2 precursor mRNA, complete cds.//0//2092bp//84%/U69262
 C-PLACE1002499
 C-PLACE1002578
 C-PLACE1002714

C-PLACE1002772
 C-PLACE1002775//PEREGRIN (BR140 PROTEIN).//3.80E-13//272aa//28%//P55201
 C-PLACE1002834//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//5.50E-203//396aa//86%//
 P51522
 5 C-PLACE1002993
 C-PLACE1003030//Homo sapiens snRNA activating protein complex 190kD subunit (SNAP190) mRNA, complete
 cds.//8.50E-44//225bp//100%//AF032387
 C-PLACE1003205
 C-PLACE1003249
 10 C-PLACE1003493//ENDOTHELIAL CELL MULTIMERIN PRECURSORS.//1.70E-23//594aa//33%//P28481
 C-PLACE1003553
 C-PLACE1003592
 C-PLACE1003596//OLIGOSACCHARYL TRANSFERASE STT3 SUBUNIT HOMOLOG.//2.60E-93//270aa//66%//
 P46975
 15 C-PLACE1003669//TRICHOHYALIN.//5.60E-09//219aa//30%//P22793
 C-PLACE1003709//Homo sapiens mitotic checkpoint kinase Bub1 (BUB1) mRNA, complete cds.//6.20E-282//
 1316bp//98%//AF053305
 C-PLACE1003870
 20 C-PLACE1003885//POLY(A) POLYMERASE (EC 2.7.7.19) (PAP) (POLYNUCLEOTIDE ADENYLYLTRANS-
 FERASE).//3.70E-222//651aa//66%//P25500
 C-PLACE1003892
 C-PLACE1003900
 C-PLACE1004336
 C-PLACE1004384
 25 C-PLACE1004425
 C-PLACE1004471//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//2.90E-56//276aa//41%//
 P51522
 C-PLACE1004506//Homo sapiens carboxyl terminal LIM domain protein (CLIM1) mRNA, complete cds.//2.10E-
 16//402bp//62%//U90878
 30 C-PLACE1004518
 C-PLACE1004550//Homo sapiens CGI-20 protein mRNA, complete cds.//3.50E-274//1305bp//97%//AF132954
 C-PLACE1004681
 C-PLACE1004693
 35 C-PLACE1004716//Homo sapiens HSPC038 protein mRNA, complete cds.//2.70E-103//586bp//91%//AF125099
 C-PLACE1004815
 C-PLACE1004836
 C-PLACE1004838
 C-PLACE1004840
 40 C-PLACE1004900
 C-PLACE1004985
 C-PLACE1005085
 C-PLACE1005086
 C-PLACE1005108
 C-PLACE1005146
 45 C-PLACE1005409
 C-PLACE1005453
 C-PLACE1005477
 C-PLACE1005557//60S RIBOSOMAL PROTEIN L27.//1.90E-11//60aa//48%//P46288
 C-PLACE1005595
 50 C-PLACE1005603
 C-PLACE1005639
 C-PLACE1005727//Homo sapiens STRIN protein (STRIN) mRNA, complete cds.//2.00E-118//378bp//98%//
 AF162680
 C-PLACE1005799
 55 C-PLACE1005813//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//0//2040bp//99%//AF065482
 C-PLACE1005884
 C-PLACE1005968
 C-PLACE1006002

- C-PLACE1006003//Homo sapiens CGI-94 protein mRNA, complete cds.//2.40E-177//829bp//99%//AF151852
 C-PLACE1006017
 C-PLACE1006037
 C-PLACE1006076
 5 C-PLACE1006143
 C-PLACE1006248//Homo sapiens mRNA for KIAA0648 protein, partial cds.//0//1489bp//100%//AB014548
 C-PLACE1006288//VOLTAGE-DEPENDENT ANION-SELECTIVE CHANNEL PROTEIN 1 (VDAC1) (PLASMA-
 LEMMAL PORIN) (OUTER MITOCHONDRIAL MEMBRANE PROTEIN PORIN) (PORIN 31HL) (PORIN 31HM).//
 4.60E-117//147aa//80%//P21796
 10 C-PLACE1006318//Mus musculus skm-BOP2 (Bop) mRNA, complete cds.//3.00E-07//376bp//59%//U76374
 C-PLACE1006368//HYALURONAN-MEDIATED MOTILITY RECEPTOR (HYALURONIC ACID RECEPTOR).//
 1.30E-18//460aa//24%//Q00547
 C-PLACE1006371
 15 C-PLACE1006469//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- AC-
 TIVATING ENZYME).//1.20E-83//313aa//49%//P27550
 C-PLACE1006506//Homo sapiens anaphase-promoting complex subunit 4 (APC4) mRNA, complete cds.//0//
 2170bp//99%//AF191338
 C-PLACE1006521
 20 C-PLACE1006534//Homo sapiens mRNA; cDNA DKFZp564G1964 (from clone DKFZp564G1964).//1.70E-192//
 883bp//99%//AL110144
 C-PLACE1006617
 C-PLACE1006640
 C-PLACE1006754//BILIARY GLYCOPROTEIN 1 PRECURSOR (BGP-1) (ANTIGEN CD66) (CD66A ANTIGEN).//
 6.20E-63//191aa//43%//P13688
 25 C-PLACE1006760
 C-PLACE1006779
 C-PLACE1006805
 C-PLACE1006815
 C-PLACE1006867
 30 C-PLACE1007045
 C-PLACE1007097
 C-PLACE1007111
 C-PLACE1007112
 C-PLACE1007140//Homo sapiens mRNA for KIAA1009 protein, complete cds.//0//3492bp//99%//AB023226
 35 C-PLACE1007218
 C-PLACE1007454
 C-PLACE1007478
 C-PLACE1007677
 C-PLACE10077057//Mus musculus mRNA for Ndr1 related protein Ndr3, complete cds.//1.10E-184//1096bp//
 82%//AB033922
 40 C-PLACE1007737
 C-PLACE1007743
 C-PLACE1007852//Homo sapiens mRNA for KIAA0878 protein, complete cds.//1.00E-232//1174bp//94%//
 AB020685
 45 C-PLACE1007877
 C-PLACE1008045
 C-PLACE1008080//Homo sapiens mRNA for HEXIM1 protein, complete cds.//0//2152bp//99%//AB021179
 C-PLACE1008111//PROBABLE OXIDOREDUCTASE (EC 1.-.-.-)//3.00E-25//208aa//37%//Q03326
 C-PLACE1008201//Rattus rattus zinc finger protein, complete cds.//0//2265bp//83%//L23077
 50 C-PLACE1008231
 C-PLACE1008244//VEGETATIBLE INCOMPATIBILITY PROTEIN HET-E-1.//9.50E-21//148aa//38%//Q00808
 C-PLACE1008330//EOSINOPHIL LYOPHOSPHOLIPASE (EC 3.1.1.5) (CHARCOT-LEYDEN CRYSTAL PRO-
 TEIN) (LYSOLECITHIN ACYLHYDROLASE) (CLC) (GALACTIN- 10).//2.20E-23//94aa//47%//Q05315
 C-PLACE1008331
 55 C-PLACE1008369
 C-PLACE1008392
 C-PLACE1008405
 C-PLACE1008424

C-PLACE1008584
 C-PLACE1008625
 C-PLACE1008630
 C-PLACE1008643//INTER-ALPHA-TRYPSIN INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN H2).//5.20E-90//483aa//38%/002668
 5 C-PLACE1008715
 C-PLACE1008748
 C-PLACE1008757
 C-PLACE1008798
 10 C-PLACE1008851
 C-PLACE1008947
 C-PLACE1009039
 C-PLACE1009048
 C-PLACE1009050
 15 C-PLACE10091137//Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds.//0//2529bp//99%/AF035586
 C-PLACE1009150
 C-PLACE1009200
 C-PLACE1009246//POLLEN SPECIFIC PROTEIN SF3.//4.40E-16//82aa//43%/P29675
 20 C-PLACE1009298//Homo sapiens vacuolar sorting protein 35 (VPS35) mRNA, complete cds.//0//2262bp//99%/AF191298
 C-PLACE1009308//GLUCOSE REPRESSION MEDIATOR PROTEIN.//4.00E-06//439aa//23%/P14922
 C-PLACE1009398//ZINC FINGER PROTEIN 135.//6.20E-97//361aa//51%/P52742
 C-PLACE1009410
 25 C-PLACE1009477//Homo sapiens mRNA for KIAA0684 protein, partial cds.//6.50E-148//592bp//99%/AB014584
 C-PLACE1009493
 C-PLACE1009539
 C-PLACE1009595
 C-PLACE1009637
 30 C-PLACE1009639
 C-PLACE1009798//RLR1 PROTEIN.//1.60E-18//270aa//23%/P53552
 C-PLACE1009861//CATHEPSIN B-LIKE CYSTEINE PROTEINASE 6 PRECURSOR (EC 3.4.22.-).//6.50E-28//209aa//38%/P43510
 C-PLACE1009888
 35 C-PLACE1009925//Homo sapiens RNA helicase (RIG-I) mRNA, complete cds.//0//1730bp//99%/AF038963
 C-PLACE1009947
 C-PLACE1010069
 C-PLACE1010089//Homo sapiens mRNA for KIAA1097 protein, partial cds.//0//1554bp//100%/AB029020
 C-PLACE1010231//CELL SURFACE GLYCOPROTEIN EMR1 PRECURSOR (EMR1 HORMONE RECEPTOR).//5.10E-27//371aa//28%/Q14246
 40 C-PLACE1010270
 C-PLACE1010562
 C-PLACE1010579//Homo sapiens PTB domain adaptor protein CED-6 mRNA, complete cds.//9.30E-299//1362bp//99%/AF200715
 45 C-PLACE1010624
 C-PLACE1010628//Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds.//7.50E-08//324bp//64%/AF109907
 C-PLACE1010662//UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE PRECURSOR (EC 2.4.1.-) (DUGT).//1.80E-22//808aa//52%/Q09332
 50 C-PLACE1010702//ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6).//5.20E-151//427aa//55%/P28160
 C-PLACE1010761
 C-PLACE1010802 C-PLACE1010833//CALTRACTIN (CENTRIN).//0.0000001//154aa//28%/P41209
 C-PLACE1010896//NUF1 PROTEIN (SPINDLE POLY BODY SPACER PROTEIN SPC110).//1.50E-25//583aa//23%/P35580
 55 C-PLACE1010916
 C-PLACE1010947
 C-PLACE1010965
 C-PLACE1011032

- C-PLACE1011041//Homo sapiens mRNA for BAP2-alpha protein, complete cds.//0//1701bp//97%//AB015019
 C-PLACE1011056//HISTONE H1, GONADAL //6.80E-13//154aa//37%//P02256
 C-PLACE1011090//Homo sapiens mRNA; cDNA DKFZp586A0522 (from clone DKFZp586A0522).//0//880bp//99%//AL050159
- 5 C-PLACE1011160//Homo sapiens HFB30 mRNA, complete cds.//0//1691bp//99%//AB022663
 C-PLACE1011214
 C-PLACE1011229//Homo sapiens ubiquitin-specific protease homolog (UPH) mRNA, complete cds.//2.30E-152//701bp//99%//AF153604
 C-PLACE1011273
- 10 C-PLACE1011291
 C-PLACE1011310//MYOSIN HEAVY CHAIN, GIZZARD SMOOTH MUSCLE.//3.50E-20//496aa//25%//P10587
 C-PLACE1011371//INTER-ALPHA-TRYPsin INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN H2).//1.70E-78//383aa//39%//Q61703
 C-PLACE1011503
- 15 C-PLACE1011635//Homo sapiens heparan sulfate D-glucosaminyl 3-O-sulfotransferase-3B (30ST3B1) mRNA, complete cds.//0//1559bp//99%//AF105377
 C-PLACE1011646//Homo sapiens clone 25059 mRNA sequence.//5.00E-223//1035bp//99%//AF131752
 C-PLACE1011650
 C-PLACE1011675
- 20 C-PLACE1011725
 C-PLACE1011749
 C-PLACE1011922//MYOSIN HEAVY CHAIN, NONMUSCLE TYPE B (CELLULAR MYOSIN HEAVY CHAIN, TYPE B) (NMHC-B).//1.30E-15//409aa//27%//P35580
 C-PLACE1012031//Homo sapiens mRNA for KIAA0713 protein, partial cds.//0//1163bp//100%//AB018256
- 25 C-PLACE2000006
 C-PLACE2000007//Homo sapiens mRNA for KIAA0913 protein, partial cds.//0//1968bp//97%//AB020720
 C-PLACE2000034//LAR PROTEIN PRECURSOR (LEUKOCYTE ANTIGEN RELATED) (EC 3.1.3.48).//2.20E-29//212aa//35%//P10586
 C-PLACE2000039//Rattus norvegicus cytoplasmic dynein heavy chain (MAP 1C), mRNA, complete cds.//4.60E-291//1167bp//89%//L08505
- 30 C-PLACE2000061
 C-PLACE2000072//Homo sapiens ZNF202 beta (ZNF202) mRNA, complete cds.//0//3174bp//99%//AF027219
 C-PLACE2000097
 C-PLACE2000103
- 35 C-PLACE2000115
 C-PLACE2000124
 C-PLACE2000140
 C-PLACE2000164//TIPD PROTEIN.//2.10E-59//481aa//33%//Q15736
 C-PLACE2000176
- 40 C-PLACE2000223
 C-PLACE2000235
 C-PLACE2000274//DYNEIN BETA CHAIN, CILIARY.//2.20E-167//880aa//37%//P23098
 C-PLACE2000302
 C-PLACE2000347
- 45 C-PLACE2000359
 C-PLACE2000371//TENSIN.//2.90E-78//561aa//37%//Q04205
 C-PLACE2000379
 C-PLACE2000399//T-CELL SURFACE GLYCOPROTEIN E2 PRECURSOR (E2 ANTIGEN) (CD99) (MIC2 PROTEIN) (12E7).//1.60E-14//180aa//39%//P14209
- 50 C-PLACE2000404//PROBABLE LEUCYL-TRNA SYNTHETASE (EC 6.1.1.4) (LEUCINE--TRNA LIGASE) (LEURS).//9.90E-229//821aa//54%//Q09996
 C-PLACE2000450
 C-PLACE2000455
- 55 C-PLACE3000059//Mus musculus mRNA for ubiquitin conjugating enzyme.//0//1979bp//90%//Y17267
 C-PLACE3000070
 C-PLACE3000119
 C-PLACE3000121//VESICULAR TRAFFIC CONTROL PROTEIN SEC15.//1.90E-08//281 aa//22%//P22224
 C-PLACE3000136

- C-PLACE3000147//Homo sapiens metalloproteinase with thrombospondin type 1 motifs ADAMTS1 (ADAMTS1) mRNA, complete cds.//0//2043bp//99%//AF170084
- C-PLACE3000148
- 5 C-PLACE3000155//Homo sapiens mRNA for KIAA0672 protein, complete cds.//2.10E-75//382bp//99%//AB014572
- C-PLACE3000160
- C-PLACE3000169//ZINC FINGER PROTEIN 135.//2.50E-90//358aa//47%//P52742
- C-PLACE3000194
- C-PLACE3000199
- 10 C-PLACE3000218//Homo sapiens putative protein O-mannosyltransferase (POMT2) mRNA, complete cds.//0//1862bp//98%//AF105020
- C-PLACE3000230
- C-PLACE3000244//PROTEIN TSG24 (MEIOTIC CHECK POINT REGULATOR).//0//1435aa//92%//P53995
- C-PLACE3000254//Homo sapiens transcriptional activator SRCAP (SRCAP) mRNA, complete cds.//0//4583bp//83%//AF143946
- 15 C-PLACE3000276
- C-PLACE3000310
- C-PLACE3000320
- C-PLACE3000331
- 20 C-PLACE3000339//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//9.60E-08//359aa//23 %//P08640
- C-PLACE3000352
- C-PLACE3000353//Homo sapiens mRNA; cDNA DKFZP586H0623 (from clone DKFZP586H0623).//0//2456bp//99%//AL096739
- 25 C-PLACE3000362
- C-PLACE3000365
- C-PLACE3000388
- C-PLACE3000413
- C-PLACE3000425
- 30 C-PLACE4000009//MYOSIN HEAVY CHAIN, NONMUSCLE TYPE B (CELLULAR MYOSIN HEAVY CHAIN, TYPE B) (NMHC-B).//2.90E-54//626aa//29%//P35580
- C-PLACE4000014//X-LINKED HELICASE II (X-LINKED NUCLEAR PROTEIN) (XNP).//3.10E-111//348aa//41%//P46100
- C-PLACE4000052//Homo sapiens ATP cassette binding transporter 1 (ABC1) mRNA, complete cds.//0//4661bp//99%//AF165281
- 35 C-PLACE4000089
- C-PLACE4000128//Mus musculus putative transcription factor mRNA, complete cds.//1.60E-86//190aa//88%//AF091234
- C-PLACE4000129
- 40 C-PLACE4000147
- C-PLACE4000192//ZINC FINGER PROTEIN 142 (KIAA0236) (HA4654).//7.00E-22//369aa//25%//P52746
- C-PLACE4000211//Homo sapiens TTF-I interacting peptide 5 mRNA, partial cds.//1.70E-262//1217bp//98%//AF000422
- C-PLACE4000222
- 45 C-PLACE4000269//Homo sapiens mRNA for KIAA1067 protein, partial cds.//0//3787bp//99%//AB028990
- C-PLACE4000270
- C-PLACE4000300
- C-PLACE4000387
- C-PLACE4000392
- 50 C-PLACE4000431//H.sapiens gene for U5 snRNP-specific 200kD protein.//0//5142bp//90%//Z70200
- C-PLACE4000450//Homo sapiens TTF-I interacting peptide 5 mRNA, partial cds.//2.70E-261//1217b.p//98%//AF000422
- C-PLACE4000465
- C-PLACE4000489//PROTEIN GRAINY-HEAD (DNA-BINDING PROTEIN ELF-1) (ELEMENT I-BINDING ACTIVITY) (TRANSCRIPTION FACTOR NTF-1).//5.70E-60//254aa//44%//P13002
- 55 C-PLACE4000654//Mus musculus mRNA for ubiquitin conjugating enzyme.//0//6340bp//87%//Y17267
- C-SKNMC1000011//PUTATIVE IMPORTIN BETA-4 SUBUNIT (KARYOPHERIN BETA-4 SUBUNIT).//5.50E-35//431aa//29%//O60100

C-SKNMC1000046//Homo sapiens liprin-alpha3 mRNA, partial cds.//1.90E-162//749bp//99%//AF034800
 C-SKNMC1000050//CALPAIN 2, LARGE [CATALYTIC] SUBUNIT (EC 3.4.22.17) (CALCIUM-ACTIVATED NEUTRAL PROTEINASE) (CANP) (M-TYPE).//3.20E-41//87aa//98%//P17655
 C-THYRO1000034//TRICHOHYALIN.//9.40E-10//176aa//30%//P37709
 5 C-THYRO1000070
 C-THYRO1000072//MYOSIN LIGHT CHAIN KINASE, SMOOTH MUSCLE AND NON-MUSCLE ISOZYMES (EC 2.7.1.117) (MLCK) [CONTAINS: TELOKIN].//3.40E-16//201aa//29%//P11799
 C-THYRO1000092
 10 C-THYRO1000121//Homo sapiens mRNA for KIAA1116 protein, complete cds.//0//2159bp//99%//AB029039
 C-THYRO1000124
 C-THYRO1000197//Homo sapiens mRNA for poly(A)-specific ribonuclease.//0//2362bp//99%//AJ005698
 C-THYRO1000199//Homo sapiens mRNA for KIAA0652 protein, complete cds.//0//1409bp//98%//AB014552
 C-THYRO1000206
 15 C-THYRO1000242//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//5.00E-118//239aa//66%//P51523
 C-THYRO1000253
 C-THYRO1000270
 C-THYRO1000288//Homo sapiens mRNA for Hs Ste24p, complete cds.//0//2161bp//99%//AB016068
 C-THYRO1000320
 20 C-THYRO1000358//SELENIUM-BINDING LIVER PROTEIN.//2.30E-229//237aa//79%//P17563
 C-THYRO1000368
 C-THYRO1000381
 C-THYRO1000387
 C-THYRO1000394//Homo sapiens peroxisomal membrane protein PMP 24 mRNA, complete cds.//1.20E-299//1325bp//99%//AF072864
 25 C-THYRO1000395//Homo sapiens actin-binding protein (IPP) mRNA, complete cds.//0//2092bp//99%//AF156857
 C-THYRO1000401
 C-THYRO1000488//Homo sapiens HFB30 mRNA, complete cds.//0//2254bp//100%//AB022663
 C-THYRO1000501//52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A))(RO(SS-A)).//4.20E-98//408aa//42%//P19474
 30 C-THYRO1000558
 C-THYRO1000570
 C-THYRO1000605//Homo sapiens histone acetyltransferase (HBOa) mRNA, complete cds.//0//3080bp//99%//AF140360
 35 C-THYRO1000625
 C-THYRO1000637
 C-THYRO1000676
 C-THYRO1000684//Homo sapiens mRNA for KIAA0872 protein, complete cds.//0//2131bp//99%//AB020679
 40 C-THYRO1000712
 C-THYRO1000805
 C-THYRO1000815
 C-THYRO1000855
 C-THYRO1000934//PYRROLINE-5-CARBOXYLATE REDUCTASE (EC 1.5.1.2) (P5CR) (P5C REDUCTASE).//7.50E-57//315aa//43%//P32322
 45 C-THYRO1000988
 C-THYRO1001033//TRANSFORMATION-SENSITIVE PROTEIN IEF SSP 3521.//8.40E-12//167aa//29%//P31948
 C-THYRO1001120//Mus musculus FX-induced thymoma transcript (FXI-T1) mRNA, complete cds.//1.90E-92//1479bp//66%//U38252
 50 C-THYRO1001204//Homo sapiens cathepsin Z precursor (CTS2) gene, exons 4, 5, and 6 and complete cds; and TH1 gene partial sequence.//3.80E-100//478bp//99%//AF136276
 C-THYRO1001262
 C-THYRO1001271
 C-THYRO1001287//MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE (EC 3.2.1.113) (MAN(9)-ALPHA-MANNOSIDASE) (FRAGMENT).//3.40E-51//429aa//33%//P45701
 55 C-THYRO1001313//Homo sapiens sorting nexin 11 (SNX11) mRNA, complete cds.//0//2330bp//94%//AF121861
 C-THYRO1001347
 C-THYRO1001363//Homo sapiens mRNA; cDNA DKFZp56400423 (from clone DKFZp56400423).//0//2173bp//99%//AL080120

- C-THYRO1001374//Homo sapiens mRNA for KIAA0707 protein, partial cds.//01/1700bp/99%//AB014607
C-THYRO1001403
C-THYRO1001405//PLECTIN.//6.90E-19//450aa//27%//P30427
5 C-THYRO1001406//Homo sapiens steroid dehydrogenase homolog mRNA, complete cds.//01/1676bp/98%//AF078850
C-THYRO1001426
C-THYRO1001458//MYOSIN HEAVY CHAIN, NONMUSCLE TYPE B (CELLULAR MYOSIN HEAVY CHAIN, TYPE B) (NMHC-B).//2.70E-17//559aa//59%//P35580
10 C-THYRO1001480
C-THYRO1001487
C-THYRO1001584
C-THYRO1001661
C-THYRO1001746
C-THYRO1001772
15 C-THYRO1001854
C-Y79AA1000013//Mus musculus RING finger protein A07 mRNA, complete cds.//8.90E-205//1435bp//81 %//AF171060
C-Y79AA1000033//Homo sapiens CARD4 mRNA, complete cds.//01/2929bp//96%//AF126484
C-Y79AA1000231//Homo sapiens nucleolar protein NOP5/NOP58 mRNA, complete cds.//01/1515bp//99%//AF123534
20 C-Y79AA1000342//Homo sapiens Ciz1 mRNA, complete cds.//01/2644bp//81%//AB030835
C-Y79AA1000349//M.musculus Spnr mRNA for RNA binding protein.//01/2048bp//93%//X84692
C-Y79AA1000410
C-Y79AA1000539
25 C-Y79AA1000589//Homo sapiens clone 614 unknown mRNA, complete sequence.//1.00E-302//1375bp//99%//AF091080
C-Y79AA1000802
C-Y79AA1000827
C-Y79AA1000966//Homo sapiens COP9 complex subunit 4 mRNA, complete cds.//01/1586bp//99%//AF100757
30 C-Y79AA1000969
C-Y79AA1000985//Human centrosomal protein kendrin mRNA, complete cds.//4.70E-151//985bp//87%//U52962
C-Y79AA1001061
C-Y79AA1001068
C-Y79AA1001216
35 C-Y79AA1001299//Homo sapiens mRNA for integrase interactor 1b protein (INI1b).//01/996bp//99%//AJ011738
C-Y79AA1001511
C-Y79AA1001594//HYALURONAN-MEDIATED MOTILITY RECEPTOR (HYALURONIC ACID RECEPTOR).//2.50E-14//410aa//24%//Q00547
C-Y79AA1001692//Mus musculus strain C57BL/J germ cell-less protein (Gcl) mRNA, complete cds.//1.140E-78//227aa//40%//Q01820
40 C-Y79AA1001866//Homo sapiens zinc finger protein ZNF180 (ZNF180) mRNA, complete cds.//01/2927bp//97%//AF192913
C-Y79AA1001874//OX40L RECEPTOR PRECURSOR (ACT35 ANTIGEN) (TAX-TRANSCRIPTIONALLY ACTIVATED GLYCOPROTEIN 1 RECEPTOR) (CD134 ANTIGEN).//4.50E-08//135aa//31%//P43489
45 C-Y79AA1002139//DNAJ PROTEIN HOMOLOG 1 (DROJ1).//9.00E-17//120aa//45%//Q24133
C-Y79AA1002210//TUMOR NECROSIS FACTOR, ALPHA-INDUCED PROTEIN 1, ENDOTHELIAL (B12 PROTEIN).//0.0000018//140aa//725%//Q13829
C-Y79AA1002211//PHOSPHATIDYLETHANOLAMINE-BINDING PROTEIN HOMOLOG F40A3.3.//1.70E-17//146aa//35%//016264
50 C-Y79AA1002220
C-Y79AA1002234//Homo sapiens mRNA for KIAA0692 protein, partial cds.//01/3168bp//99%//AB014592
C-Y79AA1002258//Homo sapiens mRNA for HIP1R, complete cds.//01/2106bp//99%//AB013384
C-Y79AA1002361//Rattus norvegicus mRNA for protein phosphatase 1 (GL-subunit).//6.90E-140//966bp//82%//Y18208
55 C-Y79AA1002399//Homo sapiens mRNA for sperm protein.//01/1163bp//95%//X91879
C-Y79AA1002416//Mus musculus CTP synthetase homolog (CTPsH) mRNA, complete cds.//3.9e-317//1902bp//86%//U49385
C-Y79AA1002431//TRANSDUCIN-LIKE ENHANCER PROTEIN 2 (ESG2).//9.80E-62//318aa//35%//Q04725

- C-Y79AA1002482//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//2.70E-137//340aa//51%//Q05481
- C-Y79AA1002487//Homo sapiens chromosome 5 F-box protein Fbx4 (FBX4) mRNA, complete cds.//7.3e-310//1444bp//98%//AF129534
- 5 C-HEMBA1000290
- C-HEMBA1000459
- C-HEMBA1000505
- C-HEMBA1001196//Human DNA topoisomerase II (top2) mRNA, complete cds.//1.80E-268//1213bp//100%//J04088
- 10 C-HEMBA1002503
- C-HEMBA1002508
- C-HEMBA1002513//Homo sapiens mRNA for histone deacetylase-like protein (JM21).//0//2432bp//99%//AJ011972
- C-HEMBA1003480
- 15 C-HEMBA1003538//COMPLEMENT C1R COMPONENT PRECURSOR (EC 3.4.21.41).//2.40E-110//242aa//58%//P00736
- C-HEMBA1003645//TTPD PROTEIN.//2.40E-10//289aa//23%//I015736
- C-HEMBA1003646//Homo sapiens mRNA for KIAA1013 protein, partial cds.//0//3049bp//99%//AB023230
- C-HEMBA1003667
- 20 C-HEMBA1003679//SIALIDASE (EC 3.2.1.18) (NEURAMINIDASE) (NA) (MAJOR SURFACE ANTIGEN).//1.00E-09//611aa//22%//P23253
- C-HEMBA1003827
- C-HEMBA1003838
- C-HEMBA1004055
- 25 C-HEMBA1004056
- C-HEMBA1004086
- C-HEMBA1004335
- C-HEMBA1004353//C-MYC BINDING PROTEIN MM-1.//3.00E-71//89aa//96%//Q99471
- C-HEMBA1004479//HYPOXIA-INDUCIBLE FACTOR 1 ALPHA (HIF-1 ALPHA) (ARNT INTERACTING PROTEIN).//3.10E-51//152aa//40%//Q61221
- 30 C-HEMBA1004499//Homo sapiens delta-tubulin mRNA, complete cds.//3.40E-92//483bp//95%//AF201333
- C-HEMBA1004507
- C-HEMBA1004638
- C-HEMBA1004669//SON PROTEIN (SON3).//7.30E-17//288aa//36%//P18583
- 35 C-HEMBA1004709
- C-HEMBA1004860
- C-HEMBA1005206//Drosophila simulans anon73B1 gene and Su(P) gene.//1.90E-11//376bp//63%//AJ250308
- C-HEMBA1005472
- C-HEMBA1005513//MALES-ABSENT ON THE FIRST PROTEIN (EC 2.3.1.-).//1.90E-129//332aa//61%//002193
- 40 C-HEMBA1005572
- C-HEMBA1005780
- C-HEMBA1005990//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//0//2371bp//100%//AF082516
- C-HEMBA1006038//LAMININ ALPHA-5 CHAIN (FRAGMENT).//3.10E-33//81aa//64%//Q61001
- 45 C-HEMBA1006124
- C-HEMBA1006461
- C-HEMBA1006521//3-OXOACYL-[ACYL-CARRIER PROTEIN] REDUCTASE (EC 1.1.1.100) (3-KETOACYL-ACYL CARRIER PROTEIN REDUCTASE).//4.00E-33//177aa//42%//P25716
- C-HEMBA1006617
- 50 C-HEMBA1006650//ARP2/3 COMPLEX 20 KD SUBUNIT (P20-ARC).//9.00E-40//113aa//82%//015509
- C-HEMBA1006779
- C-HEMBA1006796
- C-HEMBA1006812
- C-HEMBA1006914//Human anthracycline-associated resistance ARX mRNA, complete cds.//0//1837bp//99%//U35832
- 55 C-HEMBA1007174//Homo sapiens mRNA for KIAA1065 protein, complete cds.//0//1079bp//97%//AB028988
- C-HEMBA1000240
- C-HEMBA1000264//CHL1 PROTEIN.//9.50E-19//104aa//45%//P22516

C-HEMBB1000335
 C-HEMBB1000337
 C-HEMBB1000554
 C-HEMBB1000573
 5 C-HEMBB1000749
 C-HEMBB1000774
 C-HEMBB1000835
 C-HEMBB1001197
 C-HEMBB1001315
 10 C-HEMBB1001482//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//2.10E-57//941aa//
 27%//Q05481
 C-HEMBB1001500
 C-HEMBB1001562//CYLICIN II (MULTIPLE-BAND POLYPEPTIDE II).//1.40E-06//373aa//21%//Q28092
 C-HEMBB1001619
 15 C-HEMBB1001630
 C-HEMBB1001665
 C-HEMBB1001684//Homo sapiens mRNA for KIAA1108 protein, partial cds.//0//2348bp//99%//AB029031
 C-HEMBB1001812
 C-HEMBB1001834
 20 C-HEMBB1001869
 C-HEMBB1001871//BONE/CARTILAGE PROTEOGLYCAN I PRECURSOR (BIGLYCAN) (PG-S 1).//5.40E-75//
 241aa//48%//P47853
 C-HEMBB1001872//CELL SURFACE GLYCOPROTEIN EMR1 PRECURSOR (EMR1 HORMONE RECEPTOR)
 (CELL SURFACE GLYCOPROTEIN F4/80).//1.90E-22//210aa//27%//Q61549
 25 C-HEMBB1001905//TRICHOHYALIN.//2.10E-10//268aa//27%//P37709
 C-HEMBB1001908//Human monocytic leukaemia zinc finger protein (MOZ) mRNA, complete cds.//1.60E-131//
 874bp//86%//U47742
 C-HEMBB1001915//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 64E (EC 3.1.2.15) (UBIQUITIN THI-
 OLESTERASE 64E) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 64E) (DEUBIQUITINATING ENZYME
 64E).//5.90E-132//561aa//50%//Q24574
 30 C-HEMBB1001925
 C-HEMBB1002044//Mus musculus mRNA for vascular cadherin-2.//0//3562bp//81%//Y08715
 C-HEMBB1002134//ZINC-FINGER PROTEIN NEURO-D4.//8.10E-56//176aa//67%//P56163
 C-HEMBB1002152
 35 C-HEMBB1002300
 C-HEMBB1002381
 C-HEMBB1002383
 C-HEMBB1002534
 C-MAMMA1000143
 40 C-MAMMA1000183//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//3.40E-134//359aa//63%//
 P51523
 C-MAMMA1000227
 C-MAMMA1000257
 C-MAMMA1000264
 45 C-MAMMA1000270
 C-MAMMA1000279
 C-MAMMA1000372
 C-MAMMA1000559
 C-MAMMA1000752
 50 C-MAMMA1000760
 C-MAMMA1000778
 C-MAMMA1000855
 C-MAMMA1000859
 C-MAMMA1000897//INTER-ALPHA-TRYPSIN INHIBITOR HEAVY CHAIN H3 PRECURSOR (ITI HEAVY CHAIN
 H3) (SERUM-DERIVED HYALURONAN-ASSOCIATED PROTEIN) (SHAP).//1.00E-141//576aa//37%//Q06033
 55 C-MAMMA1000940
 C-MAMMA1001073
 C-MAMMA1001080//Homo sapiens SNC73 protein (SNC73) mRNA, complete cds.//1.6e-312//1596bp//94%//

AF067420
 C-MAMMA10011987/Homo sapiens eps15RmRNA, partial cds.//0//2253bp//99%//AB015346
 C-MAMMA1001202
 C-MAMMA1001222/EBNA-2 NUCLEAR PROTEIN.//6.60E-09//255aa//29%//P12978
 5 C-MAMMA1001252
 C-MAMMA1001296
 C-MAMMA1001502
 C-MAMMA1001630
 C-MAMMA1001633/ZINC FINGER PROTEIN 165.//6.30E-39//160aa//55%//P49910
 10 C-MAMMA1001683
 C-MAMMA1001715
 C-MAMMA1001730/Homo sapiens brain and nasopharyngeal carcinoma susceptibility protein NSG-x mRNA, partial cds.//0//1603bp//99%//AF095687
 15 C-MAMMA1001760
 C-MAMMA1001769
 C-MAMMA1001785
 C-MAMMA1001848
 C-MAMMA1001874
 C-MAMMA1001956
 20 C-MAMMA1002009
 C-MAMMA1002033
 C-MAMMA1002155
 C-MAMMA1002498
 C-MAMMA1002545
 25 C-MAMMA1002571
 C-MAMMA1002573//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3)(GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//2.60E-19//666aa//23%//P08640
 C-MAMMA1002590
 C-MAMMA1002617/ZINC FINGER PROTEIN 135.//7.60E-89//252aa//57%//P52742
 30 C-MAMMA1002618
 C-MAMMA1002636
 C-MAMMA1002646
 C-MAMMA1002665
 C-MAMMA1002708
 35 C-MAMMA1002728
 C-MAMMA1002744
 C-MAMMA1002764
 C-MAMMA1002765
 C-MAMMA1002830
 40 C-MAMMA1002844//TRIOSE PHOSPHATE/PHOSPHATE TRANSLOCATOR, NON-GREEN PLASTID PRECURSOR (CTPT).//4.90E-10//334aa//22%//P52178
 C-MAMMA100285 8//Rat cMG1 mRNA.//3.70E-238//1147bp//92%//X52590
 C-MAMMA1002880
 C-MAMMA1002892
 45 C-MAMMA1002909
 C-MAMMA1002941
 C-MAMMA1002947
 C-MAMMA1002972/VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS27.//1.10E-05//69aa//42%//P40343
 50 C-MAMMA1002973
 C-MAMMA1002987
 C-MAMMA1003003
 C-MAMMA1003026/Homo sapiens HSPC057 mRNA, complete cds.//0//1773bp//98%//AF161542
 C-MAMMA1003031
 55 C-MAMMA1003089
 C-NT2RM1000092//MULTIDRUG RESISTANCE PROTEIN 2 (MULTIDRUG-EFFLUX TRANSPORTER 2).//1.00E-07//362aa//23%//P39843
 C-NT2RM1000272

- C-NT2RM1000341
C-NT2RM1000539//Homo sapiens mRNA for Lsm5 protein.//3.00E-158//733bp//99%//AJ238097
C-NT2RM1000553//Homo sapiens putative glycolipid transfer protein mRNA, complete cds.//3.40E-177//814bp//99%//AF103731
- 5 C-NT2RM1000623//RIBONUCLEASE INHIBITOR.//4.40E-21//372aa//30%//P10775
C-NT2RM1000702//PUTATIVE SERINE/THREONINE-PROTEIN KINASE PKWA (EC 2.7.1.-).//5.60E-08//187aa//27%//P49695
C-NT2RM1000833//Homo sapiens sec61 homolog mRNA, complete cds.//0//3541bp//99%//AF084458
C-NT2RM1000883//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//0//5107bp//99%//AF082516
- 10 C-NT2RM1001082
C-NT2RM1001112
C-NT2RM2001105//Drosophila melanogaster eyellid (eld) mRNA, complete cds.//1.20E-28//805bp//61%//AF053091
- 15 C-NT2RM2001360//Homo sapiens clone C40 unknown mRNA.//1.00E-250//1136bp//100%//AF103798
C-NT2RM2001797//Homo sapiens mRNA; cDNA DKFZp572C163 (from clone DKFZp572C163); partial cds.//0//2300bp//100%//AL110217
C-NT2RM2001803//Homo sapiens IkappaB kinase cbmplex associated protein (IKAP) mRNA, complete cds.//0//2249bp//99%//AF044195
- 20 C-NT2RM4002504
C-NT2RP1000409
C-NT2RP1000460//Homo sapiens mRNA for KIAA1068 protein, partial cds.//0//3199bp//99%//AB028991
C-NT2RP1000746//Homo sapiens 60S acidic ribosomal protein PO mRNA, complete cds.//9.70E-196//901bp//99%//AF173378
- 25 C-NT2RP1000796
C-NT2RP1001013//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//7.70E-253//425aa//98%//P51522
C-NT2RP2001214
C-NT2RP2001233//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//2.00E-128//409aa//45%//Q05481
- 30 C-NT2RP2001440//Homo sapiens mRNA for 14-3-3gamma, complete cds.//0//3712bp//99%//AB024334
C-NT2RP2002056
C-NT2RP2002105//H.sapiens MSH-R gene for melanocyte stimulating hormone receptor.//0//1644bp//98%//X65634
- 35 C-NT2RP2002333
C-NT2RP2002677
C-NT2RP2002755
C-NT2RP2002843
C-NT2RP2003101
- 40 C-NT2RP2003668
C-NT2RP2003799
C-NT2RP2004095
C-NT2RP2004300
C-NT2RP2004675
- 45 C-NT2RP2004920//TRANSCRIPTIONAL REGULATOR ATRX (X-LINKED NUCLEAR PROTEIN) (HETERO-CHROMATIN PROTEIN 2) (HP1 ALPHA-INTERACTING PROTEIN) (HP1-BP38 PROTEIN).//4.20E-09//804aa//22%//Q61687
C-NT2RP2005144//Homo sapiens tubby like protein 3 (TULP3) mRNA, complete cds.//2.10E-308//1437bp//98%//AF045583
- 50 C-NT2RP2005719//GPI-ANCHORED PROTEIN P137.//4.00E-14//99aa//43%//Q14444
C-NT2RP2005726
C-NT2RP2005776//POLY(A) POLYMERASE TYPE 2 (EC 2.7.7.19) (PAP) (POLYNUCLEOTIDE ADENYL-TRANSFERASE).//4.40E-55//358aa//42%//P51005
C-NT2RP2005980
- 55 C-NT2RP2006184//Homo sapiens mRNA for KIAA0918 protein, partial cds.//0//4235bp//99%//AB020725
C-NT2RP2006534//5'-AMP-ACTIVATED PROTEIN KINASE, CATALYTIC ALPHA-1 CHAIN (EC 2.7.1.-) (AMPK ALPHA-1 CHAIN) (FRAGMENT).//3.20E-11//32aa//96%//Q13131
C-NT2RP2006554

C-NT2RP3000584
 C-NT2RP3001115
 C-NT2RP3001723//Homo sapiens cell recognition molecule Caspr2 (CASPR2) mRNA, complete cds.//1.40E-58//
 1138bp//63%//AF193613
 5 C-NT2RP3001938//SPORULATION-SPECIFIC PROTEIN 1 (EC 2.7.1.-).//1.30E-22//227aa//33%//P08458
 C-NT2RP3002330//Homo sapiens eRF5 mRNA, complete cds.//0//2443bp//99%//U87791
 C-NT2RP3002402
 C-NT2RP3002484//Homo sapiens mRNA for KIAA0998 protein, partial cds.//1.20E-124//597bp//98%//AB023215
 10 C-NT2RP3002512
 C-NT2RP3002713
 C-NT2RP3002770//MYELOID DIFFERENTIATION PRIMARY RESPONSE PROTEIN MYD116.//1.00E-07//70aa//
 41%//P17564
 C-NT2RP3002799
 C-NT2RP3002810//HISTIDINE-RICH PROTEIN KE4.//2.20E-10//260aa//26%//Q31125
 15 C-NT2RP3002818//INSERTION ELEMENT IS2A HYPOTHETICAL 48.2 KD PROTEIN.//5.70E-226//303aa//97%//
 P51026
 C-NT2RP3002955
 C-NT2RP3002985
 C-NT2RP3003059//Rattus norvegicus potassium channel regulator 1 mRNA, complete cds.//3.80E-152//1007bp//
 20 82%//U78090
 C-NT2RP3003121
 C-NT2RP3003133//Homo sapiens ZK1 mRNA for Kruppel-type zinc finger protein, complete cds.//0//1998bp//
 91%//AB011414
 25 C-NT2RP3003138//Homo sapiens kinesin superfamily motor KIF4 mRNA, complete cds.//0//2159bp//98%//
 AF071592
 C-NT2RP3003155
 C-NT2RP3003157
 C-NT2RP3003185//TROPOMYOSIN 1, FUSION PROTEIN 33.//2.80E-06//402aa//23%//P49455
 C-NT2RP3003264
 30 C-NT2RP3003346
 C-NT2RP3003403
 C-NT2RP3003411//Mus musculus COP9 complex subunit 7b (COPS7b) mRNA, complete cds.//6.30E-270//
 743bp//90%//AF071317
 C-NT2RP3003500//SCY1 PROTEIN.//9.20E-27//601aa//23%//P53009
 35 C-NT2RP3003572
 C-NT2RP3003576
 C-NT2RP3003665//Homo sapiens mRNA for beta-ureidopropionase, complete cds.//0//1690bp//99%//AB013885
 C-NT2RP3003672//T-CELL SURFACE GLYCOPROTEIN E2 PRECURSOR (E2 ANTIGEN) (CD99) (MIC2 PRO-
 TEIN) (12E7).//2.20E-13//146aa//42%//P14209
 40 C-NT2RP3003680//Homo sapiens mRNA; cDNA DKFZp434J154 (from clone DKFZp434J154); complete cds.//0//
 2047bp//95%//AL080155
 C-NT2RP3003799//Rattus norvegicus Srg1 (Sytr1) mRNA, complete cds.//9.00E-238//1529bp//84%//U71294
 C-NT2RP3003800//Rattus norvegicus tyrosine protein kinase pp60-c-src mRNA, complete cds.//1.90E-163//
 924bp//89%//AF130457
 45 C-NT2RP3003828
 C-NT2RP3003932
 C-NT2RP3003992//Homo sapiens mRNA; cDNA DKFZp564C186 (from clone DKFZp564C186).//0//2739bp//
 99%//AL050019
 C-NT2RP3004013//M.musculus Spnr mRNA for RNA binding protein.//6.50E-240//1215bp//94%//X84692
 50 C-NT2RP3004028
 C-NT2RP3004041
 C-NT2RP3004051
 C-NT2RP3004078//H.sapiens HRFX2 mRNA.//0//1806bp//99%//X76091
 C-NT2RP3004093
 55 C-NT2RP3004095
 C-NT2RP3004125//Mus musculus zinc finger protein splice variant FIZ1-B (Fiz1) mRNA, complete cds.//4.60E-
 229//1560bp//78%//AF126747
 C-NT2RP3004148//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSI-

DASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//7.90E-05//271aa//22%//P08640
 C-NT2RP3004155//Homo sapiens COQ7 protein mRNA, complete cds.//1.10E-179//823bp//100%//AF098948
 C-NT2RP3004189//VEGETATILE INCOMPATIBILITY PROTEIN HET-E-1.//1.30E-14//242aa//24%//Q00808
 C-NT2RP3004332
 C-NT2RP3004349
 C-NT2RP3004470
 C-NT2RP4000035
 C-NT2RP4000049
 C-NT2RP4000102
 C-NT2RP4000167
 C-NT2RP4000515
 C-NT2RP4000517
 C-NT2RP4000519
 C-NT2RP5003512//Homo sapiens mRNA for KIAA1291 protein, partial cds.//0//1980bp//99%//AB033117
 C-OVARC1000092
 C-OVARC1000533
 C-OVARC1000678
 C-OVARC1000689//Homo sapiens mRNA; cDNA DKFZp434C1415 (from clone DKFZp434C1415); partial cds.//0//2032bp//99%//AL133014
 C-OVARC1000802
 C-OVARC1000890
 C-OVARC1000891
 C-OVARC1000945//Rattus norvegicus mRNA for atypical PKC specific binding protein, complete cds.//0//1961bp//82%//AB005549
 C-OVARC1001072
 C-OVARC1001117
 C-OVARC1001200//Mus musculus mRNA for HS1 binding protein 3.//5.80E-88//658bp//80%//AJ132192
 C-OVARC1001244//H. sapiens mRNA for Drosophila female sterile homeotic (FSH) homologue.//0//1467bp//99%//X62063
 C-OVARC1001329
 C-OVARC1001341
 C-OVARC1001376
 C-OVARC1001496//Homo sapiens C-terminal binding protein 2 mRNA, complete cds.//0//1876bp//98%//AF016507
 C-OVARC1001873
 C-PLACE1000007//PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE R10E11.3 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE) (DEUBIQUITINATING ENZYME).//1.60E-81//212aa//70%//P34547
 C-PLACE1000547//Homo sapiens GDP-mannose pyrophosphorylase B (GMPBP) mRNA, complete cds.//3.70E-241//1124bp//98%//AF135421
 C-PLACE1001036//Homo sapiens mRNA for KIAA1017 protein, complete cds.//0//2117bp//99%//AB023234
 C-PLACE1001076
 C-PLACE1001118//ZINC FINGER PROTEIN 135.//5.40E-147//443aa//57%//P52742
 C-PLACE1001366
 C-PLACE1001545
 C-PLACE1001608
 C-PLACE1002004
 C-PLACE1002256
 C-PLACE1002437//ATP-BINDING CASSETTE TRANSPORTER 1.//4.50E-76//180aa//83%//P41233
 C-PLACE1002591//CORONIN-LIKE PROTEIN P57.//4.40E-70//208aa//66%//P31146
 C-PLACE1002665//Mus musculus enhancer of polycomb (Epc1) mRNA, complete cds.//0//2462bp//89%//AF079765
 C-PLACE1003383
 C-PLACE1003864
 C-PLACE1004793//RETROVIRUS-RELATED ENV POLYPROTEIN.//5.20E-47//577aa//25%//P10267
 C-PLACE1004913
 C-PLACE1004979
 C-PLACE1005052//Homo sapiens CGI-16 protein mRNA, complete cds.//6.6e-313//1413bp//99%//AF132950

C-PLACE1005055//Homo sapiens mRNA for KIAA0576 protein, partial cds.//0//2431bp//99%//AB011148
 C-PLACE1005128
 C-PLACE1005162
 5 C-PLACE1005176//Homo sapiens hypothalamus protein HT001 mRNA, complete cds.//3.90E-212//1040bp//
 96%//AF113539
 C-PLACE1005467//PENICILLIN-BINDING PROTEIN 4* (PBP 4*) (PBP 4A).//1.10E-09//93aa//31%//P32959
 C-PLACE1005549//Homo sapiens mRNA for Rho guanine nucleotide-exchange factor, splice variant NET1A.//
 7.60E-97//1287bp//67%//AJ010046
 10 C-PLACE1005584//TRANS-ACTING TRANSCRIPTIONAL PROTEIN ICP0 (P135 PROTEIN) (IER 2.9/ER2.6).//
 6.80E-09//267aa//30%//P29128
 C-PLACE1005611//Mus musculus mRNA for mDjO, complete cds.//2.00E-33//379bp//66%//AB028860
 C-PLACE1005802
 C-PLACE1005850
 C-PLACE1005898
 15 C-PLACE1005932
 C-PLACE1006129//Homo sapiens HSPC057 mRNA, complete cds.//0//2849bp//98%//AF161542
 C-PLACE1006360
 C-PLACE1006795
 C-PLACE1006878//TRNA-SPUCING ENDONUCLEASE SUBUNIT SEN2 (EC 3.1.27.9) (TRNA-INTRON ENDO-
 20 NUCLEASE).//1.90E-08//122aa//36%//P16658
 C-PLACE1007557
 C-PLACE1007807
 C-PLACE1008181
 C-PLACE1008426//Homo sapiens mRNA for KIAA1288 protein, partial cds.//0//3311bp//99%//AB033114
 25 C-PLACE1008455
 C-PLACE1008941
 C-PLACE1009935
 C-PLACE1010310//SPIDROIN 2 (DRAGLINE SILK FIBROIN 2) (FRAGMENT).//1.20E-18//467aa//30%//P46804
 C-PLACE1011891
 30 C-PLACE10118967//Mus musculus Wnt10a mRNA, complete cds.//2.60E-287//1820bp//85%//U61969
 C-PLACE2000003
 C-PLACE2000132
 C-PLACE2000170
 C-PLACE2000335
 35 C-PLACE3000124
 C-PLACE3000158
 C-PLACE3000207
 C-PLACE3000221
 C-PLACE3000271
 40 C-PLACE3000304
 C-PLACE3000322
 C-PLACE3000341
 C-PLACE3000373
 C-PLACE3000399
 45 C-PLACE3000401
 C-PLACE3000402
 C-PLACE3000406
 C-PLACE3000475
 C-PLACE4000063//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSI-
 50 DASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//1.70E-15//740aa//23%//P08640
 C-PLACE4000093
 C-PLACE4000100//Homo sapiens hydroxypyruvate reductase (GRHPR) gene, complete cds.//0//4199bp//97%//
 AF146689
 C-PLACE4000131//Homo sapiens mRNA; cDNA DKFZp586J0917 (from clone DKFZp586J0917); partial cds.//0//
 55 1612bp//97%//AL117455
 C-PLACE4000247
 C-PLACE4000250
 C-PLACE4000252

- C-PLACE4000259//H.sapiens gene for U5 snRNP-specific 200kD protein.//0//5143bp//90%//Z70200
 C-PLACE4000261//PEREGRIN (BR140 PROTEIN).//9.50E-10//128aa//34%//P55201
 C-PLACE4000320
 C-PLACE4000344
 5 C-PLACE4000367
 C-PLACE4000401//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE—COA LIGASE) (ACYL- AC-
 TIVATING ENZYME).//7.20E-22//54aa//62%//Q01576
 C-PLACE4000411//Homo sapiens mRNA; cDNA DKFZp586D0624 (from clone DKFZp586D0624); partial cds.//
 0//2159bp//98%//AL117654
 10 C-PLACE4000487
 C-PLACE4000494
 C-PLACE4000521
 C-PLACE4000548//Homo sapiens mRNA for KIAA0947 protein, partial cds.//0//4864bp//99%//AB023164
 C-SKNMC1000013//Homo sapiens ATP-binding cassette protein M-ABC1 mRNA, nuclear gene encoding mito-
 15 chondrial protein, complete cds.//0//2384bp//99%//AF047690
 C-SKNMC1000091//Homo sapiens mRNA for leucine-zipper protein, complete cds.//6.10E-190//872bp//99%//
 AB021663
 C-THYRO1000343//Homo sapiens mRNA for KIAA0790 protein, partial cds.//0//3711bp//99%//AB018333
 C-THYRO1000569//Mus musculus hematopoietic zinc finger protein mRNA, complete cds.//0//1557bp//91%//
 20 AF118566
 C-THYRO1001142
 C-THYRO1001189//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//1.10E-200//546aa//
 62%//005481
 C-THYRO1001320
 25 C-THYRO1001537//Homo sapiens mRNA; cDNA DKFZp586A0522 (from clone DKFZp586A0522); partial cds.//
 0//1010bp//98%//AL050159
 C-THYRO1001602
 C-THYRO1001721//RING CANAL PROTEIN (KELCH PROTEIN).//9.30E-34//220aa//38%//Q04652
 C-THYRO1001828
 30 C-Y79AA1000346//Homo sapiens nonclathrin coat protein gamma2-COP mRNA, complete cds.//0//2520bp//99%//
 AF157833
 C-Y79AA1001167
 C-Y79AA1001384//Homo sapiens very large G-protein coupled receptor-1 (VLGR1) mRNA, complete cds.//0//
 4708bp//99%//AF055084
 35 C-Y79AA1001875//RAS-RELATED PROTEIN RAB-7.//9.40E-12//34aa//97%//P51149
 C-Y79AA1002103//ZINC FINGER PROTEIN ZFP-36 (FRAGMENT).//3.00E-257//549aa//76%//P16415
 C-HEMBA1006092
 C-HEMBA1006406
 C-HEMBA1006790
 40 C-HEMBA1006917
 C-HEMBA1007280
 C-MAMMA1000802
 C-MAMMA1001322//B-CELL GROWTH FACTOR PRECURSOR (BCGF-12 KD).//0.00000017//46aa//60%//
 P20931
 45 C-MAMMA1002597
 C-MAMMA1002868
 C-NT2RP2003161
 C-NT2RP2003339
 C-NT2RP3001282
 50 C-PLACE1001761
 C-PLACE1004491
 C-PLACE1004686
 C-PLACE1005574
 C-PLACE1006382
 55 C-PLACE1006792
 C-PLACE3000455
 C-PLACE4000230//Mus musculus semaphorin VIa mRNA, complete cds.//0//2567bp//88%//AF030430
 C-THYRO1000916

C-HEMBA1000327
 C-HEMBA1000637
 C-HEMBA1001967
 C-MAMMA1000266
 C-NT2RP2002979
 C-PLACE1007866
 C-PLACE300350//SERINE/THREONINE-PROTEIN KINASE PAK-GAMMA (EC 2.7.1.-) (GAMMA-PAK)
 (P21-ACTIVATED KINASE 2) (PAK-2) (PAK65) (S6/H4 KINASE) //9.80E-25//155aa//45%//Q13177
 C-PLACE4000156//ZINC FINGER PROTEIN 132 //7.10E-151//476aa//46%//P52740
 C-THYRO1001637
 C-MAMMA1002215
 C-MAMMA1002721
 C-NT2RP2002070

Homology search result 14.

[0334] Data obtained by the homology search for full-length nucleotide sequences and deduced amino acid sequences. In the result of the search shown below, both units, aa and bp, are used as length units for the sequences to be compared. Each data includes Clone name, Definition in matching data, P value, Length of sequence to be compared, Homology, and Accession number (No.) of matching data. These items are shown in this order, separated by a double-slash mark, //.

C-HEMBA1000005//DNAJ PROTEIN HOMOLOG MTJ1 //1.90E-250//554aa//85%//O61712
 C-HEMBA1000012//PROBABLE LEUCYL-TRNA SYNTHETASE (EC 6.1.1.4) (LEUCINE-TRNA LIGASE)
 (LEURS) //6.40E-99//457aa//45%//Q09996
 C-HEMBA1000020//Homo sapiens beta 2 gene //7.50E-264//1194bp//95%//X02344
 C-HEMBA1000030//Homo sapiens ARF GTPase-activating protein GIT1 mRNA, complete cds. //0//1759bp//99%//
 AF124490
 C-HEMBA1000129//HYPOTHETICAL HEUCASE C8A4.08C IN CHROMOSOME 1 //3.80E-25//166aa//36%//
 Q09884
 C-HEMBA1000141//Homo sapiens SUMO-1-specific protease (SSP1) mRNA, complete cds. //0//1135bp//100%//
 AF196304
 C-HEMBA1000150//Homo sapiens putative RNA helicase mRNA, complete cds. //5.20E-213//525bp//99%//
 AF085356
 C-HEMBA1000156//NEUROFILAMENT TRIPLET M PROTEIN (160 KD NEUROFILAMENT PROTEIN) (NF-M) //1.90E-12//368aa//24%//P08553
 C-HEMBA1000158//HEPATOCYTE NUCLEAR FACTOR 3-GAMMA (HNF-3G) //5.00E-16//166aa//36%//P35584
 C-HEMBA1000168//CYCLIN I (MULTIPLE-BAND POLYPEPTIDE D) //2.90E-14//303aa//25%//P35662
 C-HEMBA1000185//RAS-RELATED PROTEIN RAL-A //3.40E-12//125aa//31%//P48555
 C-HEMBA1000201//Homo sapiens mRNA for integrase interactor 1b protein (INI1B) //0//1612bp//99%//AJ011738
 C-HEMBA1000216//HYPOXIA-INDUCIBLE FACTOR 1 ALPHA (HIF-1 ALPHA) (ARNT INTERACTING PRO-
 TEIN) //1.00E-86//146aa//56%//Q61221
 C-HEMBA1000303//Mus musculus Plenty of SH3s (POSH) mRNA, complete cds. //7.10E-254//1440bp//87%//
 AF030131
 C-HEMBA1000304//Rattus norvegicus Ca²⁺-dependent activator protein (CAPS) mRNA, complete cds. //5.10E-
 131//712bp//91%//U16802
 C-HEMBA1000307//CARNITINE DEFICIENCY-ASSOCIATED PROTEIN EXPRESSED IN VENTRICLE 1 //5.20E-
 49//107aa//91%//Q35594
 C-HEMBA1000333//Homo sapiens F-box protein Fbx21 (FBX21) mRNA, complete cds. //0//1866bp//100%//
 AF174601
 C-HEMBA1000369//Homo sapiens mRNA for PICK1, complete cds. //0//1949bp//98%//AB026491
 C-HEMBA1000411//ANKYRIN //5.70E-12//127aa//38%//Q02357
 C-HEMBA1000488//RING CANAL PROTEIN (KELCH PROTEIN) //3.30E-45//481aa//29%//Q04652
 C-HEMBA1000491//RAS-LIKE PROTEIN 2 //2.00E-22//188aa//31%//P22279
 C-HEMBA1000518//PECANEX PROTEIN //2.10E-19//227aa//38%//P18490
 C-HEMBA1000523//TESTIS-SPECIFIC PROTEIN PBS13 //2.40E-44//292aa//36%//Q01755
 C-HEMBA1000531//HEAT SHOCK 70 KD PROTEIN COGNATE 1 (HEAT SHOCK 70 KD PROTEIN 70C) (FRAG-
 MENTS) //2.60E-12//73aa//41%//P02826

- C-HEMBA1000542//Rattus norvegicus mRNA for dipeptidyl peptidase III, complete cds.//2.20E-194//663bp//83%//D89340
- C-HEMBA1000555//Mus musculus Msx2 interacting nuclear target protein mRNA, complete cds.//7.90E-226//1501bp//83%//AF156529
- 5 C-HEMBA1000561//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//3.40E-37//674aa//25 %//Q05481
- C-HEMBA1000569//GPI-ANCHORED PROTEIN P137.//6.50E-19//265aabp//32%//Q60865
- C-HEMBA1000588//Mus musculus FLI-LRR associated protein-1 mRNA, complete cds.//2.10E-144//602bp//77%//AF045573
- 10 C-HEMBA1000591//PTB-ASSOCIATED SPLICING FACTOR (PSF).//2.20E-17//198aa//40%//P23246
- C-HEMBA1000592//Homo sapiens sorting nexin 6 (SNX6) mRNA, complete cds.//0//1465bp//99%//AF121856
- C-HEMBA1000608//HYPOTHETICAL PROTEIN KIA0411 (FRAGMENT).//1.80E-55//179aa//61%//O43295
- C-HEMBA1000657//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//7.20E-156//1366bp//76%//U35776
- 15 C-HEMBA1000651//Homo sapiens DNA binding protein p96PIF mRNA, complete cds.//0//1862bp//99%//AF173868
- C-HEMBA1000852//ARYLSULFATASE D PRECURSOR (EC 3.1.6.-) (ASD).//1.00E-78//119aa//87%//P51689
- C-HEMBA1000910//MELANOMA-ASSOCIATED ANTIGEN B1 (MAGE-B1 ANTIGEN) (MAGE-XP ANTIGEN)/1.60E-30//127aa//40%//P43366
- 20 C-HEMBA1000919//HYPOTHETICAL 65.5 KD TRP-ASP REPEATS CONTAINING PROTEIN F02E8.5 IN CHROMOSOME X.//1.00E-10//288aa//23%//Q19124
- C-HEMBA1001019//CELL DIVISION CONTROL PROTEIN 2 HOMOLOG (EC 2.7.1.-) (P34 PROTEIN KINASE) (CYCLIN-DEPENDENT KINASE 1) (CDK1).//3.10E-10//70aa//58%//P06493
- C-HEMBA1001043//ANKYRIN, BRAIN VARIANT 2 (ANKYRIN B) (ANKYRIN, NONERYTHROID)(FRAGMENT).//1.40E-12//131aa//38%//Q01485
- 25 C-HEMBA1001059//Human N-acetylglucosamine 6-sulphatase (GALNS) gene, exon 14.//4.80E-169//786bp//99%//U06088
- C-HEMBA1001071//PROCOLLAGEN ALPHA 1(III) CHAIN PRECURSOR.//1.50E-92//82aa//100%//P02461
- C-HEMBA1001077//Homo sapiens transcriptional intermediary factor 1 gamma mRNA, complete cds.//2.00E-80//432bp//94%//AF119043
- 30 C-HEMBA1001088//PINCH PROTEIN (PARTICULARLY INTERESTING NEW CYS-HIS PROTEIN).//3.50E-50//176aa//57%//P48059
- C-HEMBA1001137//ZINC FINGER PROTEIN 33A (ZINC FINGER PROTEIN KOX31) (KIA0065)(HA0946) (FRAGMENT).//1.50E-116//197aa//58%//Q06730
- 35 C-HEMBA1001174//ADP-RIBOSYLATION FACTOR-LIKE PROTEIN 5.//6.80E-79//179aa//80%//P51646
- C-HEMBA1001197//Homo sapiens rap2 interacting protein x mRNA, complete cds.//0//1511bp//99%//AF112221
- C-HEMBA1001257//Homo sapiens mRNA 2-methylacyl-CoA racemase.//0//1672bp//99%//AJ130733
- C-HEMBA1001286//COMPLEMENT DECAY-ACCELERATING FACTOR PRECURSOR.//0.00000002//198aa//29%//Q60401
- 40 C-HEMBA1001302//Homo sapiens calcium binding protein precursor, mRNA, complete cds.//9.60E-258//682bp//94%//AF153686
- C-HEMBA1001351//Homo sapiens VAMP-associated protein of 33 kDa (VAP-33) mRNA, complete cds.//1.40E-133//614bp//99%//AF057358
- C-HEMBA1001387//GTP-BINDING PROTEIN TC10.//2.90E-64//104aa//82%//P17081
- 45 C-HEMBA1001405//Drosophila melanogaster eyelid (eld) mRNA, complete cds.//5.60E-25//863bp//60%//AF053091
- C-HEMBA1001446//Homo sapiens rap2 interacting protein x mRNA, complete cds.//9.20E-55//719bp//68%//AF112221
- C-HEMBA1001455//Mus musculus transposon-derived Buster2 transposase-like protein gene, partial cds.//4.20E-290//2008bp//81%//AF205599
- 50 C-HEMBA1001476//Human DNA topoisomerase II (top2) mRNA, complete cds.//1.60E-268//1213bp//100%//J04088
- C-HEMBA1001510//CYCLIC-AMP-DEPENDENT TRANSCRIPTION FACTOR ATF-6 (FRAGMENT).//1.70E-16//63aa//61%//P18850
- 55 C-HEMBA1001526//PERIPLASMIC [FE] HYDROGENASE 1 (EC 1.18.99.1).//4.90E-37//399aa//29%//P29166
- C-HEMBA1001569//SYNAPTOBREVIN 2 (VESICLE ASSOCIATED MEMBRANE PROTEIN 2) (VAMP-2).//2.30E-53//110aa//100%//P19065
- C-HEMBA1001579//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//0//808bp//97%//AJ012449

- C-HEMBA1001595//SEPTIN 2 HOMOLOG (FRAGMENT).//4.90E-156//348aa//83%//Q14141
 C-HEMBA1001620//MYO-INOSITOL-1-PHOSPHATE SYNTHASE (EC 5.5.1.4) (IPS).//1.60E-166//506aa//60%//P42803
- 5 C-HEMBA1001635//TESTIS SPECIFIC PROTEIN A (ZINC FINGER PROTEIN TSGA).//1.60E-10//155aa//28%//Q63679
 C-HEMBA1001651//CYTADHERENCE HIGH MOLECULAR WEIGHT PROTEIN 1 (CYTADHERENCE ACCESSORY PROTEIN 1).//6.20E-07//362aa//24%//Q50365
 C-HEMBA1001661//CADHERIN-RELATED TUMOR SUPPRESSOR PRECURSOR (FAT PROTEIN).//4.60E-36//365aa//33%//P33450
- 10 C-HEMBA1001672//Homo sapiens methyl-CpG binding domain-containing protein MBD3 (MBD3) mRNA, complete cds.//0//1707bp//98%//AF072247
 C-HEMBA1001675//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPSS.//5.40E-09//101aa//35%//P54787
- 15 C-HEMBA1001714//Homo sapiens mRNA for ATPase inhibitor precursor, complete cds.//3.70E-78//200bp//100%//AB029042
 C-HEMBA1001723//Homo sapiens G protein beta subunit mRNA, partial cds.//3.10E-267//1212bp//99%//AF195883
 C-HEMBA1001734//CADHERIN-11 PRECURSOR (OSTEOBLAST-CADHERIN) (OBCADHERIN) (OSF-4).//1.10E-38//87aa//96%//P55288
- 20 C-HEMBA1001744//SCY1 PROTEIN.//9.90E-32//481aa//25%//P53009
 C-HEMBA1001746//Homo sapiens squamous cell carcinoma antigen recognized by T cell (SART-2) mRNA, complete cds.//7.60E-59//998bp//64%//AF098066
 C-HEMBA1001804//Homo sapiens zinc finger DNA binding protein 99 (ZNF281) mRNA, complete cds.//0//1637bp//99%//AF125158
- 25 C-HEMBA1001809//IMMEDIATE-EARLY PROTEIN IE180.//3.80E-11//206aa//36%//P11675
 C-HEMBA1001819//ZINC FINGER PROTEIN 184 (FRAGMENT).//2.90E-135//459aa//52%//Q99676
 C-HEMBA1001822//Mus musculus Ese2L protein mRNA, complete cds.//1.90E-235//1329bp//89%//AF132479
 C-HEMBA1001824//Homo sapiens nuclear protein NP94 mRNA, complete cds.//1.40E-199//1180bp//89%//AF159025
- 30 C-HEMBA1001847//ZINC FINGER PROTEIN 29 (ZFP-29).//7.60E-64//221aa//55%//Q07230
 C-HEMBA1001866//UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE PRECURSOR (EC 2.4.1.-) (DUGT).//5.70E-51//234aa//41%//Q09332
 C-HEMBA1001869//TRITHORAX PROTEIN.//9.60E-05//166aa//27%//P20659
- 35 C-HEMBA1001896//DIMETHYLGLYCINE DEHYDROGENASE PRECURSOR (EC 1.5.9.2) (ME2GLYDH).//9.30E-36//395aa//26%//Q63342
 C-HEMBA1001913//GCN20 PROTEIN.//2.30E-81//158aa//50%//P43535
 C-HEMBA1001921//Homo sapiens germinal center kinase related protein kinase mRNA, complete cds.//0//1850bp//99%//AF000145
- 40 C-HEMBA1001967//Homo sapiens NY-REN-57 antigen mRNA, partial cds.//0//1721bp//99%//AF155114
 C-HEMBA1002035//Homo sapiens BAZ1A mRNA for bromodomain adjacent to zinc finger domain 1A, complete cds.//0//2149bp//99%//AB032252
 C-HEMBA1002092//Mus musculus Olf-1/EBF-like-3 transcription factor (O/E-3) mRNA, complete cds.//1.30E-271//1583bp//88%//U92703
- 45 C-HEMBA1002102//ANKYRIN.//4.40E-10//106aa//35%//Q02357
 C-HEMBA1002139//LIM AND SH3 DOMAIN PROTEIN LASP-1 (MLN 50).//7.10E-05//51aa//49%//Q14847
 C-HEMBA1002151//Rattus norvegicus p34 mRNA, complete cds.//1.10E-153//1059bp//82%//AF178669
 C-HEMBA1002161//MYOSIN HEAVY CHAIN, CARDIAC MUSCLE BETA ISOFORM.//1.40E-51//180aa//56%//P79293
- 50 C-HEMBA1002177//TRANSCRIPTION FACTOR GATA-4 (GATA BINDING FACTOR-4).//6.00E-13//190aa//36%//P43694
 C-HEMBA1002212//TYROSINE-PROTEIN KINASE-2 (EC 2.7.1.112) (FRAGMENT).//3.00E-17//267aa//29%//P18161
 C-HEMBA1002215//TESTIN 2 (TES2) [CONTAINS: TESTIN 1 (TES1)].//2.20E-199//392aa//89%//P47226
- 55 C-HEMBA1002241//PROLIFERATING-CELL NUCLEOLAR ANTIGEN P120 (PROLIFERATION-ASSOCIATED NUCLEOLAR PROTEIN P120).//3.70E-06//95aa//33%//P46087
 C-HEMBA1002267//Sus scrofa decorin mRNA, complete cds.//1.10E-46//302bp//90%//AF125537
 C-HEMBA1002341//P53-BINDING PROTEIN 2 (53BP2) (FRAGMENT).//3.80E-55//109aa//96%//Q62415
 C-HEMBA1002363//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds.//0//

- 1847bp//99%//AF092563
 C-HEMBA1002417//mGHT JUNCTION PROTEIN ZO-1 (TIGHT JUNCTION PROTEIN 1).//1.00E-121//489aa//52%//P39447
- 5 C-HEMBA1002419//TRICHOHYALIN.//1.90E-09//299aa//24%//P22793
 C-HEMBA1002458//OVARIAN GRANULOSA CELL 13.0 KD PROTEIN HGR74.//4.20E-24//109aa//55%//Q00994
 C-HEMBA1002469//DXS8237E PROTEIN (FRAGMENT).//3.50E-50//199aa//61%//P98175
 C-HEMBA1002475//SKIN SECRETORY PROTEIN XP2 PRECURSOR (APEG PROTEIN).//1.10E-12//285aa//31%//P17437
- 10 C-HEMBA1002495//LIGHT-MEDIATED DEVELOPMENT PROTEIN DET1.//6.80E-53//257aa//36%//P48732
 C-HEMBA1002513//Homo sapiens mRNA for histone deacetylase-like protein (JM21).//0.1//2432bp//99%//AJ011972
 C-HEMBA1002547//Homo sapiens agrin precursor mRNA, partial cds.//0.1//1605bp//97%//AF016903
 C-HEMBA1002555//Homo sapiens mSin3A associated polypeptide p30 mRNA, complete cds.//5.30E-51//768bp//68%//AF055993
- 15 C-HEMBA1002569//Homo sapiens protein associated with Myc mRNA, complete cds.//6.80E-305//951bp//99%//AF075587
 C-HEMBA1002746//DNA POLYMERASE BETA (EC 2.7.7.7).//5.00E-37//268aa//34%//P06746
 C-HEMBA1002768//Mus musculus formin binding protein 17 mRNA, partial cds.//7.80E-237//1522bp//85%//AB011126
- 20 C-HEMBA1002770//Rattus norvegicus mRNA for TIP120, complete cds.//2.90E-176//1024bp//88%//D87671
 C-HEMBA1002777//Fugu rubripes BAW (BAW) mRNA, complete cds.//3.40E-54//319bp//76%//AF153879
 C-HEMBA1002810//Homo sapiens formin binding protein 21 mRNA, complete cds.//8.2E-314//1437bp//99%//AF071185
 C-HEMBA1002818//Homo sapiens mRNA for fibulin-4.//2.00E-304//1383bp//99%//AJ132819
- 25 C-HEMBA1002876//HYPOTHETICAL 26.4 KD PROTEIN EEED8.8 IN CHROMOSOME n.//1.50E-44//188aa//52%//Q09297
 C-HEMBA1002935//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//1.30E-15//371aa//25%//Q05481
 C-HEMBA1002939//ANKYRIN R (ANKYRINS 2.1 AND 2.2) (ERYTHROCYTE ANKYRIN).//2.00E-34//300aa//34%//P16157
- 30 C-HEMBA1002951//NUF1 PROTEIN (SPINDLE POLY BODY SPACER PROTEIN SPC110).//4.40E-06//324aa//24%//P32380
 C-HEMBA1002973//CAMP-DEPENDENT 3',5'-CYCLIC PHOSPHODIESTERASE 4B (EC 3.1.4.17) (DPDE4).//1.20E-27//63aa//100%//P14646
- 35 C-HEMBA1002997//CENTROMERIC PROTEIN E (CENP-E PROTEIN).//3.80E-25//534aa//24%//Q02224
 C-HEMBA1002999//Rattus norvegicus lamina associated polypeptide 1C (LAP1C) mRNA, complete cds.//1.40E-171//1552bp//75%//U20286
 C-HEMBA1003046//Homo sapiens mitochondrial processing peptidase beta-subunit mRNA.//0.1//1558bp//99%//AF054182
- 40 C-HEMBA1003071//INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN COMPLEX ACID LABILE CHAIN PRECURSOR (ALS).//1.30E-09//121aa//40%//P35858
 C-HEMBA1003077//SLIT PROTEIN PRECURSOR.//2.60E-15//199aa//31%//P24014
 C-HEMBA1003096//Mouse 19.5 mRNA, complete cds.//5.60E-117//1139bp//72%//M32486
 C-HEMBA1003098//Homo sapiens NY-REN-6 antigen mRNA, partial cds.//6.20E-273//1253bp//99%//AF155096
- 45 C-HEMBA1003136//MANNOSE-1-PHOSPHATE GUANYLTRANSFERASE (EC 2.7.7.13) (ATP-MANNOSE-1-PHOSPHATE GUANYLYLTRANSFERASE) (NDP-HEXOSE PYROPHOSPHORYLASE).//8.50E-51//221aa//33%//P41940
 C-HEMBA1003148//Homo sapiens mRNA for dachshund protein.//0.1//1583bp//99%//AJ005670
 C-HEMBA1003179//PROBABLE TRNA (5-METHYLAMINOMETHYL-2-THIOURIDYLATE)-METHYLTRANSFERASE (EC 2.1.1.61).//5.90E-74//134aa//53%//P44551
- 50 C-HEMBA1003199//Homo sapiens chromosome 5 F-box protein Fbx4 (FBX4) mRNA, complete cds.//8.50E-87//285bp//90%//AF129534
 C-HEMBA1003235//TROPOMYOSIN.//2.30E-06//109aa//33%//Q02088
 C-HEMBA1003250//PROTEIN KINASE APK1A (EC 2.7.1.-).//7.20E-41//245aa//42%//Q06548
- 55 C-HEMBA1003281//POLIOVIRUS RECEPTOR PRECURSOR.//6.00E-11//239aa//32%//P32506
 C-HEMBA1003286//Homo sapiens mRNA for beta-1,4-galactosyltransferase IV, complete cds.//5.40E-229//1043bp//99%//AB024436
 C-HEMBA1003291//SNF1-RELATED PROTEIN KINASE KIN10 (EC 2.7.1.-) (AKIN10).//7.60E-28//126aa//51%//

Q38997

C-HEMBA1003369//CENTROMERIC PROTEIN E (CENP-E PROTEIN).//2.00E-08//248aa//23%//Q02224
 C-HEMBA1003408//DNA-DIRECTED RNA POLYMERASE II LARGEST SUBUNIT (EC 2.7.7.6) (VERSION 1).//
 7.80E-13//297aa//30%//P18616

5 C-HEMBA1003417//Homo sapiens BAG-family molecular chaperone regulator-2 mRNA, complete cds.//1.50E-
 255//1179bp//99%//AF095192

C-HEMBA1003418//TRICHOHYALIN.//8.70E-19//281aa//31%//P37709

C-HEMBA1003433//Homo sapiens gene for NBS1, complete cds.//0//511bp//94%//AB013139

10 C-HEMBA1003538//COMPLEMENT C1R COMPONENT PRECURSOR (EC 3.21.4.1).//2.40E-110//242aa//
 58%//P00736

C-HEMBA1003545//INSULIN GENE ENHANCER PROTEIN ISL-2 (TSLET-2).//8.80E-189//360aa//96%//P50480

C-HEMBA1003555//NUCLEOTIDE-BINDING PROTEIN (NBP).//2.10E-68//251aa//52%//P53384

C-HEMBA1003560//GUANINE NUCLEOTIDE-BINDING PROTEIN G(I)(G)(S)(G)(O) GAMMA-2 SUBUNIT (G GAM-
 MA-1).//1.20E-31//71aa//100%//P16874

15 C-HEMBA1003568//52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A))(RO(SS-A)).//
 7.90E-49//279aa//32%//P19474

C-HEMBA1003569//METASTASIS-ASSOCIATED PROTEIN MTA1.//6.90E-206//445aa//74%//Q13330

C-HEMBA1003581//ITALIN.//4.40E-45//52aa//98%//P26039

20 C-HEMBA1003591//CHLOROPLAST 28 KD RIBONUCLEOPROTEIN PRECURSOR (28RNP).//4.40E-10//
 118aa//35%//P19682

C-HEMBA1003615//Homo sapiens ART-4 mRNA, complete cds.//0//1713bp//99%//AB026125

C-HEMBA1003617//Homo sapiens ubiquitin-like product Chap1/Dsk2 mRNA, complete cds.//6.90E-178//501bp//
 97%//AB015344

C-HEMBA1003645//TIPD PROTEIN.//2.40E-10//289aa//23%//O15736

25 C-HEMBA1003662//TBX2 PROTEIN (T-BOX PROTEIN 2).//1.20E-75//151aa//99%//Q13207

C-HEMBA1003679//SIALIDASE (EC 3.2.1.18) (NEURAMINIDASE) (NA) (MAJOR SURFACE ANTIGEN).//1.00E-
 09//611aa//22%//P23253

C-HEMBA1003680//PUTATIVE AMINOPEPTIDASE ZK353.6 IN CHROMOSOME III (EC 3.4.11.-).//2.40E-92//
 423aa//47%//P34629

30 C-HEMBA1003684//ZINC FINGER PROTEIN 151 (MIZ-1 PROTEIN).//2.00E-73//526aa//32%//Q13105

C-HEMBA1003690//HISTONE DEACETYLASE HDA1.//2.10E-59//249aa//47%//P53973

C-HEMBA1003742//Homo sapiens cleft lip and palate transmembrane protein 1 (CLPTM1) mRNA, complete cds.//
 1.70E-44//501bp//67%//AF037339

35 C-HEMBA1003760//HYPOXIA-INDUCIBLE FACTOR 1 ALPHA (HIF-1 ALPHA) (ARNT INTERACTING PROTEIN)
 (MEMBER OF PAS PROTEIN 1) (MOP1) (HIF1 ALPHA).//3.70E-124//347aa//55%//Q16665

C-HEMBA1003773//Mus musculus signal recognition particle receptor beta subunit mRNA, complete cds.//5.80E-
 81//511bp//86%//U17343

C-HEMBA1003783//Mus musculus bromodomain-containing protein BP75 mRNA, complete cds.//1.10E-190//
 1204bp//84%//AF084259

40 C-HEMBA1003805//Mus musculus KH domain RNA binding protein QKI-5A mRNA, complete cds.//0//988bp//
 95%//AF090402

C-HEMBA1003836//MOB1 PROTEIN (MPS1 BINDER 1).//8.10E-31//134aa//52%//P40484

C-HEMBA1003866//Mus musculus semaphorin VIa mRNA, complete cds.//1.20E-105//1192bp//70%//AF030430

45 C-HEMBA1003953//ZINC FINGER PROTEIN MFG-1 (ZINC FINGER PROTEIN 58) (FRAGMENT).//3.80E-16//
 89aa//46%//P16372

C-HEMBA1004097//Mus musculus putative transcription factor mRNA, complete cds.//8.50E-221//1188bp//78%//
 AF091234

C-HEMBA1004131//SEPTIN 2 HOMOLOG (FRAGMENT).//1.60E-166//416aa//72%//Q14141

C-HEMBA1004168//Homo sapiens geminin mRNA, complete cds.//3.90E-208//951 bp//99%//AF067855

50 C-HEMBA1004199//HYPOTHETICAL HELICASE K12H4.8 IN CHROMOSOME III.//8.40E-60//243aa//39%//
 P34529

C-HEMBA1004202//RAS-RELATED PROTEIN RAB-13.//6.20E-30//208aa//37%//P51153

C-HEMBA1004203//NUCLEOLAR PROTEIN NOP2.//1.50E-12//258aa//29%//P40991

55 C-HEMBA1004207//Homo sapiens leptin receptor short form (db) mRNA, complete cds.//0//1892bp//99%//U50748

C-HEMBA1004227//Rattus norvegicus protein phosphatase 2C mRNA, complete cds.//5.70E-217//1217bp//88%//
 AF095927

C-HEMBA1004248//INSULIN-INDUCED GROWTH RESPONSE PROTEIN CL-6 (IMMEDIATE-EARLY PROTEIN
 CL-6).//2.00E-43//98aa//84%//Q08755

- C-HEMBA1004275//Homo sapiens PHD-finger protein (GRCS) mRNA, complete cds.//1.10E-152//1403bp//69%//AF043725
- C-HEMBA1004276//Homo sapiens AP-4 adaptor complex beta4 subunit mRNA, complete cds.//4.80E-257//738bp//99%//AF092094
- 5 C-HEMBA1004286//Homo sapiens TGF beta receptor associated protein-1 mRNA, complete cds.//0//1982bp//99%//AF022795
- C-HEMBA1004295//Homo sapiens NY-REN-25 antigen mRNA, partial cds.//9.40E-31//381bp//65%//AF155103
- C-HEMBA1004321//ZINC FINGER PROTEIN 184 (FRAGMENT).//2.30E-93//357aa//42%//Q99676
- C-HEMBA1004353//C-MYC BINDING PROTEIN MM-1.//3.00E-71//89aa//96%//Q99471
- 10 C-HEMBA1004354//CHL1 PROTEIN.//9.90E-26//130aa//42%//P22516
- C-HEMBA1004356//H. sapiens MSSP-2 mRNA.//3.00E-243//573bp//98%//X77494
- C-HEMBA1004389//Homo sapiens zinc finger DNA binding protein 99 (ZNF281) mRNA, complete cds.//0//1437bp//99%//AF125158
- 15 C-HEMBA1004408//PEPTIDYL-PROLYL-CIS-TRANS ISOMERASE 10 (EC 5.2.1.8) (PPIASE) (ROTAMASE) (CYCLOPHILIN-10).//3.20E-32//148aa//52%//P52017
- C-HEMBA1004479//HYPOXIA-INDUCIBLE FACTOR 1 ALPHA (HIF-1 ALPHA) (ARNT INTERACTING PROTEIN).//3.10E-51//152aa//40%//Q61221
- C-HEMBA1004499//Homo sapiens delta-tubulin mRNA, complete cds.//3.40E-92//483bp//95%//AF201333
- 20 C-HEMBA1004509//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 4 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE 4) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 4) (DEUBIQUITINATING ENZYME 4) (UBIQUITOUS NUCLEAR PROTEIN HOMOLOG).//2.70E-12//200aa//28%//Q13107
- C-HEMBA1004534//Homo sapiens gamma-filamin (ABPL) mRNA, complete cds.//1.2e-316//1445bp//99%//AF089841
- C-HEMBA1004573//Homo sapiens mRNA for HELG protein.//2.00E-59//483bp//68%//AJ277291
- 25 C-HEMBA1004604//Homo sapiens COP9 complex subunit 7a mRNA, complete cds.//0//1612bp//99%//AF193844
- C-HEMBA1004669//SON PROTEIN (SON3).//7.30E-17//288aa//36%//P18583
- C-HEMBA1004697//MYOSIN HEAVY CHAIN, SMOOTH MUSCLE ISOFORM (SMMHC) (FRAGMENT).//2.90E-05//303aa//21%//P35749
- 30 C-HEMBA1004734//UBIQUITIN-CONJUGATING ENZYME E2-18 KD (EC 6.3.2.19) (UBIQUITIN- PROTEIN LIGASE) (UBIQUITIN CARRIER PROTEIN) (PM42).//9.90E-39//143aa//52%//P42743
- C-HEMBA1004752//Homo sapiens mRNA for LAK-4p, complete cds.//4.60E-109//650bp//89%//AB002405
- C-HEMBA1004756//Human transporter protein (g17) mRNA, complete cds.//9.10E-34//515bp//66%//U49082
- C-HEMBA1004758//Homo sapiens transcription factor SL1 mRNA, complete cds.//2.60E-246//1249bp//94%//L39060
- 35 C-HEMBA1004768//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//5.40E-111//314aa//58%//P08547
- C-HEMBA1004795//CDC4-UKE PROTEIN (FRAGMENT).//3.80E-69//198aa//66%//P50851
- C-HEMBA1004847//SIGNAL RECOGNITION PARTICLE 68 KD PROTEIN (SRP68).//8.20E-154//317aa//94%//Q00004
- 40 C-HEMBA1004889//Human C3f mRNA, complete cds.//6.70E-24//341aapb//26%//UJ27515
- C-HEMBA1004929//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//2.50E-05//148aa//24%//P25386
- C-HEMBA1004930//26S PROTEASOME SUBUNIT S5B (KIAA0072) (HA1357).//3.30E-27//65aa//100%//Q16401
- C-HEMBA1004972//NEUROFILAMENT TRIPLET H PROTEIN (200 KD NEURO FILAMENT PROTEIN) (NF-H).//0.0000096//286aa//23%//P12036
- 45 C-HEMBA1004973//ZINC-BINDING PROTEIN A337/4.10E-08//121aa//33%//Q02084
- C-HEMBA1005009//Homo sapiens BAF53a (BAF53a) mRNA, complete cds.//0//1813bp//99%//AF041474
- C-HEMBA1005029//Homo sapiens CGI-13 protein mRNA, complete cds.//0//1487bp//99%//AF132947
- C-HEMBA1005047//RAS-RELATED PROTEIN RAB-24 (RAB-16).//3.40E-101//106aa//98%//P35290
- 50 C-HEMBA1005101//Homo sapiens SYT interacting protein SIP mRNA, complete cds.//0//2762bp//99%//AF080561
- C-HEMBA1005201//Homo sapiens CGI-07 protein mRNA, complete cds.//0//1608bp//99%//AF132941
- C-HEMBA1005202//SIGNAL RECOGNITION PARTICLE 68 KD PROTEIN (SRP68).//1.90E-179//361aa//95%//Q00004
- C-HEMBA1005206//Drosophila simulans anon73Bl gene and Su(P) gene.//1.90E-11//376bp//63%//AJ250308
- 55 C-HEMBA1005219//NUCLEAR PROTEIN SNF7.//5.30E-10//189aa//25%//P39929
- C-HEMBA1005338//Homo sapiens mRNA for matrilin-4, partial.//3.90E-241//1095bp//99%//AJ007581
- C-HEMBA1005359//ZINC FINGER PROTEIN 137.//3.90E-85//206aa//69%//P52743
- C-HEMBA1005367//Homo sapiens melastatin 1 (MLSN1) mRNA, complete cds.//9.00E-77//620bp//74%//

AF071787

C-HEMBA1005394//Mus musculus pantothenate kinase 1 beta (panK1beta) mRNA, complete cds.//3.90E-126//1097bp//75%//AF200357

C-HEMBA1005423//Homo sapiens cyclin-dependent kinase inhibitor (CDKN2C) mRNA, complete cds.//2.00E-213//537bp//99%//AF041248

C-HEMBA1005513//MALES-ABSENT ON THE FIRST PROTEIN (EC 2.3.1.-).//1.90E-129//332aa//61%//O02193

C-HEMBA1005528//CCR4-ASSOCIATED FACTOR 1 (CAF1).//3.10E-154//285aa//99%//Q68089

C-HEMBA1005530//Homo sapiens anaphase-promoting complex subunit 7 (APC7) mRNA, complete cds.//0//1578bp//98%//AF191340

C-HEMBA1005548//Homo sapiens MAFB/Kreisler basic region/leucine zipper transcription factor (MAFB) mRNA, complete cds.//1.00E-220//1014bp//99%//AF134157

C-HEMBA1005558//NUCLEAR PROTEIN SNF7.//6.40E-16//170aa//31%//P39929

C-HEMBA1005576//Mus musculus mRNA for plexin 2, complete cds.//1.20E-122//870bp//82%//D86949

C-HEMBA1005581//Homo sapiens SLIT2 (SLIL2) mRNA, complete cds.//0//1721bp//100%//AF133270

C-HEMBA1005582//TROPOMYOSIN 1, NON-MUSCLE ISOFORM (TROPOMYOSIN II) (CYTOSKELETAL TROPOMYOSIN).//0.00000009//213aa//27%//P09492

C-HEMBA1005595//DYNEIN HEAVY CHAIN, CYTOSOLIC (DYHC).//2.30E-54//562aa//29%//P34036

C-HEMBA1005621//Homo sapiens Mad2-like protein mRNA, complete cds.//8.00E-211//962bp//99%//AF072933

C-HEMBA1005666//Homo sapiens mRNA for DIPB protein.//8.60E-147//885bp//99%//AJ249128

C-HEMBA1005689//EPHRIIN-B3 PRECURSOR (EPH-RELATED RECEPTOR TYROSINE KINASE LIGAND 8) (LERK-8) (EPH-RELATED RECEPTOR TRANSMEMBRANE LIGAND ELK-L3).//2.10E-37//98aa//81%//Q15768

C-HEMBA1005737//CALCINEURIN B SUBUNIT (PROTEIN PHOSPHATASE 2B REGULATORY SUBUNIT).//4.40E-17//167aa//34%//P25296

C-HEMBA1005815//CALPAIN, LARGE [CATALYTIC] SUBUNIT (EC 3.4.22.17) (CALCIUM- ACTIVATED NEUTRAL PROTEINASE) (CANP) (MU/M-TYPE).//2.00E-36//342aa//33%//P00789

C-HEMBA1005931//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//5.60E-15//76aa//51%//P51522

C-HEMBA1005990//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//0//2371bp//100%//AF082516

C-HEMBA1006031//Homo sapiens mRNA for putative phospholipase, complete cds.//0//1413bp//99%//AB019435

C-HEMBA1006038//LAMININ ALPHA-5 CHAIN (FRAGMENT).//3.10E-33//81aa//64%//Q61001

C-HEMBA1006067//Homo sapiens squamous cell carcinoma antigen recognized by T cell (SART-2) mRNA, complete cds.//8.20E-12//297bp//64%//AF098066

C-HEMBA1006130//SEL-10 PROTEIN.//0.000000043//219aa//25%//Q93794

C-HEMBA1006158//Homo sapiens transcription factor forkhead-like 7 (FKHL7) gene, complete cds.//0//155 lbp//99%//AF048693

C-HEMBA1006198//PROLINE-RICH PROTEIN MP-2 PRECURSOR.//1.90E-19//215aa//39%//P05142

C-HEMBA1006248//ZINC FINGER PROTEIN MFG-1 (ZINC FINGER PROTEIN 58) (FRAGMENT).//8.60E-23//151aa//37%//P16372

C-HEMBA1006253//DNA-DAMAGE-REPAIR/TOLEATION PROTEIN DRT111 PRECURSOR.//0.00000002//62aa//53%//P42698

C-HEMBA1006268//Homo sapiens HQ0024c mRNA, complete cds.//3.50E-157//845bp//92%//AF073836

C-HEMBA1006272//RETROVIRUS-RELATED PROTEASE (EC 3.4.23.-).//1.30E-123//200aa//73%//P10265

C-HEMBA1006278//POLY(A) POLYMERASE (EC 2.7.7.19) (PAP) (POLYNUCLEOTIDE ADENYLYLTRANSFERASE).//1.00E-210//490aa//77%//P25500

C-HEMBA1006283//NUCLEAR POLYADENYLATED RNA-BINDING PROTEIN NAB2.//0.000000012//176aa//30%//P32505

C-HEMBA1006291//2-ARYLPROPIONYL-COA EPIMERASE (EC 5.-.-.-).//4.20E-12//215aa//23%//P70473

C-HEMBA1006309//Homo sapiens aspartyl aminopeptidase mRNA, complete cds.//5.30E-169//774bp//100%//AF005050

C-HEMBA1006310//Rattus norvegicus cytosolic sorting protein PACS-1a (PACS-1) mRNA, complete cds.//3.70E-225//1189bp//88%//AF076183

C-HEMBA1006344//RADIXIN.//1.50E-31//333aa//28%//P26043

C-HEMBA1006347//MALES-ABSENT ON THE FIRST PROTEIN (EC 2.3.1.-).//1.60E-130//332aa//62%//O02193

C-HEMBA1006359//ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6).//3.50E-105//381aa//54%//P28160

C-HEMBA1006398//Human L1 element L1.6 putative pi 50 gene, complete cds.//2.00E-277//1729bp//85%//U93563

C-HEMBA1006445//Homo sapiens putative tumor supressor NOEY2 mRNA, complete cds.//1.40E-270//1224bp//

- 100%/U96750
C-HEMBA1006474//40 KD PROTEIN.//1.40E-39//292aa//34%/Q01552
C-HEMBA1006485//PUROMYCIN-SENSITIVE AMINOPEPTIDASE (EC 3.4.11.-) (PSA).//1.90E-81//153aa//97%/P55786
- 5 C-HEMBA1006507//DIAPHANOUS PROTEIN HOMOLOG 2.//1.40E-46//316aa//32%/O60879
C-HEMBA1006511//3-OXOACYL-[ACYL-CARRIER PROTEIN] REDUCTASE (EC 1.1.1.100) (3-KETOACYL-ACYL CARRIER PROTEIN REDUCTASE).//4.00E-33//177aa//42%/P25716
C-HEMBA1006559//Mus musculus PRAJA1 (Praja1) mRNA, complete cds.//2.80E-206//1107bp//83%/U06944
- 10 C-HEMBA1006583//Drosophila melanogaster Scribble (scrib) mRNA, complete cds.//1.70E-63//1002bp//65%/AF190774
C-HEMBA1006624//DNA/PANTOTHENATE METABOLISM FLAVOPROTEIN HOMOLOG.//0.00000069//109aa//38%/Q58323
C-HEMBA1006650//ARP2/3 COMPLEX 20 KD SUBUNIT (P20-ARC).//9.00E-40//113aa//82%/O15509
C-HEMBA1006652//60S RIBOSOMAL PROTEIN L7.//2.40E-44//206aa//47%/P14148
- 15 C-HEMBA1006708//HYPOTHETICAL 46.4 KD TRP-ASP REPEATS CONTAINING PROTEIN IN PMC1-TFG2 INTERGENIC REGION.//3.30E-22//241aa//31%/P53196
C-HEMBA1006737//ANKYRIN, BRAIN VARIANT 2 (ANKYRIN B) (ANKYRIN, NONERYTHROID) (FRAGMENT).//0.00000043//111aa//40%/Q01485
C-HEMBA1006758//Homo sapiens protocadherin beta 13 (PCDH-beta13) mRNA, complete cds.//0//1832bp//91%/AF152492
- 20 C-HEMBA1006807//Homo sapiens mRNA for SPOP.//5.70E-125//1109bp//75%/AJ000644
C-HEMBA1006877//OXYSTEROL-BINDINGPROTEIN.//2.00E-59//378aa//39%/P16258
C-HEMBA1006885//Homo sapiens gene for Proline synthetase associated, complete cds.//0//1467bp//96%/AB018566
- 25 C-HEMBA1006914//Human anthracycline-associated resistance ARX mRNA, complete cds.//0//1837bp//99%/U35832
C-HEMBA1006941//Homo sapiens PKCq-interacting protein PICOT (PICOT) mRNA, complete cds.//2.10E-271//1234bp//99%/AF118649
C-HEMBA1006973//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds.//5.60E-143//740bp//94%/AF004828
- 30 C-HEMBA1006976//H. sapiens mRNA for Gal-beta(1-3/4)GlcNAc alpha-2-3-sialyltransferase.//1.90E-80//447bp//89%/X74570
C-HEMBA1007018//DYNEIN LIGHT INTERMEDIATE CHAIN 1, CYTOSOLIC (UC57/59) (DYNEIN LIGHT CHAIN A) (DLC-A).//2.40E-188//391aa//89%/Q90828
C-HEMBA1007087//CLEAVAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT (CPSF 100 KD SUBUNIT).//8.30E-27//253aa//30%/Q10568
- 35 C-HEMBA1007121//Homo sapiens bisphosphate 3'-nucleotidase mRNA, complete cds.//1.70E-252//1118bp//92%/AF125042
C-HEMBA1007151//Homo sapiens synphilin 1 mRNA, complete cds.//0//1900bp//99%/AF076929
C-HEMBA1007174//Homo sapiens epsin 2b mRNA, complete cds.//3.80E-271//642bp//99%/AF062085
C-HEMBA1007194//Homo sapiens origin recognition complex subunit 6 (ORC6) mRNA, complete cds.//0//1588bp//99%/AF139658
C-HEMBA1007224//Homo sapiens SUMO-1-specific protease (SSP1) mRNA, complete cds.//0//1590bp//99%/AF196304
- 40 C-HEMBA1007243//Chinese hamster hprt mRNA, complete cds.//2.00E-58//650bp//70%/J00060
C-HEMBA1007251//Homo sapiens F-box protein FBX29 (FBX29) mRNA, partial cds.//5.00E-58//330bp//95%/AF176707
C-HEMBA1007300//Homo sapiens 3',5'-cyclic nucleotide phosphodiesterase 10A1 (PDE10A) mRNA, splice variant 1, complete cds.//0//1519bp//99%/AF127479
- 50 C-HEMBA1007301//COLLAGEN ALPHA 1(II) CHAIN (FRAGMENT).//6.20E-18//115aa//33%/P13941
C-HEMBA1007301//Homo sapiens CGI-51 protein mRNA, complete cds.//0//1665bp//99%/AF151809
C-HEMBA1007301//Homo sapiens erythroid macrophage protein EMP mRNA, complete cds.//2.80E-187//1582bp//80%/AF084928
C-HEMBA1007301//MYOSIN LIGHT CHAIN KINASE, SMOOTH MUSCLE AND NON-MUSCLE ISOZYMES (EC 2.7.1.117) (MLCK) [CONTAINS: TELOKIN].//1.90E-22//426aa//25%/P11799
- 55 C-HEMBA1007301//Homo sapiens ASMTL gene.//0//1891bp//99%/Y15521
C-HEMBA1007301//GUANYLATE CYCLASE ACTIVATING PROTEIN 2 (GCAP2) (RETINAL GUANYLYL CYCLASE ACTIVATOR PROTEIN P24).//1.40E-24//71aa//77%/P51177

- C-HEMBB1000217//Homo sapiens SUMO-1-activating enzyme E1 N subunit (SUA1) mRNA, complete cds.//0//1038bp//99%//AF090385
- C-HEMBB1000226//PUTATIVE PRE-MRNA SPLICING FACTOR ATP-DEPENDENT RNA HELICASE EEEEDB.5//2.70E-12//112aa//47%//Q09530
- 5 C-HEMBB1000264//CHL1 PROTEIN.//9.50E-19//104aa//45%//P22516
- C-HEMBB1000266//HYPOTHETICAL 54.5 KD TRP-ASP REPEATS CONTAINING PROTEIN ZC302.2 IN CHROMOSOME V.//6.10E-09//242aa//26%//Q23256
- C-HEMBB1000317//FIBULIN-1, ISOFORM D PRECURSOR.//7.10E-62//458aa//35%//P37888
- 10 C-HEMBB1000593//Homo sapiens transferrin receptor 2 alpha (TFR2) mRNA, complete cds.//1.30E-107//503bp//99%//AF067864
- C-HEMBB1000631//LONGEVITY-ASSURANCE PROTEIN 1 (LONGEVITY ASSURANCE FACTOR 1).//4.10E-19//232aa//28%//P78970
- C-HEMBB1000632//GUANINE NUCLEOTIDE RELEASING PROTEIN (GNRP).//2.20E-28//273aa//31%//P27671
- 15 C-HEMBB1000693//Homo sapiens neuroan1 mRNA, complete cds.//0//2952bp//94%//AF040723
- C-HEMBB1000725//Rattus norvegicus GTPase Rab8b (Rab8b) mRNA, complete cds.//6.20E-130//692bp//93%//U53475
- C-HEMBB1000763//Homo sapiens CGI-89 protein mRNA, complete cds.//0//1676bp//96%//AF151847
- C-HEMBB1000781//Homo sapiens mitogen-activated protein kinase kinase kinase MEKK2 mRNA, complete cds.//1.20E-126//613bp//97%//AF111105
- 20 C-HEMBB1000789//PUTATIVE 90.2 KD ZINC FINGER PROTEIN IN CCA1-ADK2 INTERGENIC REGION.//5.10E-54//232aa//43%//P39956
- C-HEMBB1000831//Homo sapiens breast cancer nuclear receptor-binding auxiliary protein (BRX) mRNA, complete cds.//5.80E-60//301bp//99%//AF126008
- 25 C-HEMBB1000915//SUBTILISIN-LIKE PROTEASE PACE4 PRECURSOR (EC 3.4.21.-).//1.10E-08//129aa//31%//P29122
- C-HEMBB1000927//Homo sapiens A-type potassium channel modulatory protein 2 (KCHIP2) mRNA, complete cds.//1.30E-126//592bp//99%//AF199598
- C-HEMBB1000947//Homo sapiens clone HAW100 putative ribonuclease III mRNA, complete cds.//0//2292bp//99%//AF116910
- 30 C-HEMBB1000973//Mus musculus schlafen3 (Sfn3) mRNA, complete cds.//3.40E-120//580bp//67%//AF099974
- C-HEMBB1000985//MIPP PROTEIN (MURINE IAP-PROMOTED PLACENTA-EXPRESSED PROTEIN).//8.60E-18//178aa//30%//P28575
- C-HEMBB1001011//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//1.40E-73//230aa//45%//P51523
- 35 C-HEMBB1001056//PROLIFERATING-CELL NUCLEOLAR ANTIGEN P120 (PROLIFERATION-ASSOCIATED NUCLEOLAR PROTEIN P120).//2.90E-19//264aa//34%//P46087
- C-HEMBB1001058//Homo sapiens neuronal thread protein ADTC-NTP mRNA, complete cds.//3.60E-52//331bp//80%//AF010144
- C-HEMBB1001068//Homo sapiens liprin-beta2 mRNA, partial cds.//2.40E-307//1447bp//97%//AF034803
- 40 C-HEMBB1001112//Homo sapiens sec61 homolog mRNA, complete cds.//6.00E-145//961 bp//83 %//AF077032
- C-HEMBB1001137//Homo sapiens mRNA for putative phospholipase, complete cds.//0//3069bp//99%//AB019435
- C-HEMBB1001151//Rattus norvegicus golgi stacking protein homolog GRASP55 mRNA, complete cds.//4.20E-210//1835bp//76%//AF110267
- C-HEMBB1001175//ANKYRIN.//7.00E-11//169aa//31%//Q02357
- 45 C-HEMBB1001234//65 KD YES-ASSOCIATED PROTEIN (YAP65).//5.40E-93//196aa//54%//P46938
- C-HEMBB1001242//Homo sapiens topoisomerase-related function protein (TRF4-2) mRNA, partial cds.//1.80E-284//713bp//100%//AF089897
- C-HEMBB1001282//ANKYRIN R (ANKYRINS 2.1 AND 2.2) (ERYTHROCYTE ANKYRIN).//7.00E-43//394aa//34%//P16157
- 50 C-HEMBB1001288//COPPER HOMEOSTASIS PROTEIN CUTC.//7.80E-46//163aa//51%//P46719
- C-HEMBB1001294//GTP-BINDING PROTEIN TC10.//1.20E-79//196aa//80%//P17081
- C-HEMBB1001314//Mus musculus Olf-1/EBF-like-3 transcription factor (O/E-3) mRNA, complete cds.//1.30E-129//724bp//86%//U92703
- 55 C-HEMBB1001331//Mus musculus mRNA for hepatoma-derived growth factor, complete cds, strain:BALB/c.//2.10E-65//458bp//79%//D63850
- C-HEMBB1001339//DXS8237E PROTEIN (FRAGMENT).//4.60E-06//124aa//37%//P98175
- C-HEMBB1001346//Homo sapiens phenylalanine-tRNA synthetase (FARS1) mRNA, nuclear gene encoding mitochondrial protein, complete cds.//1.10E-58//292bp//99%//AF097441

- C-HEMBB1001384//Homo sapiens COP9 complex subunit 4 mRNA, complete cds.//0.1586bp//99%//AF100757
- C-HEMBB1001429//Homo sapiens leucine aminopeptidase mRNA, complete cds.//0.1933bp//99%//AF061738
- C-HEMBB1001443//Rattus norvegicus pyruvate dehydrogenase phosphatase isoenzyme 1 mRNA, complete cds.//3.00E-130//553bp//86%//AF062740
- 5 C-HEMBB1001482//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//2.10E-57//941aa//27%//Q05481
- C-HEMBB1001562//CYCLIN II (MULTIPLE-BAND POLYPEPTIDE II).//1.40E-06//373aa//21%//Q28092
- C-HEMBB1001564//VACUOLAR ATP SYNTHASE SUBUNIT H (EC 3.6.1.34) (V-ATPASE H SUBUNIT) (V-ATPASE M9.2 SUBUNIT) (9.2 KD MEMBRANE ACCESSORY PROTEIN).//9.60E-32//80aa//78%//I015342
- 10 C-HEMBB1001673//Homo sapiens gene for new zinc finger protein, complete cds.//0.1919bp//99%//AB012770
- C-HEMBB1001736//EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT 9 (EIF3 P116) (EIF3 P110).//4.60E-15//391aa//25%//P55884
- C-HEMBB1001749//TRANSCRIPTIONAL ACTIVATOR GCN5.//1.70E-16//84aa//47%//Q03330
- C-HEMBB1001802//Human desmin mRNA, complete cds.//0.1523bp//98%//U59167
- 15 C-HEMBB1001831//Homo sapiens PAM COOH-terminal interactor protein 1 (PCIP1) mRNA, complete cds.//0.1514bp//99%//AF056209
- C-HEMBB1001839//GASTRULA ZINC FINGER PROTEIN XLGCF42.1 (FRAGMENT).//6.90E-11//87aa//35%//P18720
- C-HEMBB1001871//BONE/CARTILAGE PROTEOGLYCAN I PRECURSOR (BIGLYCAN) (PG-S1).//5.40E-75//241aa//48%//P47853
- 20 C-HEMBB1001872//CELL SURFACE GLYCOPROTEIN EMR1 PRECURSOR (EMR1 HORMONE RECEPTOR) (CELL SURFACE GLYCOPROTEIN F4/80).//1.90E-22//210aa//27%//Q61549
- C-HEMBB1001905//TRICHOHYALIN.//2.10E-10//268aa//27%//P37709
- C-HEMBB1001908//Human monocytic leukaemia zinc finger protein (MOZ) mRNA, complete cds.//1.60E-131//874bp//86%//U47742
- 25 C-HEMBB1001915//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 64E (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE 64E) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 64E) (DEUBIQUITINATING ENZYME 64E).//6.90E-132//561aa//50%//Q24574
- C-HEMBB1001950//PROBABLE OXYGEN-INDEPENDENT COPROPORPHYRINOGEN III OXIDASE (EC 1.-.-.-) (COPROPORPHYRINOGENASE) (COPROGEN OXIDASE).//1.60E-41//370aa//31%//P54304
- 30 C-HEMBB1002042//CYTOCHROME P450 4C1 (EC 1.14.14.1) (CYP1VC1).//2.70E-49//139aa//55%//P29981
- C-HEMBB1002044//Mus musculus mRNA for vascular cadherin-2.//0.3562bp//81%//Y08715
- C-HEMBB1002134//ZINC-FINGER PROTEIN NEURO-D4.//8.10E-56//176aa//67%//P56163
- C-HEMBB1002193//TYROSINE-PROTEIN KINASE RECEPTOR TYRO3 PRECURSOR (TYROSINE-PROTEIN KINASE RSE) (TYROSINE-PROTEIN KINASE DTK) (TK19-2).//8.70E-61//177aa//74%//P55144
- 35 C-HEMBB1002217//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//2.10E-132//399aa//44%//Q05481
- C-HEMBB1002266//NEURONAL PROTEIN.//2.10E-46//121aa//76%//P41737
- C-HEMBB1002342//Human PKCq-interacting protein PICOT (PICOT) mRNA, complete cds.//1.50E-229//1045bp//99%//AF118649
- 40 C-HEMBB1002442//ILIN-10 PROTEIN.//9.70E-14//121aa//31%//P34692
- C-HEMBB1002477//Human Grb2-associated binder-1 mRNA, complete cds.//7.70E-258//774bp//99%//U43885
- C-HEMBB1002510//GYP7 PROTEIN.//3.10E-50//192aa//42%//P48365
- C-HEMBB1002550//HYPOTHETICAL UOG-1 PROTEIN.//5.00E-28//266aa//33%//P27544
- 45 C-HEMBB1002600//Homo sapiens tetraspan NET-5 mRNA, complete cds.//0.1417bp//99%//AF089749
- C-HEMBB1002607//Homo sapiens vitamin D3 receptor interacting protein (DRIP80) mRNA, complete cds.//2.00E-136//660bp//98%//AF105421
- C-HEMBB1002705//Homo sapiens CGI-27 protein mRNA, complete cds.//7.80E-285//841bp//96%//AF132961
- 50 C-MAMMA1000020//H. sapiens mRNA for flavin-containing monooxygenase 5 (FMO5).//8.20E-198//868bp//99%//Z47553
- C-MAMMA1000045//ENV POLYPROTEIN [CONTAINS: SURFACE PROTEIN GP85; MEMBRANE PROTEIN GP37].//1.90E-07//249aa//27%//P03396
- C-MAMMA1000055//TESTIN 2 (TES2) [CONTAINS: TESTIN 1 (TES1)].//1.50E-90//323aa//48%//P47226
- C-MAMMA1000085//PUTATIVE CYSTEINYL-TRNA SYNTHETASE C29E6.06C (EC 6.1.1.16) (CYSTEINE--TRNA LIGASE) (CYSRS).//2.10E-90//427aa//39%//Q09860
- 55 C-MAMMA1000173//Homo sapiens src homology 3 domain-containing protein HIP-55 mRNA, complete cds.//2.60E-164//1044bp//87%//AF197060
- C-MAMMA1000183//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//3.40E-134//359aa//63%//

P51523

C-MAMMA1000284//P.walt mRNA for mp associated protein 55.//2.20E-109//864bp//76%//X99836

C-MAMMA1000388//Homo sapiens UKLF mRNA for ubiquitous Kruppel like factor, complete cds.//0//1466bp//99%//AB015132

5 C-MAMMA1000416//HYPOTHETICAL 32.0 KD PROTEIN C09F5.2 IN CHROMOSOME III.//2.00E-30//119aa//53%//Q09232

C-MAMMA1000612//Homo sapiens G protein beta subunit mRNA, partial cds.//8.30E-178//1992bp//84%//AF195883

C-MAMMA1000625//GYP7 PROTEIN.//2.10E-41//198aa//40%//P48365

10 C-MAMMA1000672//VITELLOGENIC CARBOXYPEPTIDASE PRECURSOR (EC 3.4.16.).//4.40E-33//250aa//33%//P42660

C-MAMMA1000684//Homo sapiens opioid growth factor receptor mRNA, complete cds.//0//2391bp//99%//AF172451

C-MAMMA1000713//L-RBULOKINASE (EC 2.7.1.16).//7.70E-17//246aa//29%//P94524

15 C-MAMMA1000731//CHROMODOMAIN-HELICASE-DNA-BINDING PROTEIN 1 (CHD-1).//1.00E-77//395aa//45%//O14646

C-MAMMA1000734//Homo sapiens mRNA for SEC63 protein.//0//1587bp//99%//AJ011779

C-MAMMA1000738//HYPOTHETICAL 116.5 KD PROTEIN C20G8.09C IN CHROMOSOME I.//9.00E-299//1033aa//55%//P87115

20 C-MAMMA1000824//ACTIN.//6.20E-20//284aa//28%//P53500

C-MAMMA1000841//PUTATIVE AMIDASE (EC 3.5.1.4).//7.80E-40//101aa//54%//Q27540

C-MAMMA1000897//INTER-ALPHA-TRYPSIN INHIBITOR HEAVY CHAIN H3 PRECURSOR (TTI HEAVY CHAIN H3) (SERUM-DERIVED HYALURONAN-ASSOCIATED PROTEIN) (SHAP).//1.00E-14//1576aa//37%//Q06033

C-MAMMA1000956//Homo sapiens CLDN8 gene for claudin-8.//0//1767bp//99%//AJ250711

25 C-MAMMA1001008//Homo sapiens aspartic-like protease mRNA, complete cds.//2.50E-276//1263bp//99%//AF117892

C-MAMMA1001030//LUTROPIN-CHORIOGONADOTROPIC HORMONE RECEPTOR (LH/CG-R) (LSH-R) (LUTEINIZING HORMONE RECEPTOR) (FRAGMENT).//1.20E-26//276aa//28%//Q09074

C-MAMMA1001038//MYOSIN LIGHT CHAIN KINASE, SMOOTH MUSCLE AND NON-MUSCLE ISOZYMES (EC 2.7.1.117) (MLCK) [CONTAINS: TELOKIN].//2.60E-107//190aa//95%//Q15746

30 C-MAMMA1001041//SPECTRIN BETA CHAIN, BRAIN (SPECTRIN, NON-ERYTHROID BETA CHAIN) (FODRIN BETA CHAIN) (SPTBN1).//1.60E-16//113aa//41%//Q01082

C-MAMMA1001059//Homo sapiens mRNA for DEAD Box Protein 5.//0//1440bp//99%//AJ237946

C-MAMMA1001075//Homo sapiens CGI-72 protein mRNA, complete cds.//1.30E-181//397bp//98%//AF151830

35 C-MAMMA1001080//Homo sapiens SNC73 protein (SNC73) mRNA, complete cds.//1.6E-312//1596bp//94%//AF067420

C-MAMMA1001105//OVO PROTEIN (SHAVEN BABY PROTEIN).//4.00E-49//125aa//68%//P51521

C-MAMMA1001139//SRE-2 PROTEIN.//5.80E-35//239aa//38%//Q09273

C-MAMMA1001181//ABC1 PROTEIN HOMOLOG PRECURSOR.//1.30E-07//81aa//45%//Q92338

40 C-MAMMA1001188//Homo sapiens eps15R mRNA, partial cds.//0//2253bp//99%//AB015346

C-MAMMA1001222//EBNA-2 NUCLEAR PROTEIN.//6.60E-09//255aa//29%//P12978

C-MAMMA1001259//Mus musculus F-box protein FBX18 mRNA, partial cds.//2.30E-271//1414bp//89%//AF184275

45 C-MAMMA1001260//HYPOTHETICAL 97.1 KD PROTEIN R05D3.4 IN CHROMOSOME III.//2.10E-52//630aa//30%//P34537

C-MAMMA1001305//RHO-GTPASE-ACTIVATING PROTEIN 1 (GTPASE-ACTIVATING PROTEIN RHOGAP) (RHO-RELATED SMALL GTPASE PROTEIN ACTIVATOR) (CDC42 GTPASE-ACTIVATING PROTEIN) (P50-RHOGAP).//2.20E-98//283aa//63%//Q07960

50 C-MAMMA1001322//B-CELL GROWTH FACTOR PRECURSOR (BCGF-12 KD).//0.00000017//46aa//60%//P20931

C-MAMMA1001388//LEUCINE-RICH ALPHA-2-GLYCOPROTEIN (LRG).//1.40E-165//312aa//99%//P02750

C-MAMMA1001476//URIDINE KINASE (EC 2.7.1.48) (URIDINE MONOPHOSPHOKINASE) (FRAGMENT).//6.50E-129//260aa//92%//P52623

55 C-MAMMA1001501//CALPAIN 1, LARGE [CATALYTIC] SUBUNIT (EC 3.4.22.17) (CALCIUM-ACTIVATED NEUTRAL PROTEINASE) (CANP) (MU-TYPE).//5.70E-55//86aa//97%//P07384

C-MAMMA1001576//Human gamma-tubulin mRNA, complete cds.//7.50E-276//1561bp//90%//M61764

C-MAMMA1001627//Homo sapiens mRNA for transcription factor TBX8.//5.20E-189//871bp//99%//AJ007989

C-MAMMA1001633//ZINC FINGER PROTEIN 165.//6.30E-39//160aa//55%//P49910

- C-MAMMA1001679//F-ACTIN CAPPING PROTEIN BETA SUBUNIT (CAPZ).//0.00000058//29aa//100%//P47756
 C-MAMMA1001730//Homo sapiens brain and nasopharyngeal carcinoma susceptibility protein NSG-x mRNA, partial cds.//0//1603bp//99%//AF095687
- 5 C-MAMMA1001735//TUBULIN BETA-5 CHAIN (BETA-TUBULIN CLASS-V).//5.90E-240//445aa//97%//P09653
 C-MAMMA1001743//Y BOX BINDING PROTEIN-1 (Y-BOX TRANSCRIPTION FACTOR).//8.50E-32//171aa//36%//P21573
- C-MAMMA1001751//Homo sapiens tandem pore domain potassium channel TWIK-2 (KCNK6) mRNA, complete cds.//0//2332bp//99%//AF117708
- 10 C-MAMMA1001754//Homo sapiens Vacuolar proton pump subunit SFD alpha isoform mRNA complete cds.//0//1987bp//99%//AF112204
- C-MAMMA1001768//CELL DIVISION CYCLE PROTEIN 48 HOMOLOG MJ1156.//3.80E-45//351aa//38%//Q58556
- C-MAMMA1001771//M.musculus mRNA for semaphorin B.//2.60E-200//1272bp//79%//X85991
- 15 C-MAMMA1001820//Rattus norvegicus mRNA for PAG608 gene.//1.30E-198//1157bp//80%//Y13148
- C-MAMMA1001837//ZINC FINGER PROTEIN 29 (ZFP-29).//2.60E-77//507aa//38%//Q07230
- C-MAMMA1001868//TRICHOHYALIN.//2.70E-19//359aa//25%//P22793
- C-MAMMA1002143//Homo sapiens Cdc42 effector protein 4 mRNA, complete cds.//1.70E-252//1170bp//99%//AF099664
- 20 C-MAMMA1002170//40S RIBOSOMAL PROTEIN S2 (S4) (LLREP3 PROTEIN).//6.00E-66//157aa//70%//P15880
- C-MAMMA1002198//THIOREDOXIN PEROXIDASE 1 (THIOREDOXIN-DEPENDENT PEROXIDE REDUCTASE 1) (THIOL-SPECIFIC ANTIOXIDANT PROTEIN) (TSA) (PRP) (NATURAL KILLER CELL ENHANCING FACTOR B) (NKEF-B).//5.20E-61//60aa//90%//P32119
- C-MAMMA1002219//Rattus norvegicus rexo70 mRNA, complete cds.//1.30E-181//861bp//98%//AF032667
- 25 C-MAMMA1002236//TRANSLATION INITIATION FACTOR EIF-2B GAMMA SUBUNIT (EIF-2B GDP-GTP EXCHANGE FACTOR).//8.80E-217//310aa//86%//PP70541
- C-MAMMA1002268//Mus musculus sphingosine kinase (SPHK1a) mRNA, partial cds.//1.00E-190//1624bp//76%//AF068748
- C-MAMMA1002297//Homo sapiens mRNA for Rab6 GTPase activating protein.//1.10E-214//881bp//97%//AJ011679
- 30 C-MAMMA1002329//M.musculus mRNA for semaphorin B.//3.80E-45//332bp//84%//X85991
- C-MAMMA1002351//Mus musculus dynactin subunit p25 (p25) mRNA, complete cds.//4.30E-119//773bp//86%//AF190795
- C-MAMMA1002385//RIBONUCLEOPROTEIN RB97D.//1.50E-07//206aa//29%//Q02926
- 35 C-MAMMA1002428//LYSOSOME MEMBRANE PROTEIN II (LIMP II) (85 KD LYSOSOMAL MEMBRANE SIALOGLYCOPROTEIN) (LGP85) (CD36 ANTIGEN-LIKE 2).//1.10E-24//96aa//68%//Q14108
- C-MAMMA1002470//PROBABLE NH(3)-DEPENDENT NAD(+) SYNTHETASE (EC 6.3.5.1).//1.00E-11//128aa//36%//P47623
- C-MAMMA1002485//Homo sapiens stanniocalcin-related protein mRNA, complete cds.//0//1822bp//99%//AF098462
- 40 C-MAMMA1002524//HYPOTHETICAL 117.8 KD PROTEIN IN STE2-FRS2 INTERGENIC REGION.//1.20E-34//337aa//31%//P43571
- C-MAMMA1002530//Homo sapiens cytosolic phospholipase A2 gamma (cPLA2 gamma) mRNA, complete cds.//0//1910bp//99%//AF065214
- 45 C-MAMMA1002573//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//2.60E-19//666aa//23%//P08640
- C-MAMMA1002617//ZINC FINGER PROTEIN 135.//7.60E-89//252aa//75%//P52742
- C-MAMMA1002619//PROBABLE UBIQUITTIN CARBOXYL-TERMINAL HYDROLASE K02C4.3 (EC 3.1.2.15) (UBIQUITTIN THIOLESTERASE) (UBIQUITTIN-SPECIFIC PROCESSING PROTEASE) (DEUBIQUITINATING ENZYME).//9.50E-16//159aa//37%//Q09831
- 50 C-MAMMA1002622//VILLLIN.//7.20E-35//53aa//64%//P02640
- C-MAMMA1002637//KINESIN LIGHT CHAIN (KLC).//1.30E-198//550aa//70%//Q07866
- C-MAMMA1002650//Mus musculus ODA-8S protein mRNA, complete cds.//5.40E-57//480bp//68%//AF194030
- C-MAMMA1002655//Homo sapiens mRNA for ganglioside sialidase, complete cds.//0//1515bp//99%//AB008185
- 55 C-MAMMA1002671//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- AC-TIVATING ENZYME).//1.10E-45//618aa//26%//P27550
- C-MAMMA1002699//Rattus norvegicus EH domain binding protein Epsin mRNA, complete cds.//4.3e-317//1942bp//85%//AF018261
- C-MAMMA1002769//Homo sapiens cell cycle progression restoration 8 protein (CPR8) mRNA, complete cds.//

- 2.20E-25/330bp/77%//AF011794
C-MAMMA1002842//Mus musculus c-Cbl associated protein CAP mRNA, complete cds.//2.60E-58/373bp/81%//U58883
- 5 C-MAMMA1002844//TRIOSE PHOSPHATE/PHOSPHATE TRANSLOCATOR, NON-GREEN PLASTID PRECURSOR (CTPT).//4.90E-10/334aa/22%//P52178
C-MAMMA1002858//Rat cMG1 mRNA.//3.70E-238/1147bp/92%//X52590
C-MAMMA1002869//PINCH PROTEIN (PARTICULARLY INTERESTING NEW CYS-HIS PROTEIN).//1.40E-160/305aa/85%//P48059
- 10 C-MAMMA1002881//GLIOMA PATHOGENESIS-RELATED PROTEIN (RTVP-1 PROTEIN).//5.70E-30/214aa/35%//P48060
C-MAMMA1002937//ZINC FINGER PROTEIN 135.//8.30E-99/393aa/43%//P52742
C-MAMMA1002972//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS27.//1.10E-05/69aa/42%//P40343
- 15 C-MAMMA1003011//HISTONE MACRO-H2A.1.//2.70E-123/370aa/66%//Q02874
C-MAMMA1003013//DNA POLYMERASE BETA (EC 2.7.7.7).//1.40E-46/332aa/36%//P06746
C-MAMMA1003035//RIBOSOMAL LARGE SUBUNIT PSEUDOURIDINE SYNTHASE C (EC 4.2.1.70) (PSEUDOURIDYLATE SYNTHASE) (URACIL HYDROLYASE).//1.90E-13/108aa/33%//P23851
C-MAMMA1003047//Homo sapiens protein inhibitor of activated STAT protein PIASy mRNA, complete cds.//0/1533bp/99%//AF077952
- 20 C-MAMMA1003057//MD6 PROTEIN.//3.10E-225/419aa/97%//Q60584
C-MAMMA1003113//Mus musculus COP9 complex subunit 7a (COPS7a) mRNA, complete cds.//1.10E-234/1178bp/86%//AF071316
C-MAMMA1003127//MYOSIN I ALPHA (MMI-ALPHA).//2.20E-105/217aa/89%//P46735
C-MAMMA1003146//Homo sapiens mRNA for GalT3 protein.//4.30E-218/996bp/99%//Y15062
- 25 C-MAMMA1003150//HYPOTHETICAL 118.4 KD PROTEIN IN BAT2-DAL5 INTERGENIC REGION PRECURSOR.//5.00E-13/592aa/24%//P47179
C-MAMMA1003166//Homo sapiens MLL septin-like fusion protein (MSF) mRNA, complete cds.//3.10E-158/592bp/97%//AF123052
C-NT2RM1000001//D.melanogaster sap47-2 mRNA.//1.50E-10/417bp/62%//X80110
C-NT2RM1000039//HYPOTHETICAL 41.4 KD PROTEIN IN SRLQ-HYFF INTERGENIC REGION (EC 1.18.1.-) (ORF4).//2.90E-14/299aa/25%//P37596
- 30 C-NT2RM1000055//Rattus norvegicus mRNA for TIP120, complete cds.//0/3106bp/89%//D87671
C-NT2RM1000080//UNC-1 PROTEIN.//5.90E-25/211aa/31%//Q21190
C-NT2RM1000086//HYPOTHETICAL 97.1 KD PROTEIN R05D3.4 IN CHROMOSOME III.//8.40E-52/364aa/32%//P34537
- 35 C-NT2RM1000092//MULTIDRUG RESISTANCE PROTEIN 2 (MULTIDRUG-EFFLUX TRANSPORTER 2).//1.00E-07/362aa/23%//P39843
C-NT2RM1000118//CALCINEURIN B SUBUNIT (PROTEIN PHOSPHATASE 2B REGULATORY SUBUNIT) (CALCINEURIN REGULATORY SUBUNIT).//1.20E-10/150aa/28%//P87072
- 40 C-NT2RM1000132//Homo sapiens NADH:ubiquinone oxidoreductase NDUF56 subunit mRNA, nuclear gene encoding mitochondrial protein, complete cds.//7.80E-110/516bp/99%//AF044959
C-NT2RM1000153//CYTOSOLIC PURINE 5'-NUCLEOTIDASE (EC 3.1.3.5).//3.30E-38/469aa/27%//P49902
C-NT2RM1000186//CALCINEURIN B SUBUNIT (PROTEIN PHOSPHATASE 2B REGULATORY SUBUNIT) (CALCINEURIN REGULATORY SUBUNIT).//1.20E-10/150aa/28%//P87072
- 45 C-NT2RM1000187//PUTATIVE PRE-MRNA SPLICING FACTOR ATP-DEPENDENT RNA HELICASE SPAC10F6.02C.//1.10E-10/94aa/47%//O42643
C-NT2RM1000199//Homo sapiens mRNA for type I transmembrane receptor (psk-1 gene).//0/2476bp/99%//AJ245820
C-NT2RM1000244//Homo sapiens TRAF4 associated factor 1 mRNA, partial cds.//2.00E-126/592bp/99%//U81002
- 50 C-NT2RM1000252//H. sapiens E-MAP-115 mRNA.//9.70E-35/569bp/64%//X73882
C-NT2RM1000256//Homo sapiens mRNA for Glutamine-fructose-6-phosphate amidotransferase, complete cds.//0/3012bp/99%//AB016789
C-NT2RM1000257//MAGO NASHI PROTEIN.//7.90E-69/143aa/91%//P49028
C-NT2RM1000260//Homo sapiens thyroid hormone receptor-associated protein complex component TRAP100 mRNA, complete cds.//0/2766bp/99%//AF055995
- 55 C-NT2RM1000280//VACUOLAR ATP SYNTHASE SUBUNIT D (EC 3.6.1.34) (V-ATPASE D SUBUNIT) (V-ATPASE 28 KD ACCESSORY PROTEIN).//1.50E-106/118aa/97%//P39942

- C-NT2RM1000354//Xenopus laevis chromosome condensation protein XCAP-G mRNA, complete cds.//7.40E-245//2101bp//68%//AF111423
- C-NT2RM1000355//Homo sapiens transmembrane protein BRI (BRI) mRNA, complete cds.7//0//1599bp//99%//AF152462
- 5 C-NT2RM1000377//Homo sapiens dual specificity phosphatase MKP5 (MKP5) mRNA, complete cds.//3.20E-196//1016bp//94%//AF179212
- C-NT2RM1000388//HYPOTHETICAL 27.7 KD PROTEIN IN CPT1-SPC98 INTERGENIC REGION.//0.00000019//67aa//31%//P53915
- C-NT2RM1000421//RIBONUCLEASE INHIBITOR.//4.40E-21//372aa//30%//P10775
- 10 C-NT2RM1000430//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds.//1.40E-185//1486bp//81%//AF084928
- C-NT2RM1000499//Caenorhabditis elegans mRNA for centaurin gamma 1A.//3.00E-17//927bp//58%//AJ132700
- C-NT2RM1000539//Homo sapiens mRNA for Lsm5 protein.//3.00E-158//733bp//99%//AJ238097
- C-NT2RM1000553//Homo sapiens putative glycolipid transfer protein mRNA, complete cds.//3.40E-177//814bp//99%//AF103731
- 15 C-NT2RM1000555//UNR PROTEIN.//0//678aa//98%//P18395
- C-NT2RM1000563//TRANSMISSION-B LOCKING TARGET ANTIGEN S230 PRECURSOR.//0.0000068//199aa//30%//Q08372
- C-NT2RM1000623//RIBONUCLEASE INHIBITOR.//4.40E-21//372aa//30%//P10775
- 20 C-NT2RM1000648//GLYCOSYLTRANSFERASE ALG2 (EC 2.4.1.-).//8.50E-75//301aa//39%//P43636
- C-NT2RM1000661//Homo sapiens translation initiation factor 4e mRNA, complete cds.//5.70E-210//960bp//99%//AF038957
- C-NT2RM1000666//DNA-BINDING PROTEIN A.//2.20E-09//165aa//34%//P16989
- C-NT2RM1000691//Homo sapiens mRNA for PLU-1 protein.//0//3104bp//99%//AJ132440
- 25 C-NT2RM1000702//PUTATIVE SERINE/THREONINE-PROTEIN KINASE PKWA (EC 2.7.1.-).//5.60E-08//187aa//27%//P49695
- C-NT2RM1000742//Homo sapiens AC133 antigen mRNA, complete cds.//0//3524bp//99%//AF027208
- C-NT2RM1000746//Homo sapiens polyamine modulated factor-1 (PMF1) mRNA, complete cds.//6.70E-227//1043bp//99%//AF141310
- 30 C-NT2RM1000770//DXS6673E PROTEIN.//1.40E-39//194aa//48%//Q14202
- C-NT2RM1000772//VEGETABLE INCOMPATIBILITY PROTEIN HET-E-1.//7.30E-15//280aa//27%//Q00808
- C-NT2RM1000800//Mus musculus partial mRNA for B-IND1 protein (B-indi gene).//1.10E-98//571bp//89%//Z97207
- C-NT2RM1000811//Homo sapiens AC133 antigen mRNA, complete cds.//0//3524bp//99%//AF027208
- 35 C-NT2RM1000826//UNR PROTEIN.//0//678aa//98%//P18395
- C-NT2RM1000833//Homo sapiens sec81 homolog mRNA, complete cds.//0//3541 bp//99%//AF08445 8
- C-NT2RM1000850//ANKYRIN R (ANKYRINS 2.1 AND 2.2) (ERYTHROCYTE ANKYRIN).//9.70E-42//333aa//36%//P16157
- C-NT2RM1000852//Homo sapiens putative ATP-dependent RNA helicase ROK1 mRNA, complete cds.//0//2206bp//99%//AF077033
- 40 C-NT2RM1000874//Homo sapiens death effector domain-containing testicular molecule mRNA, complete cds.//1.40E-244//1113bp//99%//AF043733
- C-NT2RM1000882//Homo sapiens delta-6 fatty acid desaturase mRNA, complete cds.//4.30E-122//1394bp//69%//AF126799
- 45 C-NT2RM1000883//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//0//5107bp//99%//AF082516
- C-NT2RM1000885//HYPOTHETICAL 97.1 KD PROTEIN R05D3.4 IN CHROMOSOME III.//1.80E-56//630aa//30%//P34537
- C-NT2RM1000894//DNA-DIRECTED RNA POLYMERASE 1135 KD POLYPEPTIDE (EC 2.7.7.6) (RNA POLYMERASE I SUBUNIT 2) (RPA135).//0//1020aa//89%//P70700
- 50 C-NT2RM1000898//ACTIN, CYTOPLASMIC (ACTIN, MICRONUCLEAR).//8.90E-26//229aa//29%//P02583
- C-NT2RM1000924//HYPOTHETICAL 39.7 KD PROTEIN C34E10.2 IN CHROMOSOME III.//1.00E-15//266aa//26%//P46577
- C-NT2RM1001003//Homo sapiens alpha-catenin-like protein (CTNNAL1) mRNA, complete cds.//0//2230bp//99%//AF030233
- 55 C-NT2RM1001008//HYPOTHETICAL 72.5 KD PROTEIN C2F7.10 IN CHROMOSOME I.//1.60E-13//119aa//36%//Q09701
- C-NT2RM1001059//NUCLEAR POLYADENYLATED RNA-BINDING PROTEIN NAB4.//3.60E-11//180aa//28%//

Q89383

C-NT2RM1001072//1-1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODESTERASE GAMMA 1 (EC 3.1.4.11) (PLC-GAMMA-1) (PHOSPHOLIPASE C-GAMMA-1) (PLC-II) (PLC-148)//8.30E-47//259aa//35%/P08487

5 C-NT2RM1001092//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7)//3.60E-115//332aa//52%/Q05481

C-NT2RM1001102//Human HEM45 mRNA, complete cds.//2.30E-27//482bp//63%/U88964

C-NT2RM1001115//ENDOCHITINASE 2 PRECURSOR (EC 3.2.1.14)//5.60E-06//239aa//27%/P54197

10 C-NT2RM2000013//DNA-DIRECTED RNA POLYMERASE III 128 KD POLYPEPTIDE (EC 2.7.7.6) (RNA POLYMERASE III SUBUNIT 2)//2.20E-144//362aa//71%/P25167

C-NT2RM2000030//DYNEIN INTERMEDIATE CHAIN, CYTOSOLIC (DH IC) (CYTOPLASMIC DYNEIN INTERMEDIATE CHAIN)//0.00000043//136aa//31%/P54703

15 C-NT2RM2000092//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 8 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE 8) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 8) (DEUBIQUITINATING ENZYME 8)//1.30E-36//160aa//40%/P50102

C-NT2RM2000191//Homo sapiens cGMP phosphodiesterase A1 (PDE9A) mRNA, complete cds.//0//1574bp//99%/AF067223

C-NT2RM2000260//EXTENSIN PRECURSOR (PROLINE-RICH GLYCOPROTEIN)//3.60E-19//181aa//34%/P14918

20 C-NT2RM2000322//SPERMIDINE SYNTHASE (EC 2.5.1.16) (PUTRESCINE AMINOPROPYLTRANSFERASE) (AMINOPROPYLTRANSFERASE)//8.10E-06//167aa//29%/O48660

C-NT2RM2000363//BREAKPOINT CLUSTER REGION PROTEIN//1.80E-14//245aa//29%/P11274

C-NT2RM2000368//Homo sapiens protein kinase C-binding protein RACK7 mRNA, partial cds.//0//1506bp//99%/U48251

25 C-NT2RM2000371//POLYRIBONUCLEOTIDE NUCLEOTIDYLTRANSFERASE (EC 2.7.7.8) (POLYNUCLEOTIDE//1.70E-68//419aa//36%/P50849

C-NT2RM2000402//ENDOSOMAL P24A PROTEIN PRECURSOR (70 KD ENOMEMBRANE PROTEIN) (PHE-
ROMONE ALPHA-FACTOR TRANSPORTER) (ACIDIC 24 KD LATE ENDOCYTIC INTERMEDIATE COMPO-
NENT)//1.60E-54//344aa//33%/P32802

30 C-NT2RM2000407//Mus musculus semaphorin V1a mRNA, complete cds.//9.70E-201//826bp//84%/AF030430

C-NT2RM2000422//SODIUM- AND CHLORIDE-DEPENDENT TRANSPORTER NTT73//1.00E-222//237aa//89%/Q08469

C-NT2RM2000452//HYPOTHETICAL 63.6 KD PROTEIN IN YPT52-GCN3 INTERGENIC REGION//1.00E-07//157aa//28%/P36113

35 C-NT2RM2000469//NITROGEN PERMEASE REACTIVATOR PROTEIN (EC 2.7.1.-)//8.90E-06//377aa//24%/P22211

C-NT2RM2000490//SYNAPTOTAGMIN (P65)//1.80E-13//166aa//34%/P41823

C-NT2RM2000502//Rattus norvegicus W307 mRNA, complete cds.//1.70E-58//381bp//86%/U78304

40 C-NT2RM2000504//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//0//1673bp//99%/AF061243

C-NT2RM2000522//SKIN SECRETORY PROTEIN XP2 PRECURSOR (APEG PROTEIN)//1.30E-12//282aa//32%/P17437

C-NT2RM2000566//Homo sapiens integrin alpha-7 mRNA, complete cds.//0//2519bp//96%/AF032108

45 C-NT2RM2000577//SOLEUCYL-TRNA SYNTHETASE (EC 6.1.1.5) (ISOLEUCINE--TRNA LIGASE) (ILERS)//1.70E-187//1741aa//46%/P73505

C-NT2RM2000588//HISTONE DEACETYLASE HDA1//2.80E-60//384aa//40%/P53973

C-NT2RM2000594//Homo sapiens DNA cytosine-5 methyltransferase 3 beta 3 (DNMT3B) mRNA, complete cds.//0//2712bp//99%/AF156487

C-NT2RM2000599//Homo sapiens F-box protein Liliina (LILINA) mRNA, complete cds.//4.90E-70//838bp//69%/AF179221

50 C-NT2RM2000609//Homo sapiens CTL1 gene.//0//1559bp//99%/AJ245620

C-NT2RM2000612//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//2.60E-106//1069bp//74%/U35776

C-NT2RM2000624//SPLICING FACTOR, ARGININE/SERINE-RICH 4 (PRE-MRNA SPLICING FACTOR SRP75)//4.40E-32//319aa//35%/Q08170

55 C-NT2RM2000691//ACTIN-LIKE PROTEIN 3 (ACTIN-2)//3.70E-142//285aa//90%/P32391

C-NT2RM2000714//RAS SUPPRESSOR PROTEIN 1 (RSU-1) (RSP-1 PROTEIN) (RSP-1)//3.80E-23//184aa//36%/Q15404

C-NT2RM2000718//Homo sapiens endocrine regulator mRNA, complete cds.//0//1731bp//99%/AF121141

- C-NT2RM2000735//ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6).//2.90E-103//249aa//73%//P28160
- C-NT2RM2000740//POSSIBLE GLOBAL TRANSCRIPTION ACTIVATOR SNF2L.//5.70E-53//266aa//43%//P41877
- 5 C-NT2RM2000821//COATOMER BETA SUBUNIT (BETA-COAT PROTEIN) (BETA-COP).//9.50E-279//545aa//98%//P23514
- C-NT2RM2000951//Homo sapiens XYLB mRNA for xylulokinase, complete cds.//1.70E-200//927bp//99%//AB015046
- C-NT2RM2001035//CCR4-ASSOCIATED FACTOR 1 (CAF1).//8.20E-154//285aa//99%//Q60809
- 10 C-NT2RM2001065//Homo sapiens COP9 complex subunit 4 mRNA, complete cds.//10//1554bp//99%//AF100757
- C-NT2RM2001100//HYPOTHETICAL 39.7 KD PROTEIN C34E10.2 IN CHROMOSOME III.//2.40E-15//266aa//26%//P46577
- C-NT2RM2001105//Drosophila melanogaster eyelid (eld) mRNA, complete cds.//1.20E-28//805bp//61%//AF053091
- 15 C-NT2RM2001196//PROLINE-RICH PROTEIN MP-3 (FRAGMENT).//1.30E-20//267aa//35%//P05143
- C-NT2RM2001201//EUKARYOTIC TRANSLATION INITIATION FACTOR 5 (EIF-5).//1.50E-07//95aa//35%//P48724
- C-NT2RM2001221//KALIRIN (PAM COOH-TERMINAL INTERACTOR PROTEIN 10) (P-CIP10).//3.60E-10//177aa//32%//P97924
- 20 C-NT2RM2001238//GLUTAMINASE, KIDNEY ISOFORM PRECURSOR (EC 3.5.1.2) (GLS)(L-GLUTAMINE AMIDOHYDROLASE).//1.30E-180//328aa//99%//P13264
- C-NT2RM2001256//PROTEIN TSG24 (MEIOTIC CHECK POINT REGULATOR).//1.60E-166//312aa//98%//P53995
- C-NT2RM2001324//ZYXIN.//6.80E-55//200aa//41%//Q04584
- 25 C-NT2RM2001345//VEGETATILE INCOMPATIBILITY PROTEIN HET-E-1.//2.90E-08//334aa//22%//Q00808
- C-NT2RM2001424//Homo sapiens mRNA for EIB-55kDa-associated protein.//0//1621bp//99%//AJ007509
- C-NT2RM2001499//LEU-AFFINITY CATIONIC AMINO ACID TRANSPORTER-2 (CAT-2) (CAT2).//7.40E-121//437aa//57%//P52569
- C-NT2RM2001547//PROBABLE PROTEIN DISULFIDE ISOMERASE P5 PRECURSOR (EC 5.3.4.1).//6.90E-27//90aa//42%//P38660
- 30 C-NT2RM2001575//52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A)).//4.30E-61//312aa//44%//P19474
- C-NT2RM2001592//Rattus norvegicus rexo70 mRNA, complete cds.//3.10E-156//909bp//88%//AF032667
- C-NT2RM2001605//Homo sapiens mRNA for PLU-1 protein.//0//3114bp//99%//AJ132440
- 35 C-NT2RM2001613//Homo sapiens sec61 homolog mRNA, complete cds.//0//2601 bp//99%//AF084458
- C-NT2RM2001632//KES1 PROTEIN.//1.40E-31//342aa//34%//P35844
- C-NT2RM2001635//NUCLEAR ENVELOPE PORE MEMBRANE PROTEIN POM 121 (PORE MEMBRANE PROTEIN OF 121 KD) (P145).//1.20E-142//566aa//56%//P52591
- C-NT2RM2001648//Homo sapiens sec61 homolog mRNA, complete cds.//0//2421 bp//99%//AF084458
- 40 C-NT2RM2001652//Homo sapiens guanine nucleotide exchange factor mRNA, complete cds.//0//2608bp//99%//AF111162
- C-NT2RM2001659//ZINC/CADMIUM RESISTANCE PROTEIN.//3.40E-39//161aa//34%//P20107
- C-NT2RM2001664//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA complete cds.//0//2471bp//99%//AF044195
- 45 C-NT2RM2001668//Homo sapiens putative WHSC1 protein (WHSC1) mRNA, alternative splice product ending in intron 11, complete cds.//6.20E-16//464bp//62%//AFQ83391
- C-NT2RM2001670//ZINC FINGER PROTEIN 29 (ZF29).//6.50E-104//407aa//43%//Q07230
- C-NT2RM2001671//Oryctolagus cuniculus sarcolemmal associated protein (SLAP1) mRNA, complete cds.//0//1843bp//94%//U21155
- 50 C-NT2RM2001688//HYPOTHETICAL 33.8 KD PROTEIN C5H10.01 IN CHROMOSOME I.//4.60E-20//253aa//30%//Q09674
- C-NT2RM2001698//Homo sapiens XGalT-1 mRNA for galactosyltransferase I, complete cds.//6.20E-253//1170bp//99%//AB028600
- C-NT2RM2001700//ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC (EC 1.3.9.9-) (VLCAD) (FRAGMENT).//5.70E-130//536aa//49%//P05044
- 55 C-NT2RM2001716//Homo sapiens BPTF mRNA for bromodomain PHD finger transcription factor, complete cds.//0//1774bp//98%//AB032251
- C-NT2RM2001730//PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE K02CA.3 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE) (DEUBIQUITINATING EN-

ZYME).//7.20E-16//381aa//27%//Q09931

C-NT2RM2001743//Homo sapiens cell cycle progression 2 protein (CPR2) mRNA, complete cds.//0//1498bp//99%//AF011792

C-NT2RM2001753//HYPOTHETICAL PROTEIN KIAA0210.//8.80E-11//119aa//36%//Q92609

C-NT2RM2001760//Homo sapiens sec61 homolog mRNA, complete cds.//0//2379bp//99%//AF084458

C-NT2RM2001771//ZINC FINGER PROTEIN 135.//6.40E-154//394aa//64%//P52742

C-NT2RM2001782//Homo sapiens GDP-mannose pyrophosphorylase A (GMPPA) mRNA, complete cds.//0//1470bp//99%//AF135422

C-NT2RM2001785//Homo sapiens delta-6 fatty acid desaturase mRNA, complete cds.//0//2150bp//99%//AF126799

C-NT2RM2001803//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds.//0//2249bp//99%//AF044195

C-NT2RM2001823//CHD1 PROTEIN.//1.80E-106//631aa//39%//P32657

C-NT2RM2001839//Homo sapiens calumein (Calu) mRNA, complete cds.//0//2415bp//97%//AF013759

C-NT2RM2001866//PAB-DEPENDENT POLY(A)-SPECIFIC RIBONUCLEASE SUBUNIT PAN2 (EC 3.1.13.4) (PAB1P-DEPENDENT POLY(A)-NUCLEASE).//3.00E-54//337aa//39%//P53010

C-NT2RM2001896//CELL DIVISION PROTEIN FTSJ.//5.10E-26//204aa//34%//P28692

C-NT2RM2001930//M. musculus mRNA for semaphorin G.//5.20E-135//894bp//83%//X97818

C-NT2RM2001935//Homo sapiens single-strand selective monofunctional uracil DNA glycosylase mRNA, complete cds.//0//1454bp//99%//AF125182

C-NT2RM2001936//32.3 KD PROTEIN IN CWP1-MBR1 INTERGENIC REGION.//2.70E-27//216aa//34%//P28320

C-NT2RM2001950//HYPOTHETICAL 105.9 KD PROTEIN IN AAC3-RFC5 INTERGENIC REGION.//0.000001//212aa//23%//P38250

C-NT2RM2001983//Homo sapiens RGS-GAIP interacting protein GIPC mRNA, complete cds.//0//1658bp//98%//AF089816

C-NT2RM2001989//NUCLEOLAR PROTEIN NOP4 (NUCLEOLAR PROTEIN NOP77).//1.90E-39//253aa//35%//P37838

C-NT2RM2001997//PROTEIN DISULFIDE ISOMERASE PRECURSOR (PD1) (EC 5.3.4.1).//1.30E-10//232aa//28%//Q12730

C-NT2RM2001998//HYPOTHETICAL 85.7 KD PROTEIN C13G6.03 IN CHROMOSOME L/3.10E-12//206aa//30%//Q09782

C-NT2RM2002004//LA PROTEIN HOMOLOG (LA RIBONUCLEOPROTEIN) (LA AUTOANTIGEN HOMOLOG).//2.90E-08//83aa//44%//P40796

C-NT2RM2002014//HYPOTHETICAL 81.4 KD PROTEIN IN GREB-FEOA INTERGENIC REGION.//1.10E-89//425aa//41%//P46837

C-NT2RM2002030//Homo sapiens mRNA for Glutamine:fructose-6-phosphate amidotransferase, complete cds.//0//1959bp//99%//AB016789

C-NT2RM2002055//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS13.//0.00000099//338aa//24%//Q07878

C-NT2RM2002088//PUTATIVE HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN X (HNRNP X) (CBP).//5.00E-62//104aa//57%//Q61990

C-NT2RM2002091//Drosophila melanogaster eyelid (eld) mRNA, complete cds.//7.10E-29//805bp//61%//AF053091

C-NT2RM2002100//Homo sapiens mRNA for ATP-dependent RNA helicase, partial.//0//1807bp//99%//AJ010840

C-NT2RM2002109//Homo sapiens glioma amplified on chromosome 1 protein (GAC1) mRNA, complete cds.//0//1868bp//99%//AF030435

C-NT2RM2002128//PUTATIVE SERINE/THREONINE-PROTEIN KINASE PKWA (EC 2.7.1.-).//4.90E-13//487aa//72%//P49695

C-NT2RM2002142//GASTRULATION SPECIFIC PROTEIN G12.//8.00E-31//105aa//47%//P47805

C-NT2RM2002145//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds.//8.50E-191//1524bp//81%//AF084928

C-NT2RM4000024//DNA-DIRECTED RNA POLYMERASE III 128 KD POLYPEPTIDE (EC 2.7.7.6) (RNA POLYMERASE III SUBUNIT 2).//7.10E-155//381aa//72%//P25167

C-NT2RM4000030//LAS1 PROTEIN.//5.60E-12//184aa//32%//P36146

C-NT2RM4000046//GOLIATH PROTEIN (G1 PROTEIN).//0.000008//112aa//31%//Q06003

C-NT2RM4000104//ZINC FINGER PROTEIN 135.//1.50E-81//251aa//53%//P52742

C-NT2RM4000139//R. norvegicus trg mRNA.//2.30E-114//1161bp//72%//X68101

- C-NT2RM4000155//THREONYL-TRNA SYNTHETASE, CYTOPLASMIC (EC 6.1.1.3) (THREONINE--TRNA LIGASE) (THRRS).//1.20E-157//321aa//61%/P26639
- C-NT2RM4000156//H.sapiens HPBRII-7 gene.//3.60E-21//785bp//60%/X67336
- 5 C-NT2RM4000167//Homo sapiens mRNA for Chromokinesin (KIF 4 gene).//0//1946bp//99%/AJ271784
- C-NT2RM4000169//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//4.80E-13//686aa//23%/P25386
- C-NT2RM4000191//PUTATIVE ATP-DEPENDENT RNA HELICASE PL10.//9.20E-75//439aa//41%/P16381
- C-NT2RM4000202//ZINC FINGER PROTEIN MOK-2 (HOK-2).//4.90E-32//170aa//41%/Q16860
- 10 C-NT2RM4000215//MAK16 PROTEIN.//1.30E-68//295aa//49%/P10962
- C-NT2RM4000227//Gallus gallus actin filament-associated protein (AFAP-110) mRNA, complete cds.//1.10E-27//633bp//64%/L20303
- C-NT2RM4000233//Mus musculus semaphorin Via mRNA, complete cds.//3.40E-231//1395bp//86%/AF030430
- C-NT2RM4000290//Human transducin-like enhancer protein (TLE3) mRNA, complete cds.//2.20E-276//1124bp//97%/M99438
- 15 C-NT2RM4000344//Homo sapiens mRNA for ATP-dependent metalloprotease YME1L.//0//2030bp//99%/AJ132637
- C-NT2RM4000354//LETHAL(2)DENTICLELESS PROTEIN (DTL83 PROTEIN).//1.50E-21//208aa//35%/Q24371
- C-NT2RM4000356//RAS-RELATED PROTEIN RAB-17.//5.90E-80//213aa//75%/P35292
- C-NT2RM4000386//Mus musculus ODZ3 (Odz3) mRNA, partial cds.//0//2156bp//87%/AF195418
- 20 C-NT2RM4000421//Homo sapiens mRNA for nuclear transport receptor.//0//1730bp//99%/AJ133769
- C-NT2RM4000433//Mus musculus retinoic acid-responsive protein (Stra6) mRNA, complete cds.//4.10E-271//2085bp//77%/AF062476
- C-NT2RM4000457//HYPOTHETICAL 111.9 KD PROTEIN C22H10.03C IN CHROMOSOME I.//8.00E-20//393aa//24%/Q10297
- 25 C-NT2RM4000471//Homo sapiens cysteine desulfurase (nifS) mRNA, complete cds.//0//2092bp//99%/AF097025
- C-NT2RM4000486//SALIVARY PROLINE-RICH PROTEIN PRECURSOR (CLONES CP3, CP4 AND CP5) [CONTAINS: BASIC PEPTIDE IB-6; PEPTIDE P-H].//4.80E-11//242aa//31%/P04280
- C-NT2RM4000496//SAP1 PROTEIN.//8.30E-53//434aa//29%/P39955
- C-NT2RM4000515//NEUROFILAMENT TRIPLET H PROTEIN (200 KD NEUROFILAMENT PROTEIN) (NF-H) (FRAGMENT).//1.10E-11//394aa//24%/P16884
- 30 C-NT2RM4000531//ZINC FINGER PROTEIN 29 (ZFP-29).//2.40E-89//389aa//43%/Q07230
- C-NT2RM4000590//RING CANAL PROTEIN (KELCH PROTEIN).//1.00E-59//595aa//28%/Q04652
- C-NT2RM4000595//PUTATIVE ADENYLATE CYCLASE REGULATORY PROTEIN.//8.70E-15//403aa//30%/P26337
- 35 C-NT2RM4000611//VEGETATABLE INCOMPATIBILITY PROTEIN HET-E-1.//2.90E-09//108aa//31%/Q00808
- C-NT2RM4000616//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- AC-TIVATING ENZYME).//2.70E-146//420aa//60%/P27550
- C-NT2RM4000657//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE DELTA 1 (EC 3.1.4.11) (PLC-DELTA-1) (PHOSPHOLIPASE C-DELTA-1) (PLC-II).//3.00E-68//297aa//40%/P51178
- 40 C-NT2RM4000674//HYPOTHETICAL SYMPORTER SLL13747.//1.20E-28//180aa//30%/P74168
- C-NT2RM4000712//Homo sapiens ubiquitin hydrolyzing enzyme 1 (UBH1) mRNA, partial cds.//1.00E-136//1104bp//77%/AF022789
- C-NT2RM4000733//TRANSCRIPTION TERMINATION FACTOR RHO.//0.00000041//207aa//29%/P52154
- 45 C-NT2RM4000734//Homo sapiens Smad- and Olf-interacting zinc finger protein mRNA, partial cds.//0//2071bp//99%/AF221712
- C-NT2RM4000741//Homo sapiens hSGT1 mRNA for hSGt1p, complete cds.//0//2184bp//99%/D88208
- C-NT2RM4000751//ZINC FINGER PROTEIN 184 (FRAGMENT).//3.90E-125//301aa//53%/Q98676
- C-NT2RM4000798//Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 mRNA, complete cds.//0//2603bp//99%/AF084521
- 50 C-NT2RM4000820//VACUOLAR ATP SYNTHASE SUBUNIT AC45 PRECURSOR (EC 3.6.1.34) (V-ATPASE AC45 SUBUNIT).//1.10E-24//138aa//44%/P40682
- C-NT2RM4000857//LEUCINE-RICH ALPHA-2-GLYCOPROTEIN (LRG).//6.70E-22//250aa//29%/P02750
- C-NT2RM4000896//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//8.00E-211//738aa//50%/Q05481
- 55 C-NT2RM4001047//MO25 PROTEIN.//8.00E-140//333aa//80%/Q06138
- C-NT2RM4001054//Homo sapiens sec61 homolog mRNA, complete cds.//3.10E-190//1315bp//81%/AF077032
- C-NT2RM4001084//HYPOTHETICAL 105.6 KD PROTEIN C16C9.06C IN CHROMOSOME I.//0.000000032//165aa//33%/Q09820

- C-NT2RM4001092//ZINC FINGER PROTEIN GLO37/3.10E-24//265aa//33%//P38682
 C-NT2RM4001116//HYPOTHETICAL 216.3 KD PROTEIN R06F.8 IN CHROMOSOME II.//5.90E-86//292aa//48%//Q09417
- 5 C-NT2RM4001140//HOMEBOX PROTEIN MSH-D.//1.00E-11//103aa//38%//Q01704
 C-NT2RM4001155//ADRENAL MEDULLA 50 KD PROTEIN.//4.10E-197//445aa//78%//Q27969
 C-NT2RM4001178//PROBABLE ATP-DEPENDENT RNA HELICASE HAS1.//1.10E-48//218aa//43%//Q03532
 C-NT2RM4001200//ZINC FINGER PROTEIN 135.//9.50E-135//375aa//60%//P52742
 C-NT2RM4001203//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds.//0//2310bp//99%//AF004828
- 10 C-NT2RM4001217//Mus musculus actin-binding protein (ENC-1) mRNA, complete cds.//3.10E-148//1445bp//72%//U65079
 C-NT2RM4001256//Xenopus laevis putative Zic3 binding protein mRNA, complete cds.//4.30E-55//289bp//77%//AF129131
 C-NT2RM4001313//PHOSPHATIDYLINOSITOL 3-KINASE VPS34-UKE (EC 2.7.1.137) (PI3-KINASE) (PTDINS-3-KINASE) (PI3K).//3.50E-35//124aa//65%//P54676
 C-NT2RM4001316//ACYL-COA DEHYDROGENASE, MEDIUM-CHAIN SPECIFIC PRECURSOR (EC 1.3.99.3) (MCAD).//2.30E-31//334aa//30%//P08503
- 15 C-NT2RM4001320//Homo sapiens mRNA for Neuroblastoma, complete cds.//1.80E-39//728bp//64%//D89016
 C-NT2RM4001340//UTR4 PROTEIN (UNKNOWN TRANSCRIPT 4 PROTEIN).//1.00E-28//171aa//37%//P32626
 C-NT2RM4001344//HYPOTHETICAL GTP-BINDING PROTEIN IN POP2-HOL1 INTERGENIC REGION.//8.10E-30//265aa//33%//P53742
 C-NT2RM4001347//Homo sapiens NY-REN-25 antigen mRNA, partial cds.//0//2300bp//99%//AF155103
 C-NT2RM4001371//Homo sapiens IDN3 mRNA, partial cds.//0//2524bp//99%//AB019494
 C-NT2RM4001382//Homo sapiens RanBP7/importin 7 mRNA, complete cds.//2.20E-237//1079bp//99%//AF098799
- 25 C-NT2RM4001411//Mus musculus Pro-rich, PH, SH2 domain-containing signaling mediator (PSM) mRNA, complete cds.//0//1962bp//87%//AF020526
 C-NT2RM4001412//Homo sapiens nGAP mRNA, complete cds.//0//1918bp//99%//AF047711
 C-NT2RM4001444//ISOLEUCYL-TRNA SYNTHETASE (EC 6.1.1.5) (ISOLEUCINE--TRNA LIGASE) (ILERS).//1.40E-118//444aa//46%//P73505
 C-NT2RM4001483//ZINC FINGER PROTEIN 136.//5.10E-106//357aa//55%//P52737
 C-NT2RM4001566//NECDIN.//9.80E-44//227aa//41%//P25233
 C-NT2RM4001582//Mus musculus COP9 complex subunit 7b (COPS7b) mRNA, complete cds.//1.50E-284//1082bp//90%//AF071317
- 35 C-NT2RM4001592//HYPOTHETICAL 128.5 KD HELICASE IN ATS1-TPD3 INTERGENIC REGION.//7.60E-56//213aa//49%//P31380
 C-NT2RM4001597//M. musculus red-1 gene.//12.10E-171//1414bp//78%//X92750
 C-NT2RM4001611//SIS2 PROTEIN (HALOTOLERANCE PROTEIN HAL3).//2.60E-32//203aa//39%//Q12600
 C-NT2RM4001629//MAGUK P55 SUBFAMILY MEMBER 3 (MPP3 PROTEIN) (DISCS, LARGE HOMOLOG 3).//1.50E-93//278aa//38%//Q13368
 C-NT2RM4001666//HYPOTHETICAL 48.6 KD PROTEIN IN ALPA-GABP INTERGENIC REGION.//2.70E-84//410aa//42%//P37339
 C-NT2RM4001714//SEPTIN 2 HOMOLOG (FRAGMENT).//8.90E-141//354aa//72%//Q14141
 C-NT2RM4001731//Homo sapiens F-box protein Liliina (LILINA) mRNA, complete cds.//0//1922bp//100%//AF179221
- 45 C-NT2RM4001758//PUTATIVE SERINE/THREONINE-PROTEIN KINASE EMK (EC 2.7.).//4.10E-186//639aa//58%//Q05512
 C-NT2RM4001783//ZINC FINGER PROTEIN HRX (ALL-1).//7.90E-66//311aa//35%//Q03164
 C-NT2RM4001810//AGGRECAN CORE PROTEIN PRECURSOR (CARILAGE-SPECIFIC PROTEOGLYCAN CORE PROTEIN) (CSPCP) (CHONDROITIN SULFATE PROTEOGLYCAN CORE PROTEIN 1).//5.10E-07//263aa//30%//P16112
- 50 C-NT2RM4001813//LECTIN BRA-2.//0.0000048//114aa//30%//P17346
 C-NT2RM4001819//Human p58/GTA (galactosyltransferase associated protein kinase) mRNA, complete cds.//8.10E-300//1395bp//98%//M37712
 C-NT2RM4001823//ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6).//72.90E-55//325aa//37%//P28160
 C-NT2RM4001828//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//5.90E-161//481aa//56%//P51523
 C-NT2RM4001858//T-BOX CONTAINING PROTEIN TBX6L (FRAGMENT).//6.50E-22//126aa//46%//P79779

C-NT2RM4001865//Homo sapiens mRNA for atopy related autoantigen CALC. //4.30E-244//1248bp//94%//Y17711

C-NT2RM4001876//RAS SUPPRESSOR PROTEIN 1 (RSU-1) (RSP-1 PROTEIN) (RSP-1). //6.50E-233//184aa//36%//Q15404

5 C-NT2RM4001880//PUTATIVE DNA HELICASE II HOMOLOG (EC 3.6.1.-). //5.90E-09//268aa//26%//P47486

C-NT2RM4001930//Homo sapiens dolichyl-P-Glc:Man9GlcNAc2-PP-dolichyl glucosyltransferase (ALG6) mRNA, complete cds. //0//1930bp//99%//AF102851

C-NT2RM4001940//Homo sapiens timeless homolog mRNA, complete cds. //0//2087bp//99%//AF098162

10 C-NT2RM4001969//R. norvegicus mRNA for IP63 protein. //2.60E-261//1563bp//84%//X99330

C-NT2RM4001979//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2). //1.80E-112//457aa//47%//P51523

C-NT2RM4001987//NEURAL CELL ADHESION MOLECULE 1, LARGE ISOFORM PRECURSOR (N-CAM 180) [CONTAINS: N-CAM 140]. //3.20E-17//281aa//30%//P16170

15 C-NT2RM4002013//HYPOTHETICAL 89.4 KD TRP-ASP REPEATS CONTAINING PROTEIN IN PMT6-PCT1 INTERGENIC REGION. //6.90E-94//589aa//35%//P42935

C-NT2RM4002034//Homo sapiens hivi mRNA, partial cds. //1.90E-53//1585bp//60%//AF104260

C-NT2RM4002062//ASPARTYL-TRNA SYNTHETASE (EC 6.1.1.12) (ASPARTATE--TRNA LIGASE) (ASPRS). //1.90E-31//80aa//52%//P36419

20 C-NT2RM4002063//Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds. //0//1865bp//99%//U82267

C-NT2RM4002066//Homo sapiens thyroid hormone receptor-associated protein complex component TRAP230 mRNA, complete cds. //1.50E-211//1123bp//71 %//AF117755

C-NT2RM4002073//Mus musculus fatty acid transport protein 3 mRNA, partial cds. //9.30E-293//1751bp//83%//AF072758

25 C-NT2RM4002075//RING CANAL PROTEIN (KELCH PROTEIN). //2.80E-105//556aa//41 %//Q04652

C-NT2RM4002093//Homo sapiens neural polypyrimidine tract binding protein (PTB) mRNA, complete cds. //0//2550bp//99%//AF176085

C-NT2RM4002109//Homo sapiens mRNA for Chromokinesin (KIF 4 gene). //0//2572bp//99%//AJ271784

30 C-NT2RM4002145//SLIT PROTEIN PRECURSOR. //1.40E-09//127aa//33%//P24014

C-NT2RM4002146//Homo sapiens MAGOH mRNA, complete cds. //6.90E-70//454bp//85%//AF035940

C-NT2RM4002161//Homo sapiens laforin (EPM2A) mRNA, complete cds. //0//2671bp//99%//AF084553

C-NT2RM4002174//MRPPROTEIN. //9.10E-68//264aa//51%//P21590

C-NT2RM4002189//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE). //6.20E-33//688aa//27%//P08640

35 C-NT2RM4002194//Mus musculus semaphorin VIa mRNA, complete cds. //5.20E-297//1753bp//87%//AF030430

C-NT2RM4002205//ELONGATION FACTOR G, MITOCHONDRIAL PRECURSOR (MEF-G). //3.00E-37//122aa//72%//Q07803

C-NT2RM4002213//Homo sapiens protein phosphatase methylsterase-1 (PME-1) mRNA, complete cds. //0//2452bp//100%//AF157028

40 C-NT2RM4002226//GTPASE ACTIVATING PROTEIN ROTUND. //3.70E-19//147aa//41%//P40809

C-NT2RM4002251//ALPHA-1,3-MANNOSYL-GLYCOPROTEIN BETA-1,2-N-ACETYLGLUCOSAMINYLTRANSFERASE (EC 2.4.1.101) (N-GLYCOSYLOLOGOSACCHARIDE-GLYCOPROTEIN N-ACETYLGLUCOSAMINYLTRANSFERASE I) (GNT- I) (GLCNAC-T I). //2.20E-36//320aa//38%//P27808

45 C-NT2RM4002323//ANTIGEN GOR (FRAGMENT). //0.00000001//154aa//33%//P48778

C-NT2RM4002409//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- ACTIVATING ENZYME). //1.30E-29//275aa//30%//P27095

C-NT2RM4002438//Xenopus laevis putative Zic3 binding protein mRNA, complete cds. //1.10E-49//611 bp//70%//AF129131

50 C-NT2RM4002460//ENV POLYPROTEIN (COAT POLYPROTEIN) [CONTAINS: COAT PROTEINS GP70, GP20]. //0.0000016//226aa//24%//P51515

C-NT2RM4002527//VEGETATILE INCOMPATIBILITY PROTEIN HET-E-1. //8.90E-15//366aa//27%//Q00808

C-NT2RM4002532//PROTEIN HOM1. //2.00E-16//276aa//28%//P55137

C-NT2RM4002558//Homo sapiens fatty acid transport protein (FATP) mRNA, complete cds. //0//1797bp//99%//AF055899

55 C-NT2RM4002565//Mus musculus Sec8 mRNA, complete cds. //0//1915bp//87%//AF022962

C-NT2RM4002571//H. sapiens mRNA for UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase (T2). //4.60E-78//921bp//69%//X85019

C-NT2RM4002594//MSP1 PROTEIN HOMOLOG. //2.70E-68//236aa//58%//P54815

- C-NT2RM4002623//ASPARTYL-TRNA SYNTHETASE (EC 6.1.1.12) (ASPARTATE--TRNA UGASE) (ASPRS).//2.30E-101//488aa//45%/O32038
- C-NT2RP1000018//Homo sapiens mRNA for NIK, partial cds.//0//1747bp//99%/AB013385
- C-NT2RP1000035//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//0//1652bp//99%/AJ012449
- 5 C-NT2RP1000040//Mus musculus donson protein (Donson) mRNA, partial cds.//5.90E-150//1025bp//82%/AF193608
- C-NT2RP1000086//H. sapiens mRNA for zinc finger protein, Hsa12.//0//1162bp//99%/X98834
- C-NT2RP1000111//COP1 REGULATORY PROTEIN.//4.00E-116//296aa//51%/P93471
- C-NT2RP1000130//HEPATOMA-DERIVED GROWTH FACTOR (HDGF).//4.50E-50//181aa//60%/P51859
- 10 C-NT2RP1000163//Homo sapiens cell cycle progression 2 protein (CPR2) mRNA, complete cds.//3.40E-270//951bp//98%/AF011792
- C-NT2RP1000202//ANKYRIN.//1.00E-25//302aa//34%/Q02357
- C-NT2RP1000272//Mus musculus mRNA for neural specific sr protein NSSR 2, complete cds.//1.40E-267//1155bp//87%/AB015895
- 15 C-NT2RP1000326//Homo sapiens metaxin 2 (MTX2) mRNA, nuclear gene encoding mitochondrial protein, complete cds.//1.30E-275//1249bp//99%/AF053551
- C-NT2RP1000333//ANTI-SILENCING PROTEIN 1.//8.70E-47//155aa//58%/P32447
- C-NT2RP1000348//REDUCED VIABILITY UPON STARVATION PROTEIN 161.//1.70E-15//162aa//30%/P25343
- C-NT2RP1000363//R. norvegicus LL5 mRNA.//7.90E-262//1175bp//83%/X74226
- 20 C-NT2RP1000376//Homo sapiens Ca²⁺-independent phospholipase A2 long isoform (iPLA2) mRNA, complete cds.//0//2252bp//96%/AF102989
- C-NT2RP1000413//MEMBRANE-ASSOCIATED PROTEIN HEM-2 (NAP1 PROTEIN).//1.90E-153//230aa//99%/P55161
- C-NT2RP1000439//Xenopus laevis chromosome condensation protein XCAP-G mRNA, complete cds.//1.80E-94//1019bp//63%/AF114423
- 25 C-NT2RP1000443//QUINONE OXIDOREDUCTASE (EC 1.6.5.5) (NADPH:QUINONE REDUCTASE) (ZETA-CRYSTALLIN).//2.40E-10//227aa//25%/Q08257
- C-NT2RP1000460//NUCLEAR MOVEMENT PROTEIN NUDC.//3.80E-19//149aa//36%/P17624
- C-NT2RP1000470//PUTATIVE ATP-DEPENDENT RNA HELICASE T26G10.1 IN CHROMOSOME III.//2.60E-94//254aa//47%/P34580
- 30 C-NT2RP1000478//TUBULIN BETA-5 CHAIN (CLASS-V).//4.50E-240//445aa//97%/P09653
- C-NT2RP1000481//Homo sapiens antigen NY-CO-3 (NY-CO-3) mRNA, partial cds.//7.5E-315//1445bp//99%/AF039688
- C-NT2RP1000493//POSSIBLE DNA-REPAIR PROTEIN XP-E (POSSIBLE XERODERMA PIGMENTOSUM GROUP E PROTEIN) (UV-DAMAGED DNA-BINDING PROTEIN) (UV-DBB).//3.60E-30//534aa//23%/P33194
- 35 C-NT2RP1000513//Human NifU-like protein (hNifU) mRNA, partial cds.//6.50E-171//516bp//99%/U47101
- C-NT2RP1000522//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE DUB-1 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE DUB-1) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE DUB-1) (DEUBIQUITINATING ENZYME 1).//8.20E-83//345aa//47%/Q61068
- 40 C-NT2RP1000547//COP-COATED VESICLE MEMBRANE PROTEIN P24 PRECURSOR (FRAGMENT).//1.10E-27//193aa//35%/P49020
- C-NT2RP1000574//HOMEODOMAIN PROTEIN MEIS2 (MEIS1-RELATED PROTEIN 1).//3.50E-75//151aa//94%/P97367
- C-NT2RP1000630//NECDIN.//2.40E-44//227aa//41%/P25233
- 45 C-NT2RP1000677//SODIUM-DEPENDENT ORGANIC ANION TRANSPORTER (ORGANIC ANION TRANSPORTING POLYPEPTIDE).//1.20E-78//483aa//31%/P46721
- C-NT2RP1000701//Homo sapiens phospholipase A2 activating protein (PLA2P) mRNA, complete cds.//0//1687bp//99%/AF145020
- C-NT2RP1000733//Human mRNA for GSPT1-TK protein, complete cds.//0//2057bp//99%/E14379
- 50 C-NT2RP1000738//Homo sapiens Wolf-Hirschhorn syndrome candidate 2 protein (WHSC2) mRNA, complete cds.//0//2186bp//99%/AF101434
- C-NT2RP1000746//Homo sapiens 60S acidic ribosomal protein PO mRNA, complete cds.//9.70E-196//901bp//99%/AF173378
- C-NT2RP1000782//PLATELET-ENDOTHELIAL TETRASPAN ANTIGEN 3 (PETA-3) (GP27) (MEMBRANE GLYCOPROTEIN SFA-1) (CD151 ANTIGEN).//1.20E-30//232aa//30%/O35566
- 55 C-NT2RP1000825//GTPASE-ACTIVATING PROTEIN RHOGAP (RHO-RELATED SMALL GTPASE PROTEIN ACTIVATOR) (CDC42 GTPASE-ACTIVATING PROTEIN) (P50-RHOGAP).//8.20E-83//334aa//50%/Q07960
- C-NT2RP1000833//Homo sapiens cGMP phosphodiesterase A1 (PDE9A) mRNA, complete cds.//0//1494bp//99%/

AF067223

C-NT2RP1000834//Homo sapiens alpha-methylacyl-CoA racemase mRNA, complete cds.//1.80E-176//829bp//98%//AF047020

C-NT2RP1000856//PLATELET-ENDOTHELIAL TETRASPAN ANTIGEN 3 (PETA-3) (GP27) (MEMBRANE GLYCOPROTEIN SFA-1) (CD151 ANTIGEN).//1.20E-30//232aa//30%//Q35566

C-NT2RP1000860//Homo sapiens KL04P mRNA, complete cds.//0//1555bp//99%//AF064094

C-NT2RP1000902//HYPOTHETICAL 127.4 KD PROTEIN F07F6.4 IN CHROMOSOME III.//5.20E-20//306aa//33%//Q09531

C-NT2RP1000915//AUTOANTIGEN NGP-1.//1.70E-19//343aa//25%//Q13823

C-NT2RP1000947//Human E2 ubiquitin conjugating enzyme Ubcl5B (UBCH5B) mRNA, complete cds.//4.60E-105//504bp//99%//U39317

C-NT2RP1000954//RING CANAL PROTEIN (KELCH PROTEIN).//1.40E-23//370aa//28%//Q04652

C-NT2RP1000958//AUTOANTIGEN NGP-1.//1.40E-19//343aa//25%//Q13823

C-NT2RP1000959//Human acidic ribosomal phosphoprotein P0 mRNA, complete cds.//2.50E-236//966bp//99%//M17885

C-NT2RP1000966//NUCLEOLIN (PROTEIN C23).//8.90E-299//554aa//99%//P19338

C-NT2RP1001011//Drosophila melanogaster putative 43 kDa protein (TH1) mRNA, complete cds.//2.20E-78//1529bp//61%//L01790

C-NT2RP1001013//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//7.70E-253//425aa//98%//P51522

C-NT2RP1001033//Homo sapiens delta-tubulin mRNA, complete cds.//2.10E-285//1290bp//100%//AF201333

C-NT2RP1001073//Homo sapiens U6 snRNA-associated Sm-like protein LSM5 mRNA, complete cds.//8.10E-107//504bp//99%//AF182291

C-NT2RP1001079//Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds.//0//2085bp//99%//U82267

C-NT2RP1001080//PROBABLE ATP-DEPENDENT RNA HELICASE DBP9.//2.30E-116//319aa//46%//Q06218

C-NT2RP1001113//Homo sapiens CTL2 gene.//0//2790bp//98%//AJ245621

C-NT2RP1001177//Rattus norvegicus histone macroH2A1.2 mRNA, complete cds.//5.20E-108//1278bp//69%//U79139

C-NT2RP1001185//Human isovaleryl-coA dehydrogenase (IVD) mRNA, complete cds.//1.90E-158//729bp//99%//M34192

C-NT2RP1001247//Homo sapiens TGF-beta type secreted signaling protein LEFTYA mRNA, complete cds.//0//2006bp//100%//AF081513

C-NT2RP1001253//Homo sapiens oscillin (hLn) mRNA, complete cds.//0//2020bp//99%//AF029914

C-NT2RP1001294//MICROTUBULE-ASSOCIATED PROTEIN YTM1.//1.80E-38//258aa//32%//Q12024

C-NT2RP1001302//MICROTUBULE-ASSOCIATED PROTEIN YTM1.//1.80E-38//258aa//32%//Q12024

C-NT2RP1001310//Homo sapiens mitochondrial carrier homolog 1 isoform a mRNA, partial cds; nuclear gene for mitochondrial product.//0//1732bp//99%//AF176006

C-NT2RP1001313//Homo sapiens delta-6 fatty acid desaturase mRNA, complete cds.//7.50E-121//1394bp//69%//AF126799

C-NT2RP1001361//Homo sapiens NADH-ubiquinone oxidoreductase subunit B14.5B homolog mRNA, complete cds.//6.50E-116//541bp//100%//AF070652

C-NT2RP1001385//HYPOTHETICAL 48.8 KD PROTEIN IN SSU81-SCS2 INTERGENIC REGION.//2.70E-22//284aa//25%//P40074

C-NT2RP1001395//Homo sapiens COP9 complex subunit 7a mRNA, complete cds.//0//1782bp//99%//AF210052

C-NT2RP1001410//PUTATIVE GTP-BINDING PROTEIN W08E3.3.//8.90E-141//396aa//67%//P91917

C-NT2RP1001449//Mus musculus Gng31g mRNA, complete cds.//7.20E-165//800bp//87%//AF069954

C-NT2RP1001457//Homo sapiens partial mRNA for beta-transducin family protein (putative).//1.20E-137//629bp//100%//AJ005257

C-NT2RP1001482//Mouse oncogene (ect2) mRNA, complete cds.//2.10E-158//755bp//86%//L11316

C-NT2RP1001494//MALE STERILITY PROTEIN 2.//17.20E-40//261aa//27%//Q08891

C-NT2RP1001543//MYO-INOSITOL-1-PHOSPHATE SYNTHASE (EC 5.5.1.4) (IP5).//1.60E-166//506aa//60%//P42803

C-NT2RP1001546//PLATELET-ENDOTHELIAL TETRASPAN ANTIGEN 3 (PETA-3) (GP27) (MEMBRANE GLYCOPROTEIN SFA-1) (CD151 ANTIGEN).//1.60E-30//232aa//30%//Q35566

C-NT2RP1001569//SIGNAL RECOGNITION PARTICLE RECEPTOR BETA SUBUNIT (SR-BETA).//5.80E-121//271aa//89%//P47758

C-NT2RP1001665//CALMODULIN.//0.00000051//83aa//30%//P02594

- C-NT2RP2000006//DNAJ PROTEIN (40 KD HEAT SHOCK CHAPERONE PROTEIN) (HSP40).//9.80E-17//179aa//55%//O34136
- C-NT2RP2000008//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//2.40E-17//1726aa//47%//P51523
- 5 C-NT2RP2000032//RAS SUPPRESSOR PROTEIN 1 (RSU-1) (RSP-1 PROTEIN) (RSP-1)7/1.80E-22//184aa//34%//Q01730
- C-NT2RP2000045//Homo sapiens tumorous imaginal discs protein Tid56 homolog (TID1) mRNA, complete cds.//0//1390bp//98%//AF061749
- 10 C-NT2RP2000054//Homo sapiens putative ring zinc finger protein NY-REN-43 antigen mRNA, complete cds.//0//2245bp//99%//AF155109
- C-NT2RP2000056//PROTEIN-TYROSINE PHOSPHATASE EPSILON PRECURSOR (EC 3.1.3.48) (R-PTP-EP-SILON).//9.40E-16//45aa//100%//P49446
- C-NT2RP2000067//Mus musculus ODZ3 (Odz3) mRNA, partial cds.//0//3546bp//99%//AF195418
- 15 C-NT2RP2000070//CADHERIN-RELATED TUMOR SUPPRESSOR PRECURSOR (FAT PROTEIN).//3.40E-51//383aa//32%//P33450
- C-NT2RP2000076//Homo sapiens partial mRNA for polyhomeotic 2 protein (PH2 gene).//7.90E-20//265bp//73%//AJ242730
- C-NT2RP2000114//Homo sapiens mRNA for GM3 synthase, complete cds.//0//2244bp//99%//AB018356
- 20 C-NT2RP2000126//POSSIBLE GLOBAL TRANSCRIPTION ACTIVATOR SNF2L.//2.50E-11//541aa//42%//P41877
- C-NT2RP2000133//Homo sapiens Leman coiled-coil protein (LCCP) mRNA, complete cds.//0//1490bp//99%//AF175966
- C-NT2RP2000147//CLATHRIN COAT ASSEMBLY PROTEIN AP47 (CLATHRIN COAT ASSOCIATED PROTEIN AP47) (GOLGI ADAPTOR AP-1 47 KD PROTEIN) (HA1 47 KD SUBUNIT) (CLATHRIN ASSEMBLY PROTEIN ASSEMBLY PROTEIN COMPLEX 1 MEDIUM CHAIN).//4.40E-226//423aa//99%//P35585
- 25 C-NT2RP2000153//GAR2 PROTEIN.//9.80E-23//311aa//28%//P41891
- C-NT2RP2000157//MLO2 PROTEIN.//2.60E-11//62aa//40%//Q09329
- C-NT2RP2000161//DIS3 PROTEIN HOMOLOGY.//4.10E-35//184aa//44%//Q17632
- 30 C-NT2RP2000183//DIHYDROPYRIMIDINASE RELATED PROTEIN-2 (DRP-2) (NEURAL SPECIFIC PROTEIN NSP60).//3.30E-16//114aa//44%//O02675
- C-NT2RP2000195//Homo sapiens androgen induced protein (AIG-1) mRNA, complete cds.//7.80E-152//704bp//99%//AF153605
- C-NT2RP2000224//INSULIN RECEPTOR SUBSTRATE-1 (IRS-1).//0.000043//103aa//28%//P35568
- 35 C-NT2RP2000248//UDP-N-ACETYLGLUCOSAMINE-PEPTIDE N-ACETYLGLUCOSAMINYLTRANSFERASE 110 KD SUBUNIT (EC 2.4.1.-) (O-GLCNAC TRANSFERASE P110 SUBUNIT).//3.40E-21//210aa//33%//P56558
- C-NT2RP2000257//PUTATIVE MITOCHONDRIAL CARRIER YIL006W.//9.70E-41//278aa//36%//P40556
- C-NT2RP2000258//ACTIVATOR 1 140 KD SUBUNIT (REPLICATION FACTOR C LARGE SUBUNIT) (A1 140 KD SUBUNIT) (RF-C 140 KD SUBUNIT) (ACTIVATOR 1 LARGE SUBUNIT) (DNA-BINDING PROTEIN PO-GA).//7.10E-12//213aa//23%//P35251
- 40 C-NT2RP2000270//Human putative G-protein coupled receptor (SH120) mRNA, complete cds.//1.30E-242//1043bp//99%//U78723
- C-NT2RP2000288//HYPOTHETICAL 111.9 KD PROTEIN C22H10.03C IN CHROMOSOME 1.//1.60E-27//576aa//25%//Q10297
- C-NT2RP2000297//ZINC FINGER PROTEIN 184 (FRAGMENT).//3.30E-186//256aa//60%//Q99676
- 45 C-NT2RP2000310//Human proline dehydrogenase/proline oxidase (PRODH) mRNA, complete cds.//4.30E-279//1193bp//99%//U82381
- C-NT2RP2000329//GTP-AMP PHOSPHOTRANSFERASE MITOCHONDRIAL (EC 2.7.4.10) (AK3).//2.00E-111//226aa//92%//P08760
- 50 C-NT2RP2000346//Homo sapiens apoptosis associated protein (GADD34) mRNA, complete cds.//0//2331bp//99%//U83981
- C-NT2RP2000414//Homo sapiens HnRNP F protein mRNA, complete cds.//0//1886bp//99%//L28010
- C-NT2RP2000420//ZINC FINGER PROTEIN 165.//8.50E-33//155aa//52%//P49910
- C-NT2RP2000422//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//0//1757bp//99%//AF102265
- 55 C-NT2RP2000448//KES1 PROTEIN.//8.70E-54//392aa//38%//P35844
- C-NT2RP2000523//APOLOPROTEIN B MRNA EDITING PROTEIN (HEPR) (APOBEC-1).//6.00E-16//124aa//34%//P41238
- C-NT2RP2000660//SAP1 PROTEIN.//5.20E-68//474aa//32%//P39955

- C-NT2RP2000668//SERINE/THREONINE PROTEIN KINASE PKPA (EC 2.7.1.-)//1.30E-27//349aa//32%//Q01577
- C-NT2RP2000710//ASPARTYL-TRNA SYNTHETASE (EC 6.1.1.12) (ASPARTATE--TRNA LIGASE)//2.70E-100//488aa//44%//O32038
- 5 C-NT2RP2000764//NIFS PROTEIN//6.60E-36//252aa//42%//P12623
- C-NT2RP2000809//Homo sapiens BAG-family molecular chaperone regulator-5 mRNA, complete cds.//0//3347bp//99%//AF095195
- C-NT2RP2000812//DILUTE MYOSIN HEAVY CHAIN, NON-MUSCLE (MYOSIN 5A)//5.-60E-08//179aa//29%//Q99104
- 10 C-NT2RP2000814//GELATION FACTOR (ACTIN BINDING PROTEIN 120) (ABP-120)//1.10E-07//96aa//29%//P13466
- C-NT2RP2000816//MAGNESIUM-CHELATASE 30 KD SUBUNIT//7.90E-08//172aa//28%//P26174
- C-NT2RP2000842//Human lysophosphatidic acid receptor homolog mRNA, complete cds.//0//1562bp//99%//U80811
- 15 C-NT2RP2000880//PROBABLE TRANSLATION INITIATION FACTOR IF-2//0//694aa//99%//O60841
- C-NT2RP2000892//Rattus norvegicus db83 mRNA, complete cds.//2.90E-191//1094bp//85%//AB006135
- C-NT2RP2000931//MATRIN 3//2.40E-289//467aa//95%//P43244
- C-NT2RP2000943//Homo sapiens sec24D protein mRNA, complete cds.//0//2767bp//99%//AF130464
- 20 C-NT2RP2000965//Homo sapiens mRNA for fls353, complete cds.//0//1989bp//96%//AB024704
- C-NT2RP2001070//PUTATIVE PYRIDOXAMINE 5'-PHOSPHATE OXIDASE (EC 1.4.3.5) (PNP/PMPOXIDASE)//5.80E-46//222aa//45%//Q20939
- C-NT2RP2001081//SYNAPTOTAGMIN IV//4.20E-118//430aa//54%//P50232
- C-NT2RP2001127//Homo sapiens mRNA for PLU-1 protein.//0//2514bp//99%//AJ132440
- C-NT2RP2001168//VERPROLIN//1.50E-09//143aa//33%//P37370
- 25 C-NT2RP2001174//GASTRULA ZINC FINGER PROTEIN XLCGF46.1 (FRAGMENT)//6.00E-10//88aa//38%//P18722
- C-NT2RP2001233//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7)//2.00E-128//409aa//45%//Q05481
- C-NT2RP2001245//MYOSIN HEAVY CHAIN, NONMUSCLE (CELLULAR MYOSIN HEAVY CHAIN) (NMMHC)//2.20E-10//366aa//28%//P14105
- 30 C-NT2RP2001290//BETA-SOLUBLE NSF ATTACHMENT PROTEIN (SNAP-BETA) (SNAP-ALPHA HOMOLOG) (BRAIN PROTEIN 147) (FRAGMENT)//4.40E-91//179aa//99%//P28663
- C-NT2RP2001295//ZINC/CADMIUM RESISTANCE PROTEIN//8.30E-39//161aa//34%//P20107
- C-NT2RP2001327//TUMOR NECROSIS FACTOR, ALPHA-INDUCED PROTEIN 1, ENDOTHELIAL (B12 PROTEIN)//5.50E-116//311aa//71%//Q13829
- 35 C-NT2RP2001378//MUCIN 2 PRECURSOR (INTESTINAL MUCIN 2)//2.00E-11//403aa//25%//Q02817
- C-NT2RP2001392//MITOCHONDRIAL LON PROTEASE HOMOLOG 1 PRECURSOR (EC 3.4.21.-)//8.40E-192//581aa//54%//P93647
- C-NT2RP2001394//Homo sapiens mRNA for SCML2 protein.//0//2068bp//99%//Y18004
- 40 C-NT2RP2001397//Homo sapiens mRNA for cyclin B2, complete cds.//1.9E-316//1428bp//100%//AB020981
- C-NT2RP2001420//Mus musculus nuclear protein NIP45 mRNA, complete cds.//9.00E-112//742bp//82%//U76759
- C-NT2RP2001440//Homo sapiens mRNA for 14-3-3gamma, complete cds.//0//3712bp//99%//AB024334
- C-NT2RP2001460//TRICHOHYAUN//1.00E-14//521aa//24%//P37709
- 45 C-NT2RP2001511//Homo sapiens putative RNA-binding protein Q99 mRNA, complete cds.//3.20E-297//2206bp//75%//AF093097
- C-NT2RP2001520//Homo sapiens mRNA for mitochondrial carrier protein ALARAL1.//0//2502bp//99%//Y14494
- C-NT2RP2001536//Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds.//0//2326bp//99%//AF035586
- 50 C-NT2RP2001560//VAV2 PROTEIN//0.00000015//219aa//27%//Q60992
- C-NT2RP2001576//HYPOTHETICAL 62.2 KD PROTEIN C4G8.12C IN CHROMOSOME 1//8.20E-29//294aa//31%//Q09837
- C-NT2RP2001597//RYANODINE RECEPTOR, CARDIAC MUSCLE//0.000000036//127aa//36%//P30957
- C-NT2RP2001601//Homo sapiens SUMO-1-specific protease (SSP1) mRNA, complete cds.//0//1748bp//99%//AF196304
- 55 C-NT2RP2001613//MITOCHONDRIAL IMPORT RECEPTOR SUBUNIT TOM40 (MOM38 PROTEIN) (TRANSLOCASE OF OUTER MEMBRANE 40 KD SUBUNIT)//6.10E-12//184aa//31%//P24391
- C-NT2RP2001634//Homo sapiens alpha-catenin-like protein mRNA, complete cds.//0//2445bp//99%//U97067
- C-NT2RP2001660//Homo sapiens putative 13 S Golgi transport complex 90kd subunit brain-specific isoform mR-

NA, complete cds.//O1/1287bp/99%//AF058718

C-NT2RP2001663//ENOLASE (EC 4.2.1.11) (2-PHOSPHOGLYCERATE DEHYDRATASE), (2-PHOSPHO-D-GLYCERATE HYDRO-LYASE) (FRAGMENT).//I1.10E-47//126aa//53%//P42897

C-NT2RP2001740//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE DUB-1 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE DUB-1) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE DUB-1) (DEUBIQUITINATING ENZYME 1).//I7.90E-52//220aa//44%//Q61068

C-NT2RP2001748//FARNESYL PYROPHOSPHATE SYNTHETASE (FPP SYNTHETASE) (FPS) (FARNESYL DIPHOSPHATE SYNTHETASE) (DIMETHYLALLYLTRANSFERASE (EC 2.5.1.1) / GERANYLTRANSFERASE (EC 2.5.1.10)) (KIAA0032).//I5.40E-47//96aa//79%//P14324

C-NT2RP2001756//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//I1.70E-49//411aa//32%//P51523

C-NT2RP2001839//SCY1 PROTEIN.//I5.40E-32//621aa//24%//P53009

C-NT2RP2001869//ZINC FINGER PROTEIN 191.//I7.10E-26//126aa//52%//O14754

C-NT2RP2001876//ALLOGRAFT INFLAMMATORY FACTOR-1 (AIF-1) (IONIZED CALCIUM BINDING ADAPTER MOLECULE 1).//I1.20E-45//141aa//65%//P55008

C-NT2RP2001883//Homo sapiens CGI-01- protein mRNA, complete cds.//O/2306bp/99%//AF132936

C-NT2RP2001898//Homo inositol polyphosphate 5-phosphatase (5ptase) mRNA, 3' end.//O/2518bp/98%//M74161

C-NT2RP2001900//ACTIN-LIKE PROTEIN ARP5.//I2.30E-38//395aa//30%//P53946

C-NT2RP2001976//Mus musculus calmodulin-binding protein SHA1 (Sha1) mRNA, complete cds.//I4.70E-177//1538bp//74%//AF062378

C-NT2RP2001985//Homo sapiens high-risk human papilloma viruses E6 oncoproteins targeted protein E6TP1 alpha mRNA, complete cds.//I2.00E-38//435bp//67%//AF090989

C-NT2RP2001991//SODIUM- AND CHLORIDE-DEPENDENT TRANSPORTER NTT73.//I6.50E-129//279aa//85%//Q08469

C-NT2RP2002025//NG-CAM RELATED CELL ADHESION MOLECULE PRECURSOR (NR-CAM) (BRAVO).//I1.70E-47//247aa//52%//P35331

C-NT2RP2002046//Homo sapiens mRNA for transcription factor.//O/1664bp/99%//AJ130894

C-NT2RP2002058//Homo sapiens WD repeat protein WDR3 (WDR3) mRNA, complete cds.//O/2510bp/99%//AF083217

C-NT2RP2002066//Rattus norvegicus transmembrane receptor Unc5H2 mRNA, complete cds.//I1.60E-226//1301bp//88%//U87306

C-NT2RP2002078//PECANEX PROTEIN.//I1.80E-09//195aa//32%//P18490

C-NT2RP2002079//HISTONE H1, GONADAL.//I4.40E-11//214aa//34%//P02256

C-NT2RP2002099//Homo sapiens mRNA for E1B-55kDa-associated protein.//O/33 89bp/99%//AJ007509

C-NT2RP2002105//H.sapiens MSH-R gene for melanocyte stimulating hormone receptor.//O/1644bp/98%//X65834

C-NT2RP2002124//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 4 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE 4) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 4) (DEUBIQUITINATING ENZYME 4) (UBIQUITOUS NUCLEAR PROTEIN HOMOLOG).//I4.30E-44//155aa//37%//Q13107

C-NT2RP2002185//Homo sapiens ubiquitin mRNA, complete cds.//O/1789bp/99%//AF176069

C-NT2RP2002193//Homo sapiens PIAS3 mRNA for protein inhibitor of activated STAT3, complete cds.//O/2809bp/99%//AB021868

C-NT2RP2002252//Mus musculus (clone pVZmSin3A9) mSin3A9 mRNA, complete cds.//O/3118bp//91%//L38621

C-NT2RP2002256//Homo sapiens retinoic acid hydroxylase mRNA, complete cds.//O/1528bp/98%//AF005418

C-NT2RP2002270//AF-9 PROTEIN.//I1.20E-07//174aa//36%//P42568

C-NT2RP2002312//Homo sapiens mRNA for CDS2 protein.//O/2333bp/99%//Y16521

C-NT2RP2002325//Homo sapiens mRNA for Pex11p, complete cds.//I8.40E-254//1158bp/99%//AB015594

C-NT2RP2002385//Homo sapiens synaptic glycoprotein SC2 spliced variant mRNA, complete cds.//I4.30E-240//1105bp/99%//AF038958

C-NT2RP2002408//Homo sapiens mRNA for TOLLIP protein.//I3.20E-210//1136bp//93%//AJ242972

C-NT2RP2002442//HESA PROTEIN.//I2.80E-14//163aa//30%//P46037

C-NT2RP2002464//DNA CROSS-LINK REPAIR PROTEIN PSO2/SNM1.//I6.50E-07//171aa//27%//P30620

C-NT2RP2002479//Homo sapiens mRNA for ABC transporter 7 protein, complete cds.//O/2180bp/99%//AB005289

C-NT2RP2002503//ZINC FINGER PROTEIN 45 (BRC1744).//I4.60E-144//537aa//49%//Q02386

C-NT2RP2002520//Homo sapiens transcription factor RFX-B (RFXB) mRNA, complete cds.//I3.70E-34//668bp//61%//AF105427

- C-NT2RP2002537//HYPOTHETICAL 55.1 KD PROTEIN B0416.5 IN CHROMOSOME X.//6.20E-19//288aa//26%/Q11073
- C-NT2RP2002591//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//1.20E-155//562aa//50%/P51523
- 5 C-NT2RP2002595//PROBABLE CALCIUM-BINDING PROTEIN ALG-2 (PMP41) (ALG-257).//7.50E-35//181aa//42%/P12815
- C-NT2RP2002606//Rattus norvegicus Rabin3 mRNA, complete cds.//9.20E-147//874bp//87%/U19181
- C-NT2RP2002609//2-HYDROXYMUCONIC SEMIALDEHYDE HYDROLASE (EC 3.1.1.-) (HMSH).//2.80E-08//109aa//37%/P19076
- 10 C-NT2RP2002618//PROTEIN ARGININE N-METHYLTRANSFERASE 2 (EC 2.1.1.-).//1.70E-51//326aa//38%/P55345
- C-NT2RP2002701//HYPOTHETICAL 38.1 KD PROTEIN C2F12.15C IN CHROMOSOME II.//1.90E-14//210aa//30%/Q14345
- C-NT2RP2002710//SH3-BINDING PROTEIN 3BP-1.//4.90E-85//489aa//43%/P55194
- 15 C-NT2RP2002727//Rattus norvegicus tulip 2 mRNA, complete cds.//3.50E-74//727bp//72%/AF041107
- C-NT2RP2002741//Homo sapiens mRNA for Neuroblastoma, complete cds.//9.90E-54//964bp//64%/D89016
- C-NT2RP2002862//60S ACIDIC RIBOSOMAL PROTEIN P0 (LIGHT-INDUCED 34 KD PROTEIN).//8.80E-10//203aa//27%/P29764
- C-NT2RP2002880//GLUCOSE REPRESSION MEDIATOR PROTEIN.//0.000039//206aa//23%/P14922
- 20 C-NT2RP2002928//Homo sapiens pre-mRNA splicing factor (PRP17) mRNA, complete cds.//1.90E-136//623bp//100%/AF038392
- C-NT2RP2002929//HYPOTHETICAL 46.2 KD TRP-ASP REPEATS CONTAINING PROTEIN D2013.2 IN CHROMOSOME II.//4.10E-87//395aa//40%/Q18964
- C-NT2RP2002939//ZINC FINGER PROTEIN 136.//5.40E-70//282aa//42%/P52737
- 25 C-NT2RP2002959//UBIQUITIN-CONJUGATING ENZYME E2-17 KD 2 (EC 6.3.2.19) (UBIQUITIN-PROTEIN LIGASE) (UBIQUITIN CARRIER PROTEIN) (E2(17)KB 2).//4.60E-80//147aa//100%/P51669
- C-NT2RP2002980//30S RIBOSOMAL PROTEIN S10.//1.00E-08//98aa//36%/P10129
- C-NT2RP2002986//Homo sapiens mRNA for Kelch motif containing protein, complete cds.//0//2209bp//99%/AB026190
- 30 C-NT2RP2002993//DNA-DIRECTED RNA POLYMERASE 1135 KD POLYPEPTIDE (EC 2.7.7.6) (RNA POLYMERASE I SUBUNIT 2) (RPA135).//0//716aa//91%/P70700
- C-NT2RP2003000//TUMOR NECROSIS FACTOR, ALPHA-INDUCED PROTEIN 1, ENDOTHELIAL (B12 PROTEIN).//L90E-11//132aa//38%/Q13829
- C-NT2RP2003121//Mus musculus enhancer of polycbmb (Epc1) mRNA, complete cds.//2.20E-82//642bp//68%/AF079765
- 35 C-NT2RP2003125//RING CANAL PROTEIN (KELCH PROTEIN).//2.40E-38//539aa//25%/Q04652
- C-NT2RP2003137//UBIQUITIN.//0.000026//70aa//30%/P13117
- C-NT2RP2003157//SPLICING FACTOR, ARGININE/SERINE-RICH 4 (PRE-MRNA SPLICING FACTOR SRP75).//1.30E-13//185aa//38%/Q08170
- 40 C-NT2RP2003158//Homo sapiens mRNA for proteasome subunit p58, complete cds.//0//2091bp//99%/D67025
- C-NT2RP2003164//Homo sapiens mRNA for protein kinase.//0//2313bp//99%/AJ132545
- C-NT2RP2003177//Homo sapiens recombination and sister chromatid cohesion protein homolog (hrec8) mRNA, partial cds.//0//1641bp//99%/AF006264
- C-NT2RP2003228//H. sapiens PI-Cdc21 mRNA.//0//2870bp//98%/X74794
- 45 C-NT2RP2003230//Rattus norvegicus endo-alpha-D-mannosidase (Enman) mRNA, complete cds.//2.60E-186//1551bp//77%/AF023657
- C-NT2RP2003243//Homo sapiens partial mRNA for putative p621 protein which interacts with transcription factor Sp1.//0//1544bp//99%/AJ242978
- 50 C-NT2RP2003265//Homo sapiens CGI-53 protein mRNA, complete cds.//0//1580bp//99%/AF158111
- C-NT2RP2003272//Homo sapiens ubiquitin mRNA, complete cds.//0//1789bp//99%/AF176069
- C-NT2RP2003277//NAM7 PROTEIN (ONSENSE-MEDIATED MRNA DECAY PROTEIN 1) (UP-FRAMESHIFT SUPPRESSOR 1).//1.90E-16//145aa//43%/P30771
- C-NT2RP2003286//PROBABLE RNA 3'-TERMINAL PHOSPHATE CYCLASE (EC 6.5.1.4) (RNA-3'-PHOSPHATE CYCLASE) (RNA CYCLASE).//4.20E-88//374aa//47%/Q23400
- 55 C-NT2RP2003295//Homo sapiens RMP mRNA for RPB5 mediating protein, complete cds.//0//1526bp//99%/AB006572
- C-NT2RP2003307//KINESIN LIGHT CHAIN (KLC).//2.20E-199//550aa//70%/Q07866
- C-NT2RP2003308//CROOKED NECK PROTEIN.//5.40E-244//622aa//67%/P17886

- C-NT2RP2003329//PUTATIVE ADENYLATE CYCLASE REGULATORY PROTEIN.//3.60E-14//332aa//32%//P26337
- C-NT2RP2003347//BREAST CANCER TYPE 1 SUSCEPTIBILITY PROTEIN HOMOLOG.//0.000022//261aa//24%//P48754
- 5 C-NT2RP2003391//Homo sapiens mRNA for nuclear transport receptor.//0//1509bp//99%//AJ133769
- C-NT2RP2003394//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//5.50E-13//302aa//26%//P25386
- C-NT2RP2003401//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE DUB-1 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE DUB-1) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE DUB-1) (DEUBIQUITINATING ENZYME 1).//9.60E-78//346aa//43%//Q61068
- 10 C-NT2RP2003433//PROTEIN TRANSPORT PROTEIN SEC61 ALPHA SUBUNIT.//5.00E-131//269aa//91%//P38378
- C-NT2RP2003466//Homo sapiens delta-6 fatty acid desaturase mRNA, complete cds.//0//2194bp//99%//AF126799
- 15 C-NT2RP2003480//Homo sapiens zinc finger DNA binding protein 99 (ZNF281) mRNA, complete cds.//0//3012bp//99%//AF125158
- C-NT2RP2003506//NADPH-CYTQCHROME P450 REDUCTASE (EC 1.6.2.4) (CPR).//5.40E-14//106aa//46%//P04175
- C-NT2RP2003513//Homo sapiens mRNA for paraelemmin.//0//2137bp//97%//Y14770
- 20 C-NT2RP2003517//Human c-sis/platelet-derived growth factor 2 (SIS/PDGF2) mRNA, complete cds.//0//1746bp//95%//M12783
- C-NT2RP2003522//Homo sapiens zinc finger DNA binding protein 99 (ZNF281) mRNA, complete cds.//0//1764bp//99%//AF125158
- 25 C-NT2RP2003543//HYPOTHETICAL TRNA/RRNA METHYLTRANSFERASE SLR1673 (EC 2.1.1.-).//1.70E-17//148aa//34%//P74261
- C-NT2RP2003564//52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A))(RO(SS-A)).//2.10E-59//270aa//46%//P19474
- C-NT2RP2003596//Mus musculus Fas-apoptosis inhibitory molecule (Faim) mRNA, complete cds.//4.80E-82//530bp//85%//AF130367
- 30 C-NT2RP2003604//Homo sapiens alpha-catenin-like protein (CTNNAL1) mRNA, complete cds.//0//2442bp//99%//AF030233
- C-NT2RP2003643//Mus musculus mRNA for CMP-N-acetylneuraminic acid synthetase.//9.40E-243//1624bp//82%//AJ006215
- 35 C-NT2RP2003702//Homo sapiens 17 beta-hydroxysteroid dehydrogenase type VII (HSD17B7) mRNA, complete cds.//2.1e-313//978bp//99%//AF098786
- C-NT2RP2003704//Homo sapiens mRNA for ATP-dependent metalloprotease YME1L.//1.80E-72//350bp//100%//AJ132637
- 40 C-NT2RP2003713//Homo sapiens ubiquitin-specific protease 3 (USP3) mRNA, complete cds.//0//2018bp//99%//AF073344
- C-NT2RP2003714//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//5.40E-29//85aa//72%//Q05481
- C-NT2RP2003737//UBIQUITIN-CONJUGATING ENZYME E2-17 KD 2 (EC 6.3.2.19) (UBIQUITIN-PROTEIN LIGASE) (UBIQUITIN CARRIER PROTEIN) (E2(17)KB 2).//1.70E-75//147aa//93%//P51669
- 45 C-NT2RP2003760//COATOMER GAMMA SUBUNIT (GAMMA-COAT PROTEIN) (GAMMA-COP).//0//1869aa//80%//P53620
- C-NT2RP2003781//HYPOTHETICAL 36.7 KD PROTEIN AH6.2 IN CHROMOSOME II.//5.50E-63//253aa//50%//Q09201
- C-NT2RP2003840//HYPOTHETICAL 48.1 KD PROTEIN B0403.2 IN CHROMOSOME X.//3.70E-21//137aa//43%//Q11076
- 50 C-NT2RP2003857//MYOTROPHIN (V-1 PROTEIN) (GRANULE CELL DIFFERENTIATION PROTEIN).//0.00000016//117aa//29%//Q91955
- C-NT2RP2003871//Homo sapiens transposon-derived Buster1 transposase-like protein gene, complete cds.//0//2807bp//99%//AF205601
- C-NT2RP2003912//SERINE/THREONINE-PROTEIN KINASE NEK1 (EC 2.7.1.-) (NIMA-RELATED PROTEIN KINASE 1).//6.10E-183//387aa//87%//P51954
- 55 C-NT2RP2003952//AMINOPEPTIDASE B (EC 3.4.11.6) (ARGINYL AMINOPEPTIDASE) (ARGININE AMINOPEPTIDASE) (CYTOSOL AMINOPEPTIDASE IV) (AP-B).//1.50E-23//200aa//30%//Q09175
- C-NT2RP2003981//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS8.//1.40E-16//664aa//720%//

P39702

C-NT2RP2004013//TRANSCRIPTION FACTOR BTF3 (RNA POLYMERASE B TRANSCRIPTION FACTOR 3).//
2.30E-53//141aa//78%//P20290

C-NT2RP2004041//SYNAPSINS IA AND B.//0.0000074//159aa//32%//P17599

5 C-NT2RP2004066//Mus musculus Msx2 interacting nuclear target protein mRNA, complete cds.//2.70E-288//
1994bp//81%//AF156529

C-NT2RP2004098//ADENYLATE CYCLASE (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYL CYCLASE).//5.40E-30//319aa//31%//Q01513

10 C-NT2RP2004170//Homo sapiens mRNA for transducin (beta) like 1 protein.//1.10E-138//1236bp//74%//Y12781
C-NT2RP2004187//ZINC FINGER PROTEIN 38 (ZFP-38) (CTFIN51) (TRANSCRIPTION FACTOR RU49).//

5.60E-31//424aa//28%//Q07231

C-NT2RP2004194//Rattus norvegicus Golgi SNARE GS15 mRNA, complete cds.//3.80E-52//397bp//82%//
AF003998

15 C-NT2RP2004232//Homo sapiens EPK2 mRNA for serine/threonine kinase, complete cds.//0.12272bp//99%//
AB015982

C-NT2RP2004239//Homo sapiens lok mRNA for protein kinase, complete cds.//0.13044bp//99%//AB015718

C-NT2RP2004242//NEUROFILAMENT TRIPLET H PROTEIN (200 KD NEUROFILAMENT PROTEIN) (NF-H).//
9.90E-12//427aa//26%//P19246

20 C-NT2RP2004245//Mus musculus pantothenate kinase 1 beta (panK1beta) mRNA, complete cds.//6.40E-117//
1122bp//72%//AF200357

C-NT2RP2004270//PROTEIN PTM1 PRECURSOR.//1.40E-16//334aa//24%//P32857

C-NT2RP2004366//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS 13.//1.30E-51//505aa//
29%//Q07878

25 C-NT2RP2004389//PROBABLE MITOCHONDRIAL 40S RIBOSOMAL PROTEIN S9 PRECURSOR.//9.30E-15//
126aa//39%//P38120

C-NT2RP2004392//MNNA4 PROTEIN7.//1.40E-11//143aa//27%//P36044

C-NT2RP2004396//Homo sapiens mRNA for activator of S phase Kinase, complete cds.//5.40E-243//1108bp//
99%//AB028069

C-NT2RP2004425//Mus musculus axotrophin mRNA, complete cds.//0.12321bp//86%//AF155739

30 C-NT2RP2004476//Homo sapiens cyclin L ania-6a mRNA, complete cds.//0.12075bp//99%//AF180920

C-NT2RP2004538//Mus musculus kinesin-like protein KIF1B (Kif1b) mRNA, complete cds.//0.1387bp//86%//
AF090190

C-NT2RP2004568//PUTATIVE ATP-DEPENDENT RNA HELICASE C30D11.03.//3.00E-117//625aa//40%//
Q09903

35 C-NT2RP2004587//NEUROFILAMENT TRIPLET M PROTEIN (160 KD NEUROFILAMENT PROTEIN) (NF-M).//
7.30E-07//352aa//23%//P07197

C-NT2RP2004655//Homo sapiens mRNA for leucine rich protein.//8.50E-233//1061bp//99%//AJ006291

C-NT2RP2004681//NEUROFILAMENT TRIPLET H PROTEIN (200 KD NEUROFILAMENT PROTEIN) (NF-H).//
2.60E-07//426aa//23%//P19246

40 C-NT2RP2004689//HYPOTHETICAL 192.5 KD PROTEIN C6G9.10C IN CHROMOSOME 1.//5.60E-64//616aa//
33%//Q92355

C-NT2RP2004710//Mus musculus formin binding protein 30 mRNA, complete cds.//1.50E-280//1464bp//85%//
U40750

45 C-NT2RP2004732//NEUROFILAMENT TRIPLET M PROTEIN (160 KD NEUROFILAMENT PROTEIN) (NF-M).//
7.30E-07//352aa//23%//P07197

C-NT2RP2004768//SERINE/THREONINE-PROTEIN KINASE NRK1 (EC 2.7.1.-) (N-RICH KINASE 1).//1.30E-
26//190aa//41%//P38692

C-NT2RP2004791//PUTATIVE LEUCYL-TRNA SYNTHETASE, CYTOPLASMIC (EC 6.1.1.4) (LEUCINE- TRNA
LIGASE) (LEURS).//9.50E-73//153aa//59%//Q10490

50 C-NT2RP2004799//PROBABLE SUCCINYL-COA LIGASE [GDP-FORMING]. BETA-CHAIN PRECURSOR (EC
6.2.1.4) (SUCCINYL-COA SYNTHETASE, BETA CHAIN) (SCS-BETA).//3.70E-135//414aa//62%//P53588

C-NT2RP2004816//H58 PROTEIN.//9.00E-173//327aa//98%//P40336

C-NT2RP2004920//TRANSCRIPTIONAL REGULATOR ATRX (X-LINKED NUCLEAR PROTEIN) (HETERO-
CHROMATIN PROTEIN 2) (HP1 ALPHA-INTERACTING PROTEIN) (HP1-BP38 PROTEIN).//4.20E-09//804aa//

55 22%//Q61687

C-NT2RP2004933//Homo sapiens mRNA for ZIP-kinase, complete cds.//0.12103bp//99%//AB007144

C-NT2RP2004959//P54 PROTEIN PRECURSOR.//0.00000095//297aa//20%//P13692

C-NT2RP2004961//Rattus norvegicus KRAB/zinc finger suppressor protein 1 (KS1) mRNA, complete cds.//1.00E-

- 228//1666bp//75%//U56732
 C-NT2RP2004978//ACTIN-LIKE PROTEIN ARP8.//3.30E-47//353aa//30%//Q12386
 C-NT2RP2005003//52 KD RO PROTEIN (SJOEGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A)).//
 1.80E-99//376aa//43%//P19474
- 5 C-NT2RP2005012//Homo sapiens mRNA for SEC63 protein.//0//1693bp//99%//AJ011779
 C-NT2RP2005037//ANTI-SILENCING PROTEIN 1.//3.30E-47//155aa//59%//P32447
 C-NT2RP2005038//DNA NUCLEOTIDYLEXOTRANSFERASE (EC 2.7.7.31) (TERMINAL ADDITION ENZYME)
 (TERMINAL DEOXYNUCLEOTIDYLTRANSFERASE) (TERMINAL TRANSFERASE).//4.00E-91//218aa//44%//
 Q92089
- 10 C-NT2RP2005116//PUTATIVE EUKARYOTIC TRANSLATION INITIATION FACTOR 3 ALPHA SUBUNIT (EIF-3
 ALPHA).//2.00E-173//273aa//57%//P34466
 C-NT2RP2005126//H.sapiens mRNA for RNA helicase (Myc-regulated dead box protein).//0//2388bp//98%//
 X98743
- 15 C-NT2RP2005139//2-5A-DEPENDENT RIBONUCLEASE (EC 3.1.26.-) (2-5A-DEPENDENT RNAASE) (RNASE
 L) (RIBONUCLEASE 4) (FRAGMENT).//0.000000022//139aa//35%//Q05921
 C-NT2RP2005144//Homo sapiens tubby like protein 3 (TULP3) mRNA, complete cds.//0.00E-01//1437bp//98%//
 AF045583
- C-NT2RP2005162//Homo sapiens aspartyl aminopeptidase mRNA, complete cds.//0//1615bp//99%//AF005050
 C-NT2RP2005168//Homo sapiens mRNA for E1B-55kDa-associated protein.//0//2769bp//98%//AJ007509
- 20 C-NT2RP2005204//Homo sapiens SUMO-1-activating enzyme E1N subunit (SUA1) mRNA, complete cds.//0//
 1262bp//99%//AF090385
 C-NT2RP2005239//Homo sapiens cysteine desulfurase (nifS) mRNA, complete cds.//0//2087bp//99%//AF097025
 C-NT2RP2005276//Homo sapiens mRNA for Acyl-CoA synthetase 3, complete cds.//0//2122bp//99%//D89053
 C-NT2RP2005288//Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds.//0//2992bp//99%//
 AF060219
- 25 C-NT2RP2005315//Homo sapiens meningioma-expressed antigen 5 (MEA5) mRNA, partial cds.//1.90E-170//
 780bp//100%//AF036144
 C-NT2RP2005325//Homo sapiens LIM-homeodomain protein HLHX2 (LHX2) mRNA, complete cds.//0//1643bp//
 99%//AF124735
- 30 C-NT2RP2005336//TRICHOHYALIN.//5.40E-10//545aa//22%//P37709
 C-NT2RP2005344//PROBABLE CALCIUM-TRANSPORTING ATPASE 5 (EC 3.6.1.38).//2.10E-124//636aa//
 38%//P32660
 C-NT2RP2005358//Homo sapiens methyl-CpG binding domain-containing protein MBD3 (MBD3) mRNA, com-
 plete cds.//0//2199bp//99%//AF072247
- 35 C-NT2RP2005360//Homo sapiens sentrin/SUMO-specific protease (SEN1) mRNA, complete cds.//1.30E-52//
 753bp//67%//AF149770
 C-NT2RP2005393//AUTOANTIGEN NGP-1.//7.20E-39//224aa//35%//Q13823
 C-NT2RP2005407//OXYSTEROL-BINDING PROTEIN.//5.30E-63//410aa//40%//P22059
- 40 C-NT2RP2005436//SPLICING FACTOR, ARGININE/SERINE-RICH 4 (PRE-MRNA SPLICING FACTOR
 SRP75).//1.20E-13//185aa//38%//Q08170
 C-NT2RP2005441//Homo sapiens hypothalamus protein HT002 mRNA, complete cds.//4.10E-202//962bp//98%//
 AF113540
 C-NT2RP2005457//Homo sapiens NADH-ubiquinone oxidoreductase subunit B14.5B homolog mRNA, complete
 cds.//1.20E-13 //0//608bp//99%//AF070652
- 45 C-NT2RP2005465//MITOCHONDRIAL CARRIER PROTEIN RIM2.//3.00E-44//252aa//41%//P38127
 C-NT2RP2005476//Human p190-B (p190-B) mRNA, complete cds.//3.40E-108//668bp//88%//U17032
 C-NT2RP2005490//Mus musculus D3Mm3e (D3Mm3e) mRNA, complete cds.//1.80E-175//1102bp//83%//
 AF053628
- C-NT2RP2005491//PARAMYOSIN (PMY) (ANTIGEN B).//0.00000015//279aa//26%//P35418
- 50 C-NT2RP2005496//ZINC FINGER PROTEIN 135.//2.90E-146//398aa//59%//P52742
 C-NT2RP2005498//PROTEIN PHOSPHATASE PP2A, 55 KD REGULATORY SUBUNIT, ALPHA ISOFORM (PRO-
 TEIN PHOSPHATASE PP2A B SUBUNIT ALPHA ISOFORM) (ALPHA-PR55).//5.20E-81//166aa//88%//P36876
 C-NT2RP2005509//Homo sapiens CGI-45 protein mRNA, complete cds.//0//1825bp//99%//AF151803
 C-NT2RP2005520//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds.//0//
 3994bp//99%//AF092563
- 55 C-NT2RP2005525//Mus musculus kanadapin mRNA, complete cds.//2.40E-304//1687bp//85%//AF035526
 C-NT2RP2005531//PROTEIN 4.1 (BAND 4.1) (P4.1).//5.50E-70//393aa//39%//P11171
 C-NT2RP2005539//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//0//1560bp//98%//AJ012449

- C-NT2RP2005549//PUTATIVE LACTOYLGLUTATHIONE LYASE (EC 4.4.1.5) (METHYLGLYOXALASE) (ALDOKETOMUTASE) (GLYOXALASE I) (GLX I) (KETONE-ALDEHYDE MUTASE) (S-D-LACTOYLGLUTATHIONE METHYLGLYOXAL LYASE) //2.00E-20//181aa//36%//Q39366
- 5 C-NT2RP2005557//Homo sapiens clone 486790 diphosphoinositol polyphosphate phosphohydrolase mRNA, complete cds.//1.00E-46//576bp//70%//AF062529
- C-NT2RP2005605//QUEUINE TRNA-RIBOSYLTRANSFERASE (EC 2.4.2.29) (TRNA-GUANINE TRANSGLYCOSYLASE) (GUANINE INSERTION ENZYME) //8.20E-23//164aa//28%//O32053
- C-NT2RP2005620//Homo sapiens epsin 2a mRNA, complete cds.//8.9e-313//1455bp//98%//AF062085
- 10 C-NT2RP2005635//PROBABLE NH(3)-DEPENDENT NAD(+) SYNTHETASE (EC 6.3.5.1) //1.00E-11//128aa//36%//P47623
- C-NT2RP2005654//CYSTEINE STRING PROTEIN (CCCS1) //1.20E-13//74aa//45%//P56101
- C-NT2RP2005669//Homo sapiens death effector domain-containing testicular molecule mRNA, complete cds.//1.60E-248//1129bp//99%//AF043733
- 15 C-NT2RP2005675//Homo sapiens growth suppressor related (DOC-1R) mRNA, complete cds.//4.40E-200//908bp//99%//AF089814
- C-NT2RP2005694//X-LINKED RETINITIS PIGMENTOSA GTPASE REGULATOR //2.60E-10//175aa//27%//Q92834
- C-NT2RP2005701//ZINC-FINGER PROTEIN RFP (RET FINGER PROTEIN) //3.00E-63//323aa//39%//Q62158
- C-NT2RP2005712//Homo sapiens myosin X (MYO10) mRNA, partial cds.//0//2681 bp//99%//AF132022
- 20 C-NT2RP2005719//GPI-ANCHORED PROTEIN P137 //4.00E-14//99aa//43%//Q14444
- C-NT2RP2005722//Homo sapiens ZK1 mRNA for Kruppel-type zinc finger protein, complete cds.//0//2545bp//99%//AB011414
- C-NT2RP2005723//HNRNP ARGININE N-METHYLTRANSFERASE (EC 2.1.1.-) (ODP1 PROTEIN) //3.00E-09//169aa//28%//P38074
- 25 C-NT2RP2005752//Homo sapiens TNFR-related death receptor-6 (DR6) mRNA, complete cds.//0//1968bp//99%//AF068868
- C-NT2RP2005753//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//0//1966bp//99%//AF082516
- C-NT2RP2005763//EUKARYOTIC INITIATION FACTOR 4A (EIF-4A) //1.70E-61//374aa//38%//P47943
- 30 C-NT2RP2005767//G.gallus PB1 gene.//5.00E-163//1158bp//81%//X90849
- C-NT2RP2005773//Homo sapiens pyrroline 5-carboxylate reductase isoform (P5CR2) mRNA, complete cds.//2.70E-180//656bp//99%//AF151351
- C-NT2RP2005775//NEUROLYSIN PRECURSOR (EC 3.4.24.16) (NEUROTENSIN ENDOPEPTIDASE) (MITOCHONDRIAL OLIGOPEPTIDASE M) (MICROSOMAL ENDOPEPTIDASE) (MEP) (SOLUBLE ANGIOTENSIN-BINDING PROTEIN) (SABP) //2.10E-213//249aa//85%//Q02038
- 35 C-NT2RP2005776//POLY(A) POLYMERASE TYPE 2 (EC 2.7.7.19) (PAP) (POLYNUCLEOTIDE ADENYLYLTRANSFERASE) //4.40E-55//358aa//42%//P51005
- C-NT2RP2005784//Homo sapiens ubiquitin-conjugating enzyme variant Kua (UBE2V) mRNA, complete cds.//0//2191bp//92%//AF155120
- 40 C-NT2RP2005812//HYPOTHETICAL 39.3 KD PROTEIN IN GCNA-WBP1 INTERGENIC REGION //2.30E-39//318aa//31%//P40004
- C-NT2RP2005835//SHP1 PROTEIN //1.80E-28//208aa//32%//P34223
- C-NT2RP2005841//Homo sapiens mRNA for ALEX3, complete cds.//3.50E-52//1091bp//59%//AB039669
- 45 C-NT2RP2005933//NUCLEOPORIN NUP57 (NUCLEAR PORE PROTEIN NUP57) //5.00E-11//155aa//34%//P48837
- C-NT2RP2005942//POLY(A) POLYMERASE (EC 2.7.7.19) (PAP) (POLYNUCLEOTIDE ADENYLYLTRANSFERASE) //1.50E-67//388aa//44%//P25500
- C-NT2RP2006043//SPLICING FACTOR, ARGININE/SERINE-RICH 4 (PRE-MRNA SPLICING FACTOR SRP75) //1.50E-13//185aa//38%//Q08170
- 50 C-NT2RP2006071//Homo sapiens adaptor protein APPL mRNA, complete cds.//5.80E-120//1257bp//64%//AF169797
- C-NT2RP2006219//H.sapiens mRNA for DGCR6 protein.//1.10E-214//1026bp//97%//X96484
- C-NT2RP2006238//Rattus norvegicus CTD-binding SR-like protein rA8 mRNA, complete cds.//0//1669bp//88%//U49055
- 55 C-NT2RP2006275//MICROTUBULE-ASSOCIATED PROTEIN 1B [CONTAINS: LIGHT CHAIN LC1] //2.00E-59//388aa//32%//P46821
- C-NT2RP2006312//Homo sapiens BAF57 (BAF57) gene, complete cds.//2.80E-274//1236bp//99%//AF035262
- C-NT2RP2006436//ANTERIOR-RESTRICTED HEMEOBOX PROTEIN (RATKE POUCH HEMEO BOX) //

- 3.40E-07//50aa//50%//Q61658
 C-NT2RP2006456//Homo sapiens leucine-rich glioma-inactivated protein precursor (LGI1) mRNA, complete cds.//1.30E-37//484bp//65%//AF055636
- 5 C-NT2RP2006464//Homo sapiens mRNA for AND-1 protein.//0//2181bp//99%//AJ006266
 C-NT2RP2006534//5'-AMP-ACTIVATED PROTEIN KINASE, CATALYTIC ALPHA-1 CHAIN (EC 2.7.1.-) (AMPK ALPHA-1 CHAIN) (FRAGMENT)//3.20E-11//32aa//96%//Q13131
 C-NT2RP2006565//Homo sapiens secretory carrier-associated membrane protein (SCAMP) mRNA, complete cds.//3.10E-27//1220bp//95%//AF038966
- 10 C-NT2RP2006571//CYTOCHROME P450 2G1 (EC 1.14.14.1) (CYP1G1) (P450-NMB) (OLFACTIVE)//4.20E-134//486aa//50%//P24461
 C-NT2RP2006573//2',3'-CYCLIC NUCLEOTIDE 3'-PHOSPHODIESTERASE (EC 3.1.4.37) (CNP)//0.0000055//169aa//25%//P09543
 C-NT2RP2006598//Homo sapiens retinoid x receptor interacting protein mRNA, complete cds.//3.10E-295//1193bp//99%//AF113538
- 15 C-NT2RP3000031//HISTONE DEACETYLASE HDA1.//1.10E-71//350aa//42%//P53973
 C-NT2RP3000046//MITOCHONDRIAL GTPASE MSS1 PRECURSOR.//4.60E-78//421aa//37%//P32559
 C-NT2RP3000047//NPL4 PROTEIN.//1.10E-85//526aa//36%//P33755
 C-NT2RP3000050//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//2.20E-150//490aa//53%//Q05481
- 20 C-NT2RP3000068//SON OF SEVENLESS PROTEIN HOMOLOG 1 (SOS-1) (MSOS-1).//2.20E-06//165aa//27%//Q62245
 C-NT2RP3000085//ACETYL-PROPIONYL-COENZYME A CARBOXYLASE ALPHA CHAIN[CONTAINS: BIOTIN CARBOXYLASE (EC 6.3.4.14); BIOTIN CARBOXYL CARRIER PROTEIN (BCCP)].//1.90E-123//436aa//50%//P46401
- 25 C-NT2RP3000109//P54 PROTEIN PRECURSOR.//0.0000065//358aa//22%//P13692
 C-NT2RP3000207//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//2.90E-11//721aa//23%//P08640
 C-NT2RP3000233//RING CANAL PROTEIN (KELCH PROTEIN).//9.30E-84//453aa//42%//Q04652
 C-NT2RP3000252//Homo sapiens GTP-binding protein NGB mRNA, complete cds.//0//2388bp//99%//AF120334
- 30 C-NT2RP3000299//Rattus norvegicus mRNA for Crk-associated substrate, pi 30, complete cds.//0//2730bp//82%//D29766
 C-NT2RP3000320//Homo sapiens partial mRNA for putative p621 protein which interacts with transcription factor Sp1.//0//1544bp//100%//AJ242978
 C-NT2RP3000333//Rattus norvegicus db83 mRNA, complete cds.//2.90E-191//1094bp//85%//AB006135
- 35 C-NT2RP3000341//Homo sapiens mitochondrial inner membrane preprotein translocase Tim17a mRNA, nuclear gene encoding mitochondrial protein, complete cds.//1.50E-248//1124bp//99%//AF106622
 C-NT2RP3000350//Homo sapiens GTP-binding protein NGB mRNA, complete cds.//0//2392bp//99%//AF120334
 C-NT2RP3000359//GTP-AMP PHOSPHOTRANSFERASE MITOCHONDRIAL (EC 2.7.4.10) (AK3).//2.00E-111//226aa//92%//P08760
- 40 C-NT2RP3000361//Homo sapiens mRNA, complete cds, similar to yeast pre-mRNA splicing factors, Prp1/Zer1 and Prp6.//0//2072bp//98%//AB019219
 C-NT2RP3000366//RAS-RELATED PROTEIN RAB-18.//2.10E-107//206aa//99%//P35293
 C-NT2RP3000393//Rattus norvegicus DNA-binding protein PREB (Preb) mRNA, complete cds.//5.80E-266//1373bp//86%//AF061817
- 45 C-NT2RP3000397//PUTATIVE PRE-MRNA SPLICING FACTOR RNA HELICASE (DEAH BOX PROTEIN 13)//1.70E-139//679aa//41%//Q43143
 C-NT2RP3000403//Homo sapiens formin binding protein 21 mRNA, complete cds.//0//2364bp//99%//AF071185
 C-NT2RP3000439//HYPOTHETICAL 46.4 KD PROTEIN IN FFH-GRPE INTERGENIC REGION.//2.90E-15//319aa//26%//P37908
- 50 C-NT2RP3000441//Homo sapiens squamous cell carcinoma antigen recognized by T cell (SART-2) mRNA, complete cds.//3.40E-42//645bp//67%//AF098066
 C-NT2RP3000512//Human HOX2G mRNA from the Hox2 locus.//0//1934bp//99%//X16667
 C-NT2RP3000527//ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6).//4.80E-28//536aa//27%//P28160
 C-NT2RP3000531//POLIOVIRUS RECEPTOR PRECURSOR (CD155 ANTIGEN).//1.90E-12//192aa//30%//P15151
- 55 C-NT2RP3000562//Homo sapiens putative RNA-binding protein Q99 mRNA, complete cds.//0//2165bp//99%//AF093097
 C-NT2RP3000578//HES1 PROTEIN.//1.30E-22//229aa//27%//P35843

- C-NT2RP3000590//UVS-2 PROTEIN.//1.30E-22//458aa//24%//P33288
 C-NT2RP3000590//TRICHOHYALIN.//2.50E-17//304aa//28%//Q07283
 C-NT2RP3000603//NEUROGENIC DIFFERENTIATION FACTOR 1.//3.70E-11//90aa//42%//Q13562
 C-NT2RP3000605//Mus musculus mRNA for wizL, complete cds.//0//2232bp//82%//AB012265
 5 C-NT2RP3000624//Rattus norvegicus mRNA for SECIS binding protein 2 (sbp2 gene).//5.80E-234//1562bp//81%//AJ251245
 C-NT2RP3000632//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//3.00E-140//499aa//46%//P51523
 10 C-NT2RP3000739//ATROPHIN-1 (DENTATORUBRAL-PALLIDOLUYSIAN ATROPHY PROTEIN).//1.40E-24//155aa//37%//Q10149
 C-NT2RP3000742//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE DELTA 1 (EC 3.1.4.11) (PLC-DELTA-1) (PHOSPHOLIPASE C-DELTA-1) (PLC-III) (FRAGMENT).//4.10E-165//371aa//49%//P10895
 15 C-NT2RP3000753//NEUROFILAMENT TRIPLET H PROTEIN (200 KD NEUROFILAMENT PROTEIN) (NF-H).//2.00E-10//565aa//24%//P12036
 C-NT2RP3000759//ADP-RIBOSYLATION FACTOR.//7.00E-28//176aa//34%//Q94650
 C-NT2RP3000825//NEUROGENIC LOCUS NOTCH 3 PROTEIN.//2.50E-36//417aa//31%//Q61982
 C-NT2RP3000826//Homo sapiens mRNA for seven transmembrane protein TM7SF3, complete cds.//0//2522bp//99%//AB032470
 20 C-NT2RP3000845//PUTATIVE SERINE/THREONINE-PROTEIN KINASE P78 (EC 2.7.1.-).//8.30E-108//331aa//50%//P27448
 C-NT2RP3000868//Human ovarian cancer downregulated myosin heavy chain homolog (Doc1) mRNA, complete cds.//6.90E-69//1611bp//61%//U53445
 C-NT2RP3000869//Drosophila melanogaster AAA family protein Bor (bor) mRNA, complete cds.//2.60E-138//1673bp//67%//AF22709
 25 C-NT2RP3000875//MEVALONATE KINASE (EC 2.7.1.36) (MK).//7.70E-87//175aa//98%//Q03426
 C-NT2RP3000917//DHP1 PROTEIN.//1.00E-193//428aa//55%//P40848
 C-NT2RP3000919//Rattus norvegicus golgi peripheral membrane protein p65 (GRASP65) mRNA, complete cds.//2.70E-185//585bp//88%//AF015264
 30 C-NT2RP3000968//40S RIBOSOMAL PROTEIN S15A.//1.90E-46//73aa//98%//P39027
 C-NT2RP3000994//MATERNAL EFFECT PROTEIN STAUFEN.//0.0000006//78aa//48%//P25159
 C-NT2RP3001055//Drosophila melanogaster separation anxiety protein (san) mRNA, complete cds.//3.80E-38//462bp//70%//AF225902
 35 C-NT2RP3001057//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//9.00E-201//584aa//54%//Q05481
 C-NT2RP3001081//Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds.//7.10E-47//537bp//74%//AF060219
 C-NT2RP3001096//Rattus norvegicus leprecan (lepre1) mRNA, complete cds.//1.70E-94//787bp//66%//AF087433
 40 C-NT2RP3001107//PEREGRIN (BR140 PROTEIN).//3.30E-44//260aa//40%//P55201
 C-NT2RP3001111//Homo sapiens TRF-proximal protein mRNA, complete cds.//1.50E-149//731bp//97%//AF097725
 C-NT2RP3001113//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//2.90E-11//631aa//23%//P25386
 45 C-NT2RP3001120//ZINC FINGER, PROTEIN 136.//7.80E-170//512aa//58%//P52737
 C-NT2RP3001140//F-SPONDIN PRECURSOR.//9.90E-238//419aa//96%//P35446
 C-NT2RP3001150//TRANSCRIPTION TERMINATION FACTOR RHO.//0.00000031//207aa//29%//P52154
 C-NT2RP3001155//Homo sapiens mRNA for AND-1 protein.//0//2732bp//99%//AJ006266
 50 C-NT2RP3001176//HYPOTHETICAL 65.3 KD PROTEIN IN MAD1-SCY1 INTERGENIC REGION.//1.70E-10//196aa//27%//P53154
 C-NT2RP3001216//CYCLIN I (MULTIPLE-BAND POLYPEPTIDE I) (FRAGMENT).//0.0000023//137aa//33%//P35663
 C-NT2RP3001221//GAMMA-BUTYROBETAINE 2-OXOGLUTARATE DIOXYGENASE (EC 1.14.11.1) (GAMMA-BUTYROBETAINE HYDROXYLASE).//1.90E-31//353aa//30%//P80193
 55 C-NT2RP3001239//MICROTUBULE-ASSOCIATED PROTEIN 1B (MAP1.2) (MAP1(X)) [CONTAINS: LIGHT CHAIN LC1].//1.20E-166//395aa//51%//P14873
 C-NT2RP3001253//NUF1 PROTEIN (SPINDLE POLY BODY SPACER PROTEIN SPC110).//1.70E-10//540aa//23%//P32380

- C-NT2RP3001268//Homo sapiens zinc finger protein ZNF228 (ZNF228) mRNA, complete cds.//0/3606bp//99%//AF198358
- C-NT2RP3001272//Mus musculus mRNA for macrophage actin-associated-tyrosine-phosphorylated protein.//1.30E-99//669bp//83 %//Y18101
- 5 C-NT2RP3001307//Gallus gallus RPE65 mRNA, complete cds.//4.20E-29//530bp//63%//AB017594
- C-NT2RP3001338//ZINC FINGER PROTEIN 81 (FRAGMENT) //2.40E-16//175aa//28%//P51508
- C-NT2RP3001355//TRICARBOXYLATE TRANSPORT PROTEIN PRECURSOR (CITRATE TRANSPORT PROTEIN) (CTP) (TRICARBOXYLATE CARRIER PROTEIN) //3.60E-25//129aa//34%//P32089
- 10 C-NT2RP3001383//Mus musculus ARL-6 interacting protein-6 (Aip-6) mRNA, partial cds.//3.40E-40//355bp//79%//AF133913
- C-NT2RP3001384//Homo sapiens mRNA for LA95 protein.//0/1214bp//99%//AJ243467
- C-NT2RP3001398//TRANSCRIPTIONAL REPRESSOR CTCF.//1.30E-61//374aa//36%//P49711
- C-NT2RP3001399//SSU72 PROTEIN.//1.30E-16//84aa//52%//P53538
- C-NT2RP3001407//SCY1 PROTEIN.//0.00000033//143aa//25%//P53009
- 15 C-NT2RP3001426//DNAJ PROTEIN (FRAGMENT) //1.00E-16//77aa//46%//O33529
- C-NT2RP3001427//WERNER SYNDROME HEUCASE HOMOLOG.//2.70E-10//159aa//33%//O09053
- C-NT2RP3001428//NUCLEOPROTEIN TPR.//1.40E-128//152aa//99%//P12270
- C-NT2RP3001453//ANTIGEN PEPTIDE TRANSPORTER 2 (APT2) (HISTOCOMPATIBILITY ANTIGEN MODIFIER 2).//3.20E-90//157aa//59%//P36371
- 20 C-NT2RP3001457//Drosophila melanogaster Melted (melt) mRNA, partial cds.//4.60E-20//792bp//59%//AF205831
- C-NT2RP3001472//NONHISTONE CHROMOSOMAL PROTEIN 6A.//9.10E-13//87aa//43%//P11632
- C-NT2RP3001495//Human oxidoreductase (HHCMA56) mRNA, complete cds.//0/1475bp//99%//U13395
- C-NT2RP3001497//Homo sapiens multiple membrane spanning receptor TRC8 (TRC8) mRNA, complete cds.//0/2295bp//99%//AF064801
- 25 C-NT2RP3001527//Human Sp140 protein (Sp140) mRNA, complete cds.//4.30E-290//793bp//93%//U63420
- C-NT2RP3001528//SPOOB-ASSOCIATED GTP-BINDING PROTEIN.//1.00E-61//1345aa//42%//P20964
- C-NT2RP3001538//HYPOTHETICAL 39.0 KD PROTEIN T28D9.3 IN CHROMOSOME II.//9.10E-10//158aa//31%//Q10022
- 30 C-NT2RP3001554//MICROTUBULE-ASSOCIATED PROTEIN 1B [CONTAINS: LIGHT CHAIN LC1].//1.40E-76//388aa//32%//P46821
- C-NT2RP3001580//Mus musculus strain C57BL/J germ cell-less protein (Gcl) mRNA, complete cds.//0/1730bp//85%//AF163665
- C-NT2RP3001587//Human anthracycline-associated resistance ARX mRNA, complete cds.//0/2617bp//99%//U35832
- 35 C-NT2RP3001642//HYPOTHETICAL PROTEIN KIAA0210.//6.80E-18//91aa//38%//Q92609
- C-NT2RP3001646//WD-40 REPEAT PROTEIN MSI2.//8.80E-09//132aa//31%//O22468
- C-NT2RP3001671//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//0/1557bp//98%//AJ012449
- C-NT2RP3001672//Homo sapiens Sex comb on midleg homolog 1 isoform 2 (SCMH1) mRNA, complete cds.//0/2836bp//99%//AF149046
- 40 C-NT2RP3001679//Homo sapiens rec mRNA, complete cds.//0/2495bp//99%//AB023584
- C-NT2RP3001688//Homo sapiens DNA binding protein p96PIF mRNA, complete cds.//0/1869bp//99%//AF173868
- C-NT2RP3001690//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//0.00000024//481aa//21%//P25386
- 45 C-NT2RP3001708//TWISTED GASTRULATION PROTEIN PRECURSOR.//3.40E-33//161aa//32%//P54356
- C-NT2RP3001712//Homo sapiens HP1-BP74 protein mRNA, complete cds.//0/1788bp//99%//AF113534
- C-NT2RP3001723//Homo sapiens cell recognition molecule Caspr2 (CASPR2) mRNA, complete cds.//1.40E-58//1138bp//63%//AF193613
- 50 C-NT2RP3001724//Homo sapiens chromodomain-helicase-DNA-binding protein mRNA, complete cds.//1.10E-240//902bp//99%//AF054177
- C-NT2RP3001727//Rattus norvegicus implantation-associated protein (IAG2) mRNA, partial cds.//6.90E-132//774bp//88%//AF008554
- C-NT2RP3001730//SEPTIN 2 HOMOLOG (FRAGMENT).//7.10E-132//294aa//84%//Q14141
- 55 C-NT2RP3001739//HYPOTHETICAL 72.5 KD PROTEIN C2F7.10 IN CHROMOSOME I.//1.40E-15//190aa//32%//Q09701
- C-NT2RP3001792//HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN M (HNRNP M).//1.80E-117//462aa//55%//P52272

- C-NT2RP3001799//MYOSIN HEAVY CHAIN, STRIATED MUSCLE.//1.60E-11//348aa//27%//P24733
 C-NT2RP3001819//RING CANAL PROTEIN (KELCH PROTEIN).//7.40E-18//249aa//30%//IQ04652
 C-NT2RP3001855//Homo sapiens novel retinal pigment epithelial cell protein (NORPEG) mRNA, complete cds.//0//2742bp//99%//AF155135
 5 C-NT2RP3001855//HOMEBOX PROTEIN PKNOX1 (HOMEBOX PROTEIN PREP-1).//8.10E-125//302aa//60%//P55347
 C-NT2RP3001857//VEGETABLE INCOMPATIBILITY PROTEIN HET-E-1.//1.20E-14//242aa//24%//Q00808
 C-NT2RP3001898//Homo sapiens mRNA for UDP-N-acetylglucosamine: alpha-1,3-D-mannoside beta-1,4-N-acetylglucosaminyltransferase IV, complete cds.//0//1587bp//100%//AB000624
 10 C-NT2RP3001931//Rattus norvegicus clone C48 CDK5 activator-binding protein mRNA, complete cds.//4.30E-91//656bp//81%//AF177478
 C-NT2RP3001938//SPORULATION-SPECIFIC PROTEIN 1 (EC 2.7.1.-).//1.30E-22//227aa//33%//P08458
 C-NT2RP3001944//HYPOTHETICAL 47.6 KD PROTEIN C16C10.5 IN CHROMOSOME III.//3.10E-92//314aa//51%//Q09251
 15 C-NT2RP3001969//TRICHOHYALIN.//2.70E-11//442aa//23%//P37709
 C-NT2RP3002004//H. sapiens mRNA for FAST kinase.//1.50E-192//475bp//94%//X86779
 C-NT2RP3002007//SAP1 PROTEIN.//1.1 OE-68//474aa//32%//P39955
 C-NT2RP3002014//HYPOTHETICAL 32.0 KD PROTEIN C09F5.2 IN CHROMOSOME III.//5.30E-25//139aa//48%//Q09232
 20 C-NT2RP3002045//ALPHA-ADAPTIN C (CLATHRIN ASSEMBLY PROTEIN COMPLEX 2 ALPHA-C LARGE CHAIN) (100 KD COATED VESICLE PROTEIN C) (PLASMA MEMBRANE ADAPTOR HA2/AP2 ADAPTIN ALPHA C SUBUNIT.//1.00E-299//397aa//94%//P18484
 C-NT2RP3002056//RETINOBLASTOMA BINDING PROTEIN 1 (RBBP-1).//2.00E-48//475aa//35%//P29374
 C-NT2RP3002062//Homo sapiens BAC-family molecular chaperone regulator-5 mRNA, complete cds.//0//3764bp//99%//AF095195
 25 C-NT2RP3002081//Xenopus laevis chromosome condensation protein XCAP-G mRNA, complete cds.//4.10E-233//1896bp//69%//AF111423
 C-NT2RP3002108//DEC1 PROTEIN (MDM20 PROTEIN).//7.90E-09//181aa//22%//Q12387
 C-NT2RP3002151//G1 TO S PHASE TRANSITION PROTEIN 1 HOMOLOG (GTP-BINDING PROTEIN GST1-HS).//2.80E-253//474aa//93%//P15170
 30 C-NT2RP3002165//TRANSCRIPTIONAL REGULATOR PROTEIN HCNGP.//1.90E-151//223aa//91%//Q02614
 C-NT2RP3002273//SCD6 PROTEIN.//1.30E-09//295aa//28%//P45978
 C-NT2RP3002303//PROBABLE UNDECAPRENYL PYROPHOSPHATE SYNTHETASE (EC 2.5.1.31) (UPP SYNTHETASE) (DI-TRANS-POLY-CIS-DECAPRENYL CISTRANSFERASE).//8.60E-49//243aa//43%//Q58767
 35 C-NT2RP3002330//Homo sapiens eRF5 mRNA, complete cds.//0//2443bp//99%//U87791
 C-NT2RP3002351//Human mRNA for NAD-dependent methylene tetrahydrofolate dehydrogenase cyclohydrolase (EC 1.5.1.15).//4.20E-70//590bp//76%//X16396
 C-NT2RP3002399//DNA REPLICATION LICENSING FACTOR MCM4 (CDC21 HOMOLOG) (P1-CDC21).//8.60E-79//416aa//34%//P33991
 40 C-NT2RP3002501//THREONINE DEHYDRATASE CATABOLIC (EC 4.2.1.16) (THREONINE DEAMINASE).//3.70E-43//318aa//37%//P05792
 C-NT2RP3002529//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS45.//8.90E-95//542aa//38%//P38932
 C-NT2RP3002549//HYPOTHETICAL 26.6 KD PROTEIN T19C3.4 IN CHROMOSOME III.//5.80E-40//161aa//52%//Q10010
 45 C-NT2RP3002602//PROBABLE PROTEIN DISULFIDE ISOMERASE ER-60 PRECURSOR (EC 5.3.4.1) (ERP60) (58 KD MICROSMAL PROTEIN) (P58) (HIP-70) (Q-2).//2.90E-19//173aa//28%//P11598
 C-NT2RP3002628//PROBABLE PROTEIN DISULFIDE ISOMERASE P5 PRECURSOR (EC 5.3.4.1).//2.50E-26//90aa//42%//P38660
 50 C-NT2RP3002631//Homo sapiens Ran binding protein 11 mRNA, complete cds.//0//1703bp//99%//AF111109
 C-NT2RP3002650//Mus musculus growth suppressor 1L (Gros1) mRNA, complete cds.//0//2109bp//87%//AF165163
 C-NT2RP3002663//Homo sapiens putative glycolipid transfer protein mRNA, complete cds.//8.10E-263//1243bp//97%//AF103731
 55 C-NT2RP3002671//ELONGATION FACTOR 2 (EF-2).//2.50E-73//179aa//36%//P13060
 C-NT2RP3002682//Homo sapiens CGI-145 protein mRNA, complete cds.//0//1596bp//98%//AF151903
 C-NT2RP3002688//Mouse mRNA for kinesin-like protein (Kif1b), complete cds.//1.10E-93//1205bp//89%//D17577
 C-NT2RP3002770//MYELOID DIFFERENTIATION PRIMARY RESPONSE PROTEIN MYD116.//1.00E-071//70aa//

- 41%/P17564
 C-NT2RP3002785//LETHAL(2)DENTICLELESS PROTEIN (DTL83 PROTEIN).//2.50E-55//187aa//39%/Q24371
 C-NT2RP3002810//HISTIDINE-RICH PROTEIN KE4.//2.20E-10//260aa//26%/Q31125
 C-NT2RP3002818//INSERTION ELEMENT IS2A HYPOTHETICAL 48.2 KD PROTEIN.//5.70E-226//303aa//97%/P51026
 5 C-NT2RP3002869//Mus musculus semaphorin Via mRNA, complete cds.//2.50E-232//1282bp//85%/AF030430
 C-NT2RP3002876//Drosophila melanogaster eyelid (eld) mRNA, complete cds.//1.30E-29//805bp//61%/AF053091
 10 C-NT2RP3002909//P53-BINDING PROTEIN 2 (53BP2) (BCL2-BINDING PROTEIN) (BBP).//1.50E-125//512aa//47%/Q13625
 C-NT2RP3002948//RING CANAL PROTEIN (KELCH PROTEIN).//2.00E-111//551aa//42%/Q04652
 C-NT2RP3002953//Homo sapiens protocadherin beta 5 (PCDH-beta5) mRNA, complete cds.//0//2388bp//99%/AF152498
 15 C-NT2RP3002969//Homo sapiens mRNA for Acyl-CoA synthetase 3, complete cds.//0//2722bp//99%/D89053
 C-NT2RP3002972//Halocynthia roretzi mRNA for HrPET-1, complete cds.//3.90E-52//899bp//64%/AB029333
 C-NT2RP3002988//Homo sapiens IκB kinase-b (IKK-beta) mRNA, complete cds.//1.80E-292//1325bp//99%/AF080158
 C-NT2RP3003032//Homo sapiens okadaic acid-inducible and cAMP-regulated phosphoprotein 19 (ARPP-19) mRNA, complete cds.//0//2656bp//99%/AF084555
 20 C-NT2RP3003059//Rattus norvegicus potassium channel regulator 1 mRNA, complete cds.//3.80E-152//1007bp//82%/U78090
 C-NT2RP3003061//ANKYRIN.//1.40E-20//200aa//37%/Q02357
 C-NT2RP3003071//NEUROGENIC PROTEIN BIG BRAIN.//1.10E-05//258aa//24%/P23645
 C-NT2RP3003078//Rattus norvegicus mRNA for ischemia related factor NYW-1, complete cds.//2.60E-112//633bp//88%/AB027149
 25 C-NT2RP3003101//Mouse mRNA for tetracycline transporter-like protein, complete cds.//3.60E-83//807bp//72%/D88315
 C-NT2RP3003133//Homo sapiens ZK1 mRNA for Kruppel-type zinc finger protein, complete cds.//0//1998bp//91%/AB011414
 30 C-NT2RP3003138//Homo sapiens kinesin superfamily motor KIF4 mRNA, complete cds.//0//2159bp//98%/AF071592
 C-NT2RP3003145//Mus musculus metalloprotease CPX-1 mRNA, complete cds.//0//2251bp//81%/AF077738
 C-NT2RP3003185//TROPOMYOSIN1, FUSION PROTEIN 33.//2.80E-06//402aa//23%/P49455
 35 C-NT2RP3003193//ZINC FINGER PROTEIN 135.//7.30E-98//269aa//62%/P52742
 C-NT2RP3003197//HYPOTHETICAL 33.8 KD PROTEIN C5H10.01 IN CHROMOSOME 1.//5.70E-09//169aa//31%/Q09674
 C-NT2RP3003203//Rattus norvegicus golgi stacking protein homolog GRASP55 mRNA, complete cds.//2.00E-210//1851 bp//76%/AF110267
 40 C-NT2RP3003212//Rattus norvegicus lamina associated polypeptide 1C (LAP1C) mRNA, complete cds.//4.30E-187//1750bp//75%/U20286
 C-NT2RP3003230//Homo sapiens mRNA for hCRNN4, complete cds.//0//2350bp//99%/AB030656
 C-NT2RP3003242//Homo sapiens stannocalcin-related protein mRNA, complete cds.//0//2366bp//99%/AF098462
 45 C-NT2RP3003251//52 KD RO PROTEIN (SJOEGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A)).//4.20E-86//366aa//48%/P19474
 C-NT2RP3003282//Homo sapiens dynamin (DNM) mRNA, complete cds.//0//2596bp//98%/L36983
 C-NT2RP3003290//Mus musculus mRNA for Ndr1 related protein Ndr3, complete cds.//1.5E-310//1468bp//82%/AB033922
 50 C-NT2RP3003301//MITOCHONDRIAL LON PROTEASE HOMOLOG 1 PRECURSOR (EC 3.4.21.-).//1.10E-170//585aa//54%/O64948
 C-NT2RP3003313//Homo sapiens thyroid hormone receptor-associated protein complex component TRAP80 mRNA, complete cds.//0//2476bp//99%/AF117657
 C-NT2RP3003327//52 KD RO PROTEIN (SJOEGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A)) (RO52).//1.30E-35//178aa//44%/Q62191
 55 C-NT2RP3003353//HYPOTHETICAL 26.2 KD PROTEIN IN GDI1-COX15 INTERGENIC REGION.//2.80E-07//161aa//28%/P40084
 C-NT2RP3003385//Mus musculus SKD3 mRNA, complete cds.//0//2133bp//85%/U09874

- C-NT2RP3003409//Human DHHC-domain-containing cysteine-rich protein mRNA, complete cds.//9.20E-45//782bp//65%//U90653
- C-NT2RP3003411//Mus musculus COP9 complex subunit 7b (COPS7b) mRNA, complete cds.//6.30E-270//743bp//90%//AF071317
- 5 C-NT2RP3003490//Homo sapiens mRNA for putative phospholipase, complete cds.//4.50E-81//649bp//67%//AB019435
- C-NT2RP3003491//Drosophila melanogaster Pelle associated protein Pellino (Pli) mRNA, complete cds.//5.60E-36//842bp//62%//AF091624
- 10 C-NT2RP3003500//SCY1 PROTEIN.//9.20E-27//601aa//23%//P53009
- C-NT2RP3003555//HYPOTHETICAL 32.6 KD PROTEIN IN MET30-PIG2 INTERGENIC REGION.//4.50E-30//191aa//40%//P40529
- C-NT2RP3003589//Homo sapiens ras-related GTP-binding protein mRNA, complete cds.//0//3131bp//94%//AF106681
- 15 C-NT2RP3003659//HES1 PROTEIN.//5.90E-22//229aa//27%//P35843
- C-NT2RP3003665//Homo sapiens mRNA for beta-ureidopropionase, complete cds.//0//1690bp//99%//AB013885
- C-NT2RP3003672//T-CELL SURFACE GLYCOPROTEIN E2 PRECURSOR (E2 ANTIGEN) (CD99) (MIC2 PROTEIN) (12E7).//2.20E-13//146aa//42%//P14209
- C-NT2RP3003701//F-SPONDIN PRECURSOR.//1.80E-17//324aa//26%//P35446
- 20 C-NT2RP3003716//SLIT PROTEIN PRECURSOR.//6.60E-10//150aa//34%//P24014
- C-NT2RP3003726//Homo sapiens spermatogenesis associated PD1 mRNA, complete cds.//0//2568bp//99%//U28164
- C-NT2RP3003799//Rattus norvegicus Srg1 (Sytr1) mRNA, complete cds.//9.00E-238//1529bp//84%//U71294
- 25 C-NT2RP3003800//Rattus norvegicus tyrosine protein kinase pp60-c-src mRNA, complete cds.//1.90E-163//924bp//89%//AF130457
- C-NT2RP3003809//SAV PROTEIN.//1.10E-131//576aa//41%//Q07590
- C-NT2RP3003825//PHOSPHATIDYLCHOLINE TRANSFER PROTEIN (PC-TP).//9.60E-19//174aa//31%//P02720
- 30 C-NT2RP3003831//Homo sapiens ENDOGL-1 (alias ENGL-a) mRNA for endonuclease G-like protein-1, complete cds.//2.2e-316//1436bp//99%//AB020523
- C-NT2RP3003846//Homo sapiens mRNA for putative phospholipase, complete cds.//4.80E-277//1255bp//99%//AB019435
- 35 C-NT2RP3003876//Rattus norvegicus Rabin3 mRNA, complete cds.//4.50E-147//874bp//87%//U19181
- C-NT2RP3003914//UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE PRECURSOR (EC 2.4.1.-) (DUGT).//2.20E-20//76aa//64%//Q09332
- 40 C-NT2RP3003918//Homo sapiens VAMP-associated protein B (VAP-B) mRNA, complete cds.//0//2191bp//99%//AF086628
- C-NT2RP3004013//M.musculus Spnr mRNA for RNA binding protein.//6.50E-240//1215bp//94%//X84692
- C-NT2RP3004016//TRANSCRIPTION INTERMEDIARY FACTOR 1-BETA (NUCLEAR COREPRESSOR KAP-1) (KRAB-ASSOCIATED PROTEIN 1).//1.50E-17//226aa//26%//Q13263
- 45 C-NT2RP3004078//H.sapiens HRFX2 mRNA.//0//1806bp//99%//X76091
- C-NT2RP3004125//Mus musculus zinc finger protein splice variant FIZ1-B (Fiz1) mRNA, complete cds.//4.60E-229//1560bp//78%//AF126747
- C-NT2RP3004148//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//7.90E-05//271aa//22%//P08640
- 50 C-NT2RP3004155//Homo sapiens COQ7 protein mRNA, complete cds.//1.10E-179//823bp//100%//AF098948
- C-NT2RP3004189//VEGETATILE INCOMPATIBILITY PROTEIN HET-E-1.//1.30E-14//242aa//24%//Q00808
- C-NT2RP3004206//CROOKED NECK PROTEIN.//1.40E-220//567aa//67%//P17886
- 55 C-NT2RP3004207//Homo sapiens mRNA for type I transmembrane receptor (psk-1 gene).//0//2445bp//100%//AJ245820
- C-NT2RP3004209//Homo sapiens ubiquitin processing protease (Ubp-M) mRNA, complete cds.//0//2320bp//99%//AF126736
- C-NT2RP3004242//PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR (RHO/RAC GEF) (FACIOGENITAL DYSPLASIA PROTEIN HOMOLOG).//4.70E-13//118aa//33%//P52734
- C-NT2RP3004258//Homo sapiens ZIS1 mRNA, complete cds.//0//1861bp//99%//AF065391
- 60 C-NT2RP3004262//Homo sapiens heat shock protein hsp40-3 mRNA, complete cds.//2.40E-248//1126bp//100%//AF089892
- C-NT2RP3004282//Homo sapiens torsinA (DYT1) mRNA, complete cds.//5.10E-24//597bp//61%//AF007871
- C-NT2RP3004348//R.norvegicus mRNA for cytosolic resiniferatoxin-binding protein.//1.10E-185//1130bp//82%//

- X67877
C-NT2RP3004378//Drosophila melanogaster separation anxiety protein (san) mRNA, complete cds.//3.90E-38//462bp//70%//AF225902
- 5 C-NT2RP3004424//Homo sapiens mRNA for stromal antigen 3 (STAG3 gene).//1.00E-66//364bp//93%//AJ007798
C-NT2RP3004428//CHROMODOMAIN HELICASE-DNA-BINDING PROTEIN 4 (CHD-4) (MI-2 AUTOANTIGEN 218 KD PROTEIN) (MI2-BETA).//5.20E-09//212aa//25%//Q14839
C-NT2RP3004472//GERM CELL-LESS PROTEIN.//1.60E-61//170aa//40%//Q01820
C-NT2RP3004480//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS35.//3.30E-113//466aa//42%//P34110
- 10 C-NT2RP3004490//Homo sapiens mRNA for Musashi, complete cds.//4.00E-303//1385bp//99%//AB012851
C-NT2RP3004498//Mus musculus ROSA 26 transcription AS ROSA26AS mRNA, complete cds.//2.00E-249//1777bp//80%//U83176
C-NT2RP3004504//M.musculus mRNA for CPEB protein.//1.90E-295//893bp//92%//Y08260
C-NT2RP3004507//MOB1 PROTEIN (MPS1 BINDER 1).//3.70E-37//190aa//39%//P40484
- 15 C-NT2RP3004534//Mouse oncogene (ect2) mRNA, complete cds.//01/2075bp//87%//L11316
C-NT2RP3004544//THYROID RECEPTOR INTERACTING PROTEIN 10 (TRIP10) (FRAGMENT).//1.00E-22//1.3aa//53%//Q15642
C-NT2RP3004566//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//1.20E-95//434aa//43%//P51523
- 20 C-NT2RP3004569//ANKYRIN, BRAIN VARIANT 1 (ANKYRIN B) (ANKYRIN, NONERYTHROID).//3.80E-08//150aa//28%//Q01484
C-NT2RP3004572//Homo sapiens TATA binding protein associated factor (TAFII150) mRNA, complete cds.//01/1853bp//99%//AF040701
C-NT2RP3004578//MYOSIN HEAVY CHAIN, CLONE 203 (FRAGMENT).//5.50E-12//396aa//23%//P39922
- 25 C-NT2RP3004594//Homo sapiens mRNA for AND-1 protein.//01/1807bp//99%//AJ006266
C-NT2RP3004617//ZINC-BINDING PROTEIN A33.//7.20E-75//464aa//35%//Q02084
C-NT2RP3004618//Homo sapiens putative RNA-binding protein Q99 mRNA, complete cds.//01/3972bp//98%//AF093097
C-NT2RP3004669//ETHANOLAMINE KINASE (EC 2.7.1.82) (EASILY SHOCKED PROTEIN).//1.70E-72//254aa//45%//P54352
- 30 C-NT2RP3004670//Homo sapiens GN6ST mRNA for N-acetylglucosamine-6-O-sulfotransferase (GlcNAc6ST), complete cds.//01/2393bp//99%//AB014679
C-NT2RP4000008//CHLORINE CHANNEL PROTEIN P64.//2.60E-98//239aa//64%//P35526
C-NT2RP4000051//SYNAPTONEMAL COMPLEX PROTEIN SC65.//4.90E-51//335aa//37%//Q64375
- 35 C-NT2RP4000078//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//01/2160bp//99%//AJ012449
C-NT2RP4000109//Homo sapiens mRNA for MEGF5, partial cds.//01/2161bp//99%//AB011538
C-NT2RP4000111//CLEFTAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT (CPSF 100 KD SUBUNIT).//01/728aa//99%//Q10568
- 40 C-NT2RP4000129//Xenopus laevis F-box protein 28 (Fbx28) mRNA, partial cds.//1.40E-28//296bp//75%//AF176667
C-NT2RP4000147//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//4.30E-188//1543bp//78%//U35776
C-NT2RP4000210//PAIRED AMPHIPATHIC HELIX PROTEIN.//1.00E-71//396aa//36%//P22579
- 45 C-NT2RP4000212//ATRIAL GLAND-SPECIFIC ANTIGEN PRECURSOR (AGSA).//5.90E-15//104aa//40%//P15287
C-NT2RP4000243//Homo sapiens mRNA for cartilage-associated protein (CASP).//01/1932bp//99%//AJ006470
C-NT2RP4000246//NPC DERIVED PROLINE RICH PROTEIN 1 (NDPP-1).//2.70E-84//208aa//76%//Q03173
C-NT2RP4000259//GLUTATHIONE PEROXIDASE 2 (EC 1.11.1.9).//5.50E-29//153aa//43%//O23968
- 50 C-NT2RP4000290//HYPOTHETICAL 116.5 KD PROTEIN C20G8.09C IN CHROMOSOME 1.//3.50E-297//1024aa//55%//P87115
C-NT2RP4000312//ADENYLATE CYCLASE (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYL CYCLASE).//1.50E-26//237aa//28%//Q01631
C-NT2RP4000323//KERATIN, ULTRA HIGH-SULFUR MATRIX PROTEIN (UHS KERATIN).//3.00E-07//101aa//32%//P26372
- 55 C-NT2RP4000367//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds.//01/4782bp//99%//AF044195
C-NT2RP4000370//MITOCHONDRIAL PEPTIDE CHAIN RELEASE FACTOR 1 PRECURSOR (MRF-1).//2.60E-77//262aa//54%//O75570

- C-NT2RP4000376//Homo sapiens mRNA for phospholipase A2 activating protein.//0//2412bp/99%//AJ238243
 C-NT2RP4000398//ZINC FINGER PROTEIN 140.//2.90E-110//435aa//50%//P52738
 C-NT2RP4000415//Drosophila melanogaster fumble (fumble) mRNA, complete cds.//6.20E-19//902bp//57%//AF221546
- 5 C-NT2RP40004417//MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE (EC 3.2.1.113)(MAN(9)-ALPHA-MANNOSIDASE)(FRAGMENT).//2.60E-51//438aa//33%//P45701
 C-NT2RP4000449//Homo sapiens sirutin type 1 (SIRT1) mRNA, complete cds.//0//3143bp/99%//AF083106
 C-NT2RP4000455//TRANS-ACTING TRANSCRIPTIONAL PROTEIN ICPO.//3.00E-07//175aa//27%//P09309
 C-NT2RP4000457//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 15 (EC 3.1.2.15) (UBIQUITIN THI-OLESTERASE 15) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 15)(DEUBIQUITINATING ENZYME 15).//2.50E-37//291aa//38%//P50101
- 10 C-NT2RP4000481//ATP-DEPENDENT RNA HELICASE DOB1 (MRNA TRANSPORT REGULATOR MTR4).//1.90E-67//721aa//29%//Q09475
 C-NT2RP4000498//MOB1 PROTEIN (MPS1 BINDER 1).//8.80E-50//214aa//50%//P40484
 C-NT2RP4000518//ATP-DEPENDENT RNA HELICASE ROK1.//1.50E-106//495aa//45%//P45818
 C-NT2RP4000524//Mus musculus Sec8 mRNA, complete cds.//0//3131bp//87%//AF022962
 C-NT2RP4000528//NPL4 PROTEIN.//9.80E-86//515aa//37%//P33755
 C-NT2RP4000556//SUR4 PROTEIN (SRE1 PROTEIN).//7.40E-14//233aa//31%//P40319
 C-NT2RP4000614//Homo sapiens TLS-associated protein TASR-2 mRNA, complete cds.//2.90E-188//863bp//99%//AF067730
- 20 C-NT2RP4000648//TRANS-ACTING TRANSCRIPTIONAL PROTEIN ICPO.//3.70E-07//175aa//27%//P09309
 C-NT2RP4000657//SPORE COAT POLYSACCHARIDE BIOSYNTHESIS PROTEIN SPSE.//1.10E-32//350aa//30%//P39625
 C-NT2RP4000713//HYPOTHETICAL 55.1 KD PROTEIN B0416.5 IN CHROMOSOME X.//1.10E-13//295aa//27%//Q11073
 C-NT2RP4000724//RETROVIRUS-RELATED ENV POLYPROTEIN.//3.20E-191//199aa//78%//P10267
 C-NT2RP4000737//Mus musculus F-box protein FBL10 mRNA, partial cds.//4.60E-250//1462bp//84%//AF176524
 C-NT2RP4000781//HYPOTHETICAL 27.7 KD PROTEIN IN CPT1-SPC98 INTERGENIC REGION.//0.000000032//87aa//31%//P53915
- 30 C-NT2RP4000817//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//9.80E-11//503aa//23%//P08640
 C-NT2RP4000837//Homo sapiens mRNA for zinc finger protein SALL1.//4.30E-94//810bp//65%//Y18265
 C-NT2RP4000839//VEGETATIBLE INCOMPATIBILITY PROTEIN HET-E-1.//8.50E-21//271aa//28%//Q00808
 C-NT2RP4000855//AMINOPEPTIDASE B (EC 3.4.11.6) (ARGINYL AMINOPEPTIDASE)(ARGININE AMINOPEPTIDASE) (CYTOSOL AMINOPEPTIDASE IV) (AP-B).//5.70E-82//324aa//48%//Q09175
 C-NT2RP4000865//ZINC FINGER PROTEIN ZFP-36 (FRAGMENT).//4.10E-85//174aa//55%//P16415
 C-NT2RP4000878//MYELOID UPREGULATED PROTEIN.//6.20E-91//173aa//87%//Q35682
 C-NT2RP4000879//UBIQUITIN-ACTIVATING ENZYME EI (A1S9 PROTEIN).//9.60E-96//513aa//42%//P22314
 C-NT2RP4000907//Mouse NLRP1 mRNA for leucine-rich-repeat protein, complete cds.//0//2127bp//86%//D45913
- 40 C-NT2RP4000925//FIBROMODULIN PRECURSOR (FM) (COLLAGEN-BINDING 59 KD PROTEIN).//2.60E-26//227aa//36%//Q06828
 C-NT2RP4000927//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE DUB-1 (EC 3.1.2.15) (UBIQUITIN THI-OLESTERASE DUB-1) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE DUB-1) (DEUBIQUITINATING ENZYME 1).//1.50E-76//346aa//43%//Q061068
 C-NT2RP4000928//Homo sapiens mRNA for CDS2 protein.//0//2487bp/99%//Y16521
 C-NT2RP4000929//PUTATIVE ATP-DEPENDENT RNA HEUCASE MJ1505.//1.40E-07//185aa//25%//Q58900
 C-NT2RP4000973//PROBABLE PROTEIN DISULFIDE ISOMERASE P5 PRECURSOR (EC 5.3.4.1).//1.40E-26//90aa//42%//P38660
- 50 C-NT2RP4000979//Homo sapiens putative HIV-1 infection related protein mRNA, partial cds.//2.30E-81//389bp//100%//AF094583
 C-NT2RP4000989//UNC-47 PROTEIN.//8.20E-06//173aa//25%//P34579
 C-NT2RP4000997//DNA-DIRECTED RNA POLYMERASE 1135 KD POLYPEPTIDE (EC 2.7.7.6) (RNA POLYMERASE I SUBUNIT 2) (RPA135).//0//838aa//87%//P70700
 C-NT2RP4001004//VACUOLAR PROTEIN 8.//3.70E-16//401aa//26%//P39968
 C-NT2RP4001010//Rattus norvegicus PSD-95/SAP90-associated protein-4 mRNA, complete cds.//3.50E-257//1377bp//91%//U67140
 C-NT2RP4001029//Homo sapiens transcription factor LBP-1b (LBP-1) mRNA, complete cds.//0//2002bp//98%//

AF198487

C-NT2RP4001041//PROBABLE LEUCYL-TRNA SYNTHETASE (EC 6.1.1.4) (LEUCINE--TRNA LIGASE)//1.50E-92//443aa//44%//Q09996

C-NT2RP4001064//SYNAPTONEMAL COMPLEX PROTEIN SC65.//6.70E-51//335aa//37%//Q64375

5 C-NT2RP4001079//CALCIUM-TRANSPORTING ATPASE 1 (EC 3.6.1.38) (GOLGI CA2+-ATPASE)//1.30E-123//563aa//46%//P13586

C-NT2RP4001080//Homo sapiens mRNA for Rod1, complete cds.//0//1439bp//99%//AB023967

C-NT2RP4001086//NEUROFILAMENT TRIPLET H PROTEIN (200 KD NEUROFILAMENT PROTEIN) (NF-H)//2.30E-07//474aa//22%//P12036

10 C-NT2RP4001095//DOUBLE-STRANDED RNA-SPECIFIC EDITASE 1 (EC 3.5.-.) (DSRNA ADENOSINE DEAMINASE) (RNA EDITING ENZYME 1)//2.60E-17//121aa//36%//P51400

C-NT2RP4001117//PROTEIN TRANSPORT PROTEIN SEC61 ALPHA SUBUNIT//1.90E-115//224aa//100%//P38378

C-NT2RP4001122//mPD PROTEIN//1.40E-65//253aa//741%//O15736

15 C-NT2RP4001126//TRICHOHYALIN//2.90E-18//380aa//26%//Q07283

C-NT2RP4001143//SUCCINYL-DIAMINOPIMELATE DESUCCINYLAASE (EC 3.5.1.18) (SDAP)//2.10E-07//93aa//33%//P44514

C-NT2RP4001148//SOF1 PROTEIN//1.30E-104//236aa//52%//P33750

20 C-NT2RP4001149//Homo sapiens delect lip and palate transmembrane protein 1 (CLPTM1) mRNA, complete cds.//4.40E-187//731bp//100%//AF037339

C-NT2RP4001150//NG-CAM RELATED CELL ADHESION MOLECULE PRECURSOR (NR-CAM) (BRAVO)//3.40E-29//385aa//29%//P35331

C-NT2RP4001174//NON-GREEN PLASTID TRIOSE PHOSPHATE TRANSLOCATOR PRECURSOR (CTPT)//4.70E-29//227aa//35%//P52178

25 C-NT2RP4001206//Drosophila melanogaster strawberry notch (sno) mRNA, complete cds.//4.40E-104//1460bp//65%//U95760

C-NT2RP4001207//Homo sapiens Ran binding protein 11 mRNA, complete cds.//0//2940bp//99%//AF111109

C-NT2RP4001213//ZINC FINGER PROTEIN 184 (FRAGMENT)//5.70E-141//511aa//43%//Q99676

30 C-NT2RP4001219//PROBABLE PROTEIN DISULFIDE ISOMERASE P5 PRECURSOR (EC 5.3.4.1)//6.20E-27//90aa//42%//P38660

C-NT2RP4001228//RING CANAL PROTEIN (KELCH PROTEIN)//1.80E-103//508aa//43%//Q04652

C-NT2RP4001256//Homo sapiens mRNA for gamma tubulin ring complex protein (76p gene)//0//2006bp//100%//AJ249677

35 C-NT2RP4001260//Homo sapiens F-box protein Fbx21 (FBX21) mRNA, complete cds.//0//1866bp//100%//AF174601

C-NT2RP4001274//Human transporter protein (g17) mRNA, complete cds.//4.40E-58//1196bp//61%//U49082

C-NT2RP4001276//TRICHOHYALIN//7.90E-09//126aa//32%//Q07283

C-NT2RP4001313//MITOCHONDRIAL IMPORT RECEPTOR SUBUNIT TOM40 (MOM38 PROTEIN) (TRANSLOCASE OF OUTER MEMBRANE 40 KD SUBUNIT)//5.90E-17//296aa//29%//P24391

40 C-NT2RP4001315//Bos taurus mRNA for Rab5 GDP/GTP exchange factor, Rabex5.//8.50E-213//1129bp//92%//AJ001119

C-NT2RP4001336//GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT-LIKE PROTEIN//0.000016//186aa//29%//Q24076

C-NT2RP4001339//Homo sapiens mRNA for AMMERC1 protein.//9.20E-160//736bp//99%//AJ007014

45 C-NT2RP4001345//Homo sapiens mRNA for LCAT-like lysophospholipase (LLPL), complete cds.//2.7E-310//1400bp//100%//AB017494

C-NT2RP4001351//Human ovarian cancer downregulated myosin heavy chain homolog (Doc1) mRNA, complete cds.//1.40E-58//2425bp//59%//U53445

50 C-NT2RP4001372//IRREGULAR CHIASM C-ROUGHEST PROTEIN PRECURSOR (IRREC PROTEIN)//1.60E-19//222aa//30%//Q08180

C-NT2RP4001375//NON-RECEPTOR TYROSINE KINASE SPORE LYSIS A (EC 2.7.1.112) (TYROSINE- PROTEIN KINASE 1)//9.20E-17//146aa//35%//P18160

C-NT2RP4001379//HYPOTHETICAL 49.1 KD PROTEIN C11D3.06 IN CHROMOSOME 1//2.00E-53//436aa//30%//Q10085

55 C-NT2RP4001389//KESIPROTEIN//1.70E-31//342aa//34%//P35844

C-NT2RP4001407//TRICHOHYALIN//1.90E-05//298aa//21%//P22793

C-NT2RP4001414//SEPTIN 2 HOMOLOG (FRAGMENT)//7.70E-190//422aa//82%//Q14141

C-NT2RP4001433//ZINC FINGER PROTEIN 184 (FRAGMENT)//1.20E-138//419aa//54%//Q99676

- C-NT2RP4001474//Xenopus laevis putative Zic3 binding protein mRNA, complete cds./2.70E-66//738bp//71%//AF129131
- C-NT2RP4001483//2-OXOGLUTARATE DEHYDROGENASE EI COMPONENT PRECURSOR (EC 1.2.4.2) (ALPHA-KETOGLUTARATE DEHYDROGENASE).//10//962aa//78%//Q02218
- 5 C-NT2RP4001498//ANKYRIN REPEAT-CONTAINING PROTEIN AKR1.//1.00E-27//374aa//29%//P39010
- C-NT2RP4001529//Homo sapiens transcription factor LBP-1b (LBP-1) mRNA, complete cds.//10//2002bp//98%//AF198487
- C-NT2RP4001547//HYPOTHETICAL 45.0 KD PROTEIN IN NOT1/CDC39-HMR INTERGENIC REGION.//5.70E-54//242aa//38%//P25666
- 10 C-NT2RP4001551//Homo sapiens chromatin-specific transcription elongation factor FACT 140 kDa subunit mRNA, complete cds.//0//3202bp//99%//AF152961
- C-NT2RP4001555//PUTATIVE ENDONUCLEASE VIII (EC 3.2.-.-).//4.70E-09//216aa//24%//P96902
- C-NT2RP4001567//ARMADILLO SEGMENT POLARITY PROTEIN.//5.40E-07//213aa//26%//Q02453
- C-NT2RP4001568//ZINC FINGER PROTEIN GCS1.//1.80E-10//109aa//36%//P35197
- 15 C-NT2RP4001574//COATOMER GAMMA SUBUNIT (GAMMA-COAT PROTEIN) (GAMMA-COP).//10//874aa//96%//P53620
- C-NT2RP4001575//Rattus norvegicus mRNA for ARE1 protein.//10//1087bp//87%//AJ223830
- C-NT2RP4001592//ISOLEUCYL-TRNA SYNTHETASE (EC 6.1.1.5) (ISOLEUCINE--TRNA LIGASE) (ILERS).//1.70E-14//1373aa//74%//P73505
- 20 C-NT2RP4001634//CENTROMERIC PROTEIN E (CENP-E PROTEIN).//2.80E-14//652aa//22%//Q02224
- C-NT2RP4001638//DNA REPAIR/TRANSCRIPTION PROTEIN MET18/MMS19.//5.10E-46//234aa//32%//P40469
- C-NT2RP4001644//MYOSIN UGHT CHAIN KINASE (EC 2.7.1.117) (MLCK).//6.40E-19//111aa//45%//P25323
- 25 C-NT2RP4001656//VACUOLAR BIOGENESIS PROTEIN END1 (PEP5 PROTEIN).//1.10E-45//310aa//27%//P12868
- C-NT2RP4001696//CLEFTAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT (CPSF 100 KD SUBUNIT).//4.00E-10//243aa//25%//Q10568
- C-NT2RP4001725//GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT.//3.00E-10//128aa//32%//Q10282
- 30 C-NT2RP4001730//UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE PRECURSOR (EC 2.4.1.-) (DUGT).//6.40E-170//1168aa//33%//Q09332
- C-NT2RP4001753//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//3.90E-236//665aa//58%//P51523
- C-NT2RP4001760//PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR (RHO/RAC GEF) (FA-CIOGENITAL DYSPLASIA PROTEIN).//4.10E-16//263aa//27%//P98174
- 35 C-NT2RP4001790//Homo sapiens zinc finger protein ZFP-95 (ZFP95) mRNA, alternatively spliced, complete cds.//0//3053bp//99%//AF170025
- C-NT2RP4001822//PLATELET-ENDOTHELIAL TETRASPAN ANTIGEN 3 (PETA-3) (GP27) (MEMBRANE GLYCOPROTEIN SFA-1) (CD151 ANTIGEN).//1.20E-30//241aa//30%//O35566
- 40 C-NT2RP4001823//MICROFIBRIL-ASSOCIATED GLYCOPROTEIN 4.//1.10E-19//77aa//54%//P55083
- C-NT2RP4001838//Homo sapiens CoREST protein (COREST) mRNA, complete cds.//6.30E-99//555bp//73%//AF155595
- C-NT2RP4001849//SH3-BINDING PROTEIN 3BP-1.//1.40E-85//489aa//43%//P55194
- C-NT2RP4001861//HTUCHOYALIN.//1.00E-35//307aa//34%//P37709
- 45 C-NT2RP4001896//VEGETATILE INCOMPATIBILITY PROTEIN AKR-E-1.//1.40E-08//345aa//72%//Q00808
- C-NT2RP4001927//MICROTUBULE-ASSOCIATED PROTEIN YTM1.//1.30E-38//258aa//32%//Q12024
- C-NT2RP4001938//TRANSCRIPTIONAL REPRESSOR CTCF.//9.80E-60//303aa//38%//P49711
- C-NT2RP4001946//PROTEIN-L-ISOASPARTATE O-METHYLTRANSFERASE (EC 2.1.1.77) (PROTEIN- BETA-ASPARTATE METHYLTRANSFERASE) (PIMT) (PROTEIN L-ISOASPARTYL METHYLTRANSFERASE) (L-ISO-ASPARTYL PROTEIN CARBOXYL METHYLTRANSFERASE).//1.50E-13//211aa//28%//Q43209
- 50 C-NT2RP4001950//GLUTAMIC ACID-RICH PROTEIN PRECURSOR.//1.20E-13//356aa//27%//P13816
- C-NT2RP4001966//Mus musculus ODZ3 (Odz3) mRNA, partial cds.//10//3203bp//87%//AF195418
- C-NT2RP4001975//Homo sapiens golgi membrane protein GP73 mRNA, complete cds.//10//3024bp//99%//AF236056
- 55 C-NT2RP4002018//RING CANAL PROTEIN (KELCH PROTEIN).//6.90E-24//370aa//27%//Q04652
- C-NT2RP4002047//GTP-BINDING PROTEIN LEPA.//1.50E-168//601aa//52%//O67618
- C-NT2RP4002058//PUTATIVE PRE-MIRNA SPLICING FACTOR RNA HELICASE (DEAH BOX PROTEIN 13)//1.00E-137//679aa//40%//O43143

- C-NT2RP4002078//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//3.00E-150//I722aa//39%//Q05481
- C-NT2RP4002081//TRANSCRIPTION INITIATION FACTOR IIA ALPHA AND BETA CHAINS (TFIIA P35 AND PI 9 SUBUNITS) (TFIIA-42) (TFIIA).//6.70E-06//250aa//31%//P52655
- 5 C-NT2RP4002408//PROTEIN KINASE CEK1 (EC 2.7.1.-).//1.50E-63//159aa//53%//P38938
- C-NT2RP4002791//NUCLEOPROTEIN TPR.//6.50E-05//659aa//23%//P12270
- C-NT2RP5003461//RLR1 PROTEIN.//9.70E-22//177aa//27%//P53552
- C-NT2RP5003477//VEGETATILE INCOMPATIBILITY PROTEIN HET-E-1.//5.50E-15//280aa//27%//Q00808
- 10 C-NT2RP5003500//Mus musculus mRNA for heparan sulfate 6-sulfotransferase 2, complete cds.//1.30E-237//820bp//87%//AB024565
- C-NT2RP5003506//Homo sapiens putative G protein-coupled receptor (RAIG1) mRNA, complete cds.//0//2289bp//99%//AF095448
- C-NT2RP5003522//NADPH-CYTOCHROME P450 REDUCTASE (EC 1.6.2.4) (CPR).//3.30E-23//219aa//40%//P37116
- 15 C-OVARC1000001//Homo sapiens mRNA for actin binding protein ABP620, complete cds.//7.00E-217//683bp//99%//AB029290
- C-OVARC1000006//HISTONE H2A.1.//1.10E-55//117aa//99%//P02262
- C-OVARC1000013//APOPTOTIC PROTEASE ACTIVATING FACTOR 1 (APAF-1).//4.20E-06//102aa//32%//O14727
- 20 C-OVARC1000014//Homo sapiens GLE1 (GLE1) mRNA, complete cds.//2.60E-295//1393bp//97%//AF058922
- C-OVARC1000060//EXTRACELLULAR RIBONUCLEASE LE PRECURSOR (EC 3.1.27.1) (RNASE LE).//3.20E-07//60aa//45%//P80022
- C-OVARC1000071//Homo sapiens NTF2-related export protein NXT1 (NXT1) mRNA, complete cds.//1.50E-47//727bp//67%//AF156957
- 25 C-OVARC1000085//Human mRNA for proteasome subunit HC5.//1.00E-151//699bp//100%//D00761
- C-OVARC1000087//HISTONE MACRO-H2A.1.//1.60E-12//174aa//26%//Q02874
- C-OVARC1000091//HOST CELL FACTOR C1 (HCF) (VP16 ACCESSORY PROTEIN) (HFC1) (VCAF) (CFF).//8.40E-14//259aa//30%//P51610
- C-OVARC1000106//TROPOMYOSIN 1, FUSION PROTEIN 33.//0.000032//165aa//27%//P49455
- 30 C-OVARC1000139//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 4 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE 4) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 4) (DEUBIQUITINATING ENZYME 4) (UBIQUITOUS NUCLEAR PROTEIN HOMOLOG).//2.70E-12//120aa//32%//Q13107
- C-OVARC1000151//Homo sapiens partial mRNA for putative protein p38 interacting with transcription factor Spl.//2.50E-95//461bp//98%//AJ242975
- 35 C-OVARC1000209//Oryza sativa submergence induced protein 2A mRNA, complete cds.//1.80E-32//511bp//65%//AF068332
- C-OVARC1000241//HYPOXIA-INDUCIBLE FACTOR 1 ALPHA (HIF-1 ALPHA) (ARNT INTERACTING PROTEIN) (MEMBER OF PAS PROTEIN 1) (MOP1) (HIF1 ALPHA).//8.20E-120//351aa//54%//Q16665
- C-OVARC1000288//VACUOLAR AMINOPEPTIDASE I PRECURSOR (EC 3.4.11.22) (POLYPEPTIDASE)(LEUCINE AMINOPEPTIDASE IV) (LAPIV) (AMINOPEPTIDASE III)(AMINOPEPTIDASE YSCI).//5.40E-53//384aa//30%//P14904
- 40 C-OVARC1000304//PROTEIN MOV-10.//1.10E-249//519aa//87%//P23249
- C-OVARC1000309//THREONINE SYNTHASE (EC 4.2.99.2).//2.70E-40//154aa//38%//P29363
- C-OVARC1000326//Rattus norvegicus lamina-associated polypeptide 1C (LAP1C) mRNA, complete cds.//9.20E-148//787bp//76%//U19614
- 45 C-OVARC1000335//HYPOTHETICAL 39.3 KD PROTEIN IN GCN4-WBP1 INTERGENIC REGION.//5.90E-14//200aa//27%//P40004
- C-OVARC1000437//TENSIN.//7.90E-181//340aa//84%//Q04205
- C-OVARC1000465//PROTEIN TRANSPORT PROTEIN SEC7.//1.20E-25//227aa//25%//P11075
- 50 C-OVARC1000473//DUAL SPECIFICITY PROTEIN PHOSPHATASE 3 (EC 3.1.3.48) (EC 3.1.3.16) (DUAL SPECIFICITY PROTEIN PHOSPHATASE VHR).//3.10E-10//125aa//35%//P51452
- C-OVARC1000479//Rattus norvegicus mRNA for TIP120, complete cds.//0//1872bp//89%//D87671
- C-OVARC1000520//Homo sapiens supervillin mRNA, complete cds.//2.20E-157//892bp//91%//AF051850
- C-OVARC1000556//RIBOSOMAL PROTEIN S6 KINASE II ALPHA 2 (EC 2.7.1.-) (S6KII-ALPHA 2) (P90-RSK 2) (RIBOSOMAL S6 KINASE 3) (RSK3) (PP90RSK3).//3.30E-67//132aa//95%//Q15349
- 55 C-OVARC1000564//Homo sapiens sorting nexin 5 (SNX5) mRNA, complete cds.//1.0E-310//1440bp//98%//AF121855
- C-OVARC1000649//Human squamous cell carcinoma of esophagus mRNA for GRB-7 SH2 domain protein, com-

- plete cds.//0/1812bp//98%/D43772
 C-OVARC1000679//Homo sapiens myosin-Ix mRNA, complete cds.//0/808bp//99%/AF117888
 C-OVARC1000682//PROCESSING ALPHA-1,2-MANNOSIDASE (EC 3.2.1.-) (ALPHA-1,2-MANNOSIDASE 1B).//1.10E-209//293aa//95%/P39098
- 5 C-OVARC1000722//Homo sapiens chromosome 1q21-1q23 beta-1,4-galactosyltransferase mRNA, complete cds.//0/759bp//98%/AF038661
 C-OVARC1000746//MATERNAL EFFECT PROTEIN STAUFEN.//0.000000017//78aa//48%/P25159
 C-OVARC1000751//PROBABLE PROTEIN PHOSPHATASE 2C T23F11.1 (EC 3.1.3.16) (PP2C).//5.60E-11//74aa//37%/P49596
- 10 C-OVARC1000771//RAS-RELATED PROTEIN RAB-2.//1.10E-46//121aa//79%/P08886
 C-OVARC1000800//MITOCHONDRIAL STRESS-70 PROTEIN PRECURSOR (75 KD GLUCOSE REGULATED PROTEIN) (GRP 75).//3.90E-46//78aa//98%/O35501
 C-OVARC1000834//Homo sapiens mRNA for atopy related autoantigen CALC.//2.80E-258//1183bp//99%/Y17711
 C-OVARC1000846//NUCLEOLIN (PROTEIN C23).//0.0000097//109aa//30%/P08199
- 15 C-OVARC1000850//Homo sapiens PB39 mRNA, complete cds.//0/2095bp//99%/AF045584
 C-OVARC1000862//M. musculus mRNA for FT1.//5.90E-228//1498bp//81%/Z67963
 C-OVARC1000876//MOB1 PROTEIN (MPS1 BINDER 1).//2.20E-50//206aa//52%/P04084
 C-OVARC1000885//OXIDOREDUCTASE UCFA (EC 1.-.-).//1.30E-32//170aa//34%/P37440
 C-OVARC1000915//Homo sapiens histone deacetylase 5 mRNA, complete cds.//1.60E-121//591bp//97%/AF132608
- 20 C-OVARC1000936//COAT PROTEIN GP37 (ENV PROTEIN GP37).//0.0000054//135aa//28%/P03398
 C-OVARC1000937//S-PHASE ENTRY CYCLIN 6.//4.90E-10//61aapb//49%/P32943
 C-OVARC1000945//Rattus norvegicus mRNA for atypical PKC specific binding protein, complete cds.//0/1961bp//82%/AB005549
- 25 C-OVARC1000959//HYPOTHETICAL PROTEIN MJ0933.//1.20E-17//127aa//33%/Q58343
 C-OVARC1000999//ANKYRIN HOMOLOG PRECURSOR.//4.10E-11//189aa//32%/Q06527
 C-OVARC1001034//Mus musculus Fn54 mRNA, partial cds.//1.50E-178//1113bp//86%/AF001533
 C-OVARC1001038//Homo sapiens mRNA for Ariadne-2 protein.//0/1172bp//97%/AJ130978
 C-OVARC1001051//EPIDERMAL GROWTH FACTOR RECEPTOR SUBSTRATE SUBSTRATE 15 (PROTEIN EPS15) (AF-1P PROTEIN).//1.10E-08//216aa//23%/P42566
- 30 C-OVARC1001055//PRE-B CELL ENHANCING FACTOR PRECURSORS.//1.90E-35//76aa//98%/P43490
 C-OVARC1001065//Homo sapiens CGI-12 protein mRNA, complete cds.//1.00E-215//1027bp//98%/AF132946
 C-OVARC1001068//Homo sapiens Era GTPase A protein (HERA-A) mRNA, partial cds.//0/1819bp//99%/AF082657
- 35 C-OVARC1001092//Homo sapiens mRNA for JM5 protein, complete CDS (clone IMAGE 53337, LLNLc110F1857Q7 (RZPD Berlin) and LLNLc110G0913Q7 (RZPD Berlin)).//2.00E-214//769bp//97%/AJ005897
 C-OVARC1001107//Homo sapiens protein methyltransferase (JBP1) mRNA, complete cds.//6.10E-276//594bp//98%/AF167572
- 40 C-OVARC1001113//Homo sapiens diaphanous 1 (HDI1) mRNA, complete cds.//5.1E-310//1588bp//93%/AF051782
 C-OVARC1001154//Homo sapiens clone 24720 epithelin 1 and 2 mRNA, complete cds.//2.30E-296//1561bp//93%/AF055008
 C-OVARC1001171//Homo sapiens translation initiation factor 3 47 kDa subunit mRNA, complete cds.//5.70E-151//436bp//92%/U94855
- 45 C-OVARC1001180//UBIQUITIN-LIKE PROTEIN DSK2.//1.10E-11//221aa//25%/P48510
 C-OVARC1001200//Mus musculus mRNA for HS1 binding protein 3.//5.80E-88//658bp//80%/AJ132192
 C-OVARC1001232//CLEAVAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT (CPSF 100 KD SUBUNIT).//5.10E-22//83aa//37%/Q10568
 C-OVARC1001244//H. sapiens mRNA for Drosophila female sterile homeotic (FSH) homologue.//0/1467bp//99%/X62083
- 50 C-OVARC1001271//NUCLEOLAR TRANSCRIPTION FACTOR 1 (UPSTREAM BINDING FACTOR 1) (UBF-1).//0.0000014//224aa//26%/P25976
 C-OVARC1001306//N-MYC PROTO-ONCOGENE PROTEIN.//0.0000073//247aa//27%/P18444
 C-OVARC1001342//40S RIBOSOMAL PROTEIN S8.//1.40E-110//207aa//99%/P09058
- 55 C-OVARC1001372//Homo sapiens liprin-alpha4 mRNA, partial cds.//2.00E-252//1146bp//99%/AF034801
 C-OVARC1001381//Homo sapiens mRNA for candidate tumor suppressor involved in B-CLL.//6.00E-148//683bp//99%/AJ224819
 C-OVARC1001417//Homo sapiens thyroid hormone receptor-associated protein complex component TRAP170

mRNA, complete cds.//0//1715bp//99%//AF135802

C-OVARC1001419//Homo sapiens GOK (STIM1) mRNA, complete cds.//4.90E-48//586bp//69%//U52426

C-OVARC1001436//ENL PROTEIN.//0.00000009//81aa//39%//Q03111

5 C-OVARC1001476//Mus musculus YGR163w mRNA homologue, complete cds.//1.80E-187//510bp//89%//AB017616

C-OVARC1001496//Homo sapiens C-terminal binding protein 2 mRNA, complete cds.//0//1876bp//98%//AF016507

C-OVARC1001506//POLYCYSTIN PRECURSOR (AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE PROTEIN 1).//0//777aa//91%//P98161

10 C-OVARC1001555//NGG1-INTERACTING FACTOR 3.//4.40E-19//130aa//40%//P53081

C-OVARC1001577//Homo sapiens SRp46 splicing factor transcribed retroseudogene.//0//1167bp//100%//AF031165

C-OVARC1001610//Homo sapiens choline/ethanolaminephosphotransferase (CEPT1) mRNA, complete cds.//0//1870bp//99%//AF068302

15 C-OVARC1001703//Mus musculus ARL-6 interacting protein-2 (Aip-2) mRNA, complete cds.//3.50E-16//399bp//61%//AF133670

C-OVARC1001711//CORNIFIN B (SMALL PROLINE-RICH PROTEIN 1B) (SPR1B) (SPR1 B).//2.80E-10//106aa//38%//Q62267

20 C-OVARC1001713//ENDOPEPTIDYL-AMINOPEPTIDASE-RELATED PROTEIN PRECURSOR (MEMBRANE-ASSOCIATED DI-AZEPAM BINDING INHIBITOR) (MA-DI).//4.40E-40//195aa//41%//P07106

C-OVARC1001726//APICAL-LIKE PROTEIN (APXL PROTEIN).//4.30E-16//116aa//43%//Q13796

C-OVARC1001731//TROPOMYOSIN ALPHA CHAIN, FIBROBLAST ISOFORM F2.//4.00E-122//282aa//85%//P08942

25 C-OVARC1001762//N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88) (AMINO-TERMINAL, ALPHA- AMINO, ACETYLTRANSFERASE 1).//6.40E-85//514aa//34%//P12945

C-OVARC1001766//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds.//0//963bp//99%//U97670

C-OVARC1001809//Mus musculus sphingosine kinase (SPHK1a) mRNA, partial cds.//2.70E-190//1624bp//76%//AF068748

30 C-OVARC1001942//N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88) (AMINO-TERMINAL, ALPHA- AMINO, ACETYLTRANSFERASE 1).//3.10E-81//497aa//35%//P12945

C-OVARC1001943//Mus musculus DEBT-91 mRNA, complete cds.//0//2035bp//87%//AF143859

C-OVARC1001987//Homo sapiens prolactin regulatory element-binding protein (PREB) mRNA, complete cds.//0//1083bp//99%//AF203687

35 C-OVARC1002050//Homo sapiens mRNA for actin binding protein ABP620, complete cds.//0//1019bp//99%//AB029290

C-OVARC1002112//HISTONE MACRO-H2A.1.//3.00E-174//371aa//90%//Q02874

C-OVARC1002127//SODIUM-INDEPENDENT ORGANIC ANION TRANSPORTER 2 (BRAIN DIGOXIN CARRIER PROTEIN) (BRAIN-SPECIFIC ORGANIC ANION TRANSPORTER) (OATP-B1).//5.40E-52//306aa//35%//Q35913

40 C-OVARC1002138//SAP1 PROTEIN.//7.60E-60//128aa//59%//P39955

C-OVARC1002156//Danio rerio uridine kinase mRNA, complete cds.//6.00E-16//262bp//64%//AF195851

C-OVARC1002165//3-OXO-5-ALPHA-STEROID 4-DEHYDROGENASE 2 (EC 1.3.99.5) (STEROID 5-ALPHA-REDUCTASE 2) (SR TYPE 2).//7.60E-08//114aa//37%//P31213

45 C-OVARC1002182//BETA-TRCP (BETA-TRANSDUCIN REPEAT-CONTAINING PROTEIN) (BTRCP).//1.70E-09//207aa//30%//Q91854

C-PLACE1000004//Homo sapiens IDN3-B mRNA, complete cds.//0//2365bp//99%//AB019602

C-PLACE1000007//PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE R10E11.3 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE) (DEUBIQUITINATING ENZYME).//1.60E-81//212aa//70%//P34547

50 C-PLACE1000040//TRANSFORMING PROTEIN P21/K-RAS 2B.//1.40E-17//185aa//32%//P08643

C-PLACE1000061//Human ribosomal protein L37a mRNA sequence.//7.90E-54//190bp//94%//L22154

C-PLACE1000066//SSU72 PROTEIN.//1.10E-39//206aa//43%//P53538

C-PLACE1000081//Human SEC7 homolog Tic (TIC) mRNA, complete cds.//0//2077bp//99%//U63127

55 C-PLACE1000133//TRANSCRIPTION FACTOR BTF3 (RNA POLYMERASE B TRANSCRIPTION FACTOR 3).//1.80E-62//158aa//81%//P20290

C-PLACE1000142//3-HYDROXYBUTYRYL-COA DEHYDRATASE (EC 4.2.1.55) (CROTONASE).//2.80E-29//134aa//43%//P52046

- C-PLACE1000184//Homo sapiens estrogen-related receptor gamma mRNA, complete cds.//1.30E-305//1417bp//98%//AF058291
- C-PLACE1000185//Homo sapiens mRNA for N-Acetylglucosamine kinase.//4.90E-258//1183bp//99%//AJ242910
- 5 C-PLACE1000213//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA-GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//4.50E-05//197aa//26%//P08640
- C-PLACE1000383//Homo sapiens mRNA for TMTR1 protein.//0//753bp//99%//AJ224979
- C-PLACE1000401//POLIOVIRUS RECEPTOR PRECURSOR (CD155 ANTIGEN).//2.70E-30//352aa//31%//P15151
- 10 C-PLACE1000406//PTB-ASSOCIATED SPLICING FACTOR (PSF).//1.20E-132//1334aa//72%//P23246
- C-PLACE1000420//7,8-DIHYDRO-8-OXOGUANINE TRIPHOSPHATASE (EC 3.1.6.-) (8-OXO-DGTPASE).//2.80E-06//1134aa//29%//P53368
- C-PLACE1000492//Rat vacuolar protein sorting homolog r-vps33b mRNA, complete cds.//0//2041bp//87%//U35245
- 15 C-PLACE1000547//Homo sapiens GDP-mannose pyrophosphorylase B (GMPPB) mRNA, complete cds.//3.70E-241//1124bp//98%//AF135421
- C-PLACE1000583//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//1.60E-47//207aa//46%//P51522
- C-PLACE1000588//INTERFERON-INDUCED GUANYLATE-BINDING PROTEIN 1 (GUANINE NUCLEOTIDE-BINDING PROTEIN 1).//1.60E-270//437aa//86%//P32455
- 20 C-PLACE1000598//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//0//1540bp//99%//AJ012449
- C-PLACE1000610//MSN5 PROTEIN.//0.0000026//136aa//26%//P52918
- C-PLACE1000611//Rattus norvegicus neural membrane protein 35 mRNA, complete cds.//2.00E-55//779bp//67%//AF044201
- 25 C-PLACE1000636//MALE STERILITY PROTEIN 2.//1.20E-39//261aa//27%//Q08891
- C-PLACE1000653//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//0//1992bp//99%//AF180371
- C-PLACE1000656//Homo sapiens mRNA for JM4 protein, complete CDS (clone IMAGE 546750 and LLNLC110F1857Q7 (RZPD Berlin)).//2.10E-277//1260bp//99%//AJ005896
- 30 C-PLACE1000706//Homo sapiens transcriptional intermediary factor 1 gamma mRNA, complete cds.//0//1368bp//99%//AF119043
- C-PLACE1000755//Homo sapiens mRNA for Helicase-MOI, complete cds.//4.60E-250//1189bp//97%//AB028449
- C-PLACE1000769//Homo sapiens CGI-18 protein mRNA, complete cds.//0//1985bp//98%//AF132952
- C-PLACE1000786//PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR (RHO/RAC GEF) (FA-CIOGENITAL DYSPLASIA PROTEIN HOMOLOG).//7.10E-09//59aa//47%//P52734
- 35 C-PLACE1000793//NEUROGENIC PROTEIN BIG BRAIN.//1.70E-07//251aa//24%//P23645
- C-PLACE1000863//PUTATIVE MITOCHONDRIAL 40S RIBOSOMAL PROTEIN YHR148W.//2.50E-49//181aa//54%//P32899
- C-PLACE1000909//ANKYRIN REPEAT-CONTAINING PROTEIN AKR1.//2.60E-19//404aa//26%//P39010
- 40 C-PLACE1000977//BETA-CHIMAERIN (BETA-CHIMERIN).//4.40E-22//129aa//35%//Q03070
- C-PLACE1000979//ZINC FINGER PROTEIN 135.//2.50E-153//326aa//64%//P52742
- C-PLACE1000987//Rattus norvegicus late gestation lung 2 protein (Lgl2) mRNA, complete cds.//5.90E-278//1476bp//92%//AF110195
- 45 C-PLACE1001036//Homo sapiens mRNA for alpha integrin binding protein 63, partial.//0//1988bp//99%//AJ131721
- C-PLACE1001054//Homo sapiens mRNA for RuvB-like DNA helicase TIP49b, complete cds.//4.00E-300//1355bp//100%//AB024301
- C-PLACE1001062//Homo sapiens mRNA for lysine-ketoglutarate reductase/saccharopine dehydrogenase, partial CDS.//1.60E-207//742bp//99%//AJ007714
- C-PLACE1001092//Homo sapiens sorting nexin 4 mRNA, complete cds.//0//1500bp//99%//AF065485
- 50 C-PLACE1001104//MYOSIN HEAVY CHAIN, NON-MUSCLE (ZIPPER PROTEIN) (MYOSIN II).//6.80E-18//529aa//23%//Q99323
- C-PLACE1001118//ZINC FINGER PROTEIN 135.//5.40E-147//443aa//57%//P52742
- C-PLACE1001171//MYOTUBULARIN.//7.10E-84//198aa//73%//Q13496
- C-PLACE1001238//Mouse mRNA for RNA polymerase I associated factor (PAF53), complete cds.//2.00E-202//1333bp//80%//D14336
- 55 C-PLACE1001257//RING CANAL PROTEIN (KELCH PROTEIN).//4.30E-54//257aa//46%//Q04652
- C-PLACE1001294//Mus musculus XY body protein (Xybp) mRNA, complete cds.//6.20E-223//1092bp//78%//AF120207
- C-PLACE1001304//Homo sapiens C2H2 (Kruppel-type) zinc finger protein mRNA, complete cds.//0//2145bp//

- 99%//AF159567
C-PLACE1001377//Homo sapiens ADAM10 (ADAM10) mRNA, complete cds.//5.90E-228//827bp//99%//AF009615
- 5 C-PLACE1001383//ZINC-FINGER PROTEIN UBI-D4 (APOPTOSIS RESPONSE ZINC FINGER PROTEIN REQUEST-UIEM).//3.00E-33//138aa//42%//Q61103
C-PLACE1001387//EPIDERMAL GROWTH FACTOR RECEPTOR KINASE SUBSTRATE EPS8.//2.30E-61//132aa//46%//Q12929
C-PLACE1001517//Homo sapiens gene for glycosylphosphatidylinositol anchor attachment 1 (GPA1), complete cds.//4.60E-112//392bp//87%//AB002137
- 10 C-PLACE1001602//CCR4-ASSOCIATED FACTOR 1 (CAF1).//5.70E-130//244aa//99%//Q60809
C-PLACE1001632//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//1.40E-118//429aa//48%//P51523
C-PLACE1001672//PROBABLE AMINOTRANSFERASE T01B11.2 (EC 2.6.1.-).//4.30E-66//174aa//45%//P91408
C-PLACE1001692//S-ACYL FATTY ACID SYNTHASE THIOESTERASE, MEDIUM CHAIN (EC 3.1.2.14) (THIOESTERASE II).//4.00E-81//263aa//56%//P08635
- 15 C-PLACE1001739//PUTATIVE ATP-DEPENDENT RNA HEUCASE PL10.//3.50E-75//439aa//41%//P16381
C-PLACE1001748//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//0//2602bp//99%//AF061243
C-PLACE1001771//Homo sapiens mRNA for transient receptor potential protein TRP6.//0//2900bp//99%//AJ006276
- 20 C-PLACE1001781//PROBABLE PHOSPHOMANNOMUTASE (EC 5.4.2.8) (PMM).//5.40E-63//427aa//35%//Q57290
C-PLACE1001817//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds.//0//1995bp//99%//AF058953
C-PLACE1001845//Mus musculus cyclin ania-6a mRNA, complete cds.//3.30E-31//925bp//62%//AF159159
- 25 C-PLACE1001869//L-RIBULOKINASE (EC 2.7.1.16).//2.00E-27//270aa//31%//P94524
C-PLACE1001920//Homo sapiens MDC-3.13 isoform 2 mRNA, complete cds.//0//1729bp//99%//AF099935
C-PLACE1001983//HYPOTHETICAL 46.4 KD PROTEIN IN FFH-GRPE INTERGENIC REGION.//7.50E-16//319aa//26%//P37908
C-PLACE1001989//PUTATIVE AMIDASE (EC 3.5.1.4).//1.40E-78//496aa//37%//Q49091
- 30 C-PLACE1002046//UGATIN (FRAGMENT).//1.70E-240//560aa//80%//Q61211
C-PLACE1002073//ADENYLATE CYCLASE (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYL CYCLASE).//5.30E-07//188aa//29%//P49606
C-PLACE1002090//SIGNAL RECOGNITION PARTICLE 72 KD PROTEIN (SRP72).//6.50E-58//112aa//100%//O76094
- 35 C-PLACE1002140//Rattus norvegicus apelin mRNA, complete cds.//1.40E-43//425bp//74%//AF179679
C-PLACE1002171//TRANSCRIPTION REGULATORY PROTEIN SWI3 (SWI/SNF COMPLEX COMPONENT SWI3) (TRANSCRIPTION FACTOR TYE2).//0.00005//179aa//23%//P32591
C-PLACE1002395//Mus musculus mRNA for UBE-1c1, UBE-1c2, UBE-1c3, complete cds.//7.90E-100//966bp//75%//AB030505
- 40 C-PLACE1002433//CHROMOSOME ASSEMBLY PROTEIN XCAP-E.//5.10E-05//278aa//24%//P50533
C-PLACE1002437//ATP-BINDING CASSETTE TRANSPORTER 1.//4.50E-76//180aa//83%//P41233
C-PLACE1002438//ZINC FINGER PROTEIN 151 (MIZ-1 PROTEIN).//4.20E-06//133aa//29%//Q13105
C-PLACE1002450//Human zinc finger protein mRNA, complete cds.//0//2565bp//99%//U69274
C-PLACE1002474//Mus musculus matrilin-2 precursor mRNA, complete cds.//0//2092bp//84%//U69262
- 45 C-PLACE1002493//Homo sapiens signal transducing adaptor molecule 2A (STAM2) mRNA, complete cds.//1.70E-113//545bp//98%//AF042273
C-PLACE1002500//Rattus norvegicus zinc transporter (ZnT-2) mRNA, complete cds.//2.90E-58//465bp//80%//U50927
C-PLACE1002532//HOMEBOX PROTEIN DLX-5.//1.20E-152//289aa//96%//P70396
- 50 C-PLACE1002571//ACTIN-LIKE PROTEIN 13E.//5.00E-99//386aa//48%//P45890
C-PLACE1002583//GLUTAMATE RECEPTOR, IONOTROPIC KAINATE 2 PRECURSOR (GLUTAMATE RECEPTOR 6) (GLUR-6) (GLUTAMATE RECEPTOR BETA-2) (GLUR BETA-2) (FRAGMENT).//5.60E-34//76aa//98%//P39087
C-PLACE1002591//CORONIN-LIKE PROTEIN P57.//4.40E-70//208aa//66%//P31146
- 55 C-PLACE1002598//OLIGORIBONUCLEASE (EC 3.1.-).//5.50E-17//76aa//56%//P45340
C-PLACE1002655//ADSEVERIN (SCINDERIN) (SC).//2.50E-278//543aa//92%//Q28046
C-PLACE1002665//Mus musculus enhancer of polycomb (Epc1) mRNA, complete cds.//0//2462bp//89%//AF079765

- C-PLACE1002685//Homo sapiens B cell linker protein BLNK mRNA, alternatively spliced, complete cds.//0/1750bp//99%//AF068180
- C-PLACE1002714//MYOSIN HEAVY CHAIN, NON-MUSCLE (ZIPPER PROTEIN) (MYOSIN II).//9.40E-13//500aa//21%//Q99323
- 5 C-PLACE1002722//PROBABLE G PROTEIN-COUPLED RECEPTOR KIAA0001.//9.00E-45//305aa//33%//Q15391
- C-PLACE1002775//PEREGRIN (BR140 PROTEIN).//3.80E-13//272aa//28%//P55201
- C-PLACE1002782//Rattus norvegicus zinc transporter (ZnT-2) mRNA, complete cds.//3.80E-43//385bp//77%//U50927
- 10 C-PLACE1002816//HISTONE DEACETYLASE HDA1.//2.20E-48//217aa//46%//P53973
- C-PLACE1002834//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//5.50E-203//396aa//86%//P51522
- C-PLACE1002908//Homo sapiens XGalT-1 mRNA for galactosyltransferase I, complete cds.//0/1654bp//99%//AB028600
- 15 C-PLACE1002991//PUTATIVE AMIDASE (EC 3.5.1.4).//1.40E-78//496aa//37%//Q49091
- C-PLACE1003030//Homo sapiens snRNA activating protein complex 190kD subunit (SNAP190) mRNA, complete cds.//8.50E-44//225bp//100%//AF032387
- C-PLACE1003045//POLYCYSTIN 2 (AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE TYPE II PROTEIN) (POLYCYSTIN) (R48321).//1.70E-05//150aa//24%//Q13563
- 20 C-PLACE1003100//HEP27 PROTEIN (PROTEIN D).//2.60E-79//253aa//60%//Q13268
- C-PLACE1003174//UBIQUITIN-CONJUGATING ENZYME E2-18 KD (EC 6.3.2.19) (UBIQUITIN- PROTEIN LIGASE) (UBIQUITIN CARRIER PROTEIN) (PM42).//3.80E-17//143aa//51%//P42743
- C-PLACE1003176//Homo sapiens clone pHN1868 tyrosyl-DNA phosphodiesterase protein (TDP1) mRNA, partial cds.//1.70E-148//687bp//99%//AF182003
- 25 C-PLACE1003190//SOF1 PROTEIN.//1.90E-110//325aa//48%//P33750
- C-PLACE1003238//PROBABLE G PROTEIN-COUPLED RECEPTOR KIAA0001.//4.90E-76//309aa//47%//Q15391
- C-PLACE1003258//EARLY EMBRYOGENESIS ZYG-11 PROTEIN.//7.90E-22//70aa//47%//P21541
- 30 C-PLACE1003302//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//6.90E-206//396aa//86%//P51522
- C-PLACE10033537//Homo sapiens breast cancer antiestrogen resistance 3 protein (BCAR3) mRNA, complete cds.//0/2435bp//99%//U92715
- C-PLACE1003366//Homo sapiens otoferlin (OTOF) mRNA, complete cds.//1.40E-78//542bp//67%//AF107403
- 35 C-PLACE1003394//Homo sapiens RAB14 protein (RAB14) mRNA, complete cds.//2.60E-139//648bp//99%//AF152463
- C-PLACE1003420//PUTATIVE MITOCHONDRIAL CARRIER YIL006W.//1.30E-40//278aa//36%//P40556
- C-PLACE1003493//ENDOTHELIAL CELL MULTIMERIN PRECURSOR.//1.70E-23//322aa//26%//Q13201
- C-PLACE1003519//H.sapiens hnRNP-E2 mRNA.//5.10E-218//905bp//99%//X78136
- 40 C-PLACE1003521//HYPOTHETICAL HELICASE C28H8.3 IN CHROMOSOME III.//0.0000011//101aa//32%//Q09475
- C-PLACE1003537//ENDOSOMAL P24A PROTEIN PRECURSOR (70 KD ENOMEMBRANE PROTEIN) (PHEROMONE ALPHA-FACTOR TRANSPORTER) (ACIDIC 24 KD LATE ENDOCYTIC INTERMEDIATE COMPONENT).//7.70E-68//404aa//33%//P32802
- 45 C-PLACE1003596//OLIGOSACCHARYL TRANSFERASE STT3 SUBUNIT HOMOLOG.//2.60E-93//270aa//66%//P46975
- C-PLACE1003602//Homo sapiens mRNA expressed in placenta.//5.90E-278//1275bp//99%//D83200
- C-PLACE1003605//HAP5 TRANSCRIPTIONAL ACTIVATOR.//0.0000023//82aa//35%//Q02516
- C-PLACE1003611//Homo sapiens anaphase-promoting complex subunit 4 (APC4) mRNA, complete cds.//6.20E-169//683bp//99%//AF191338
- 50 C-PLACE1003625//ARMADILLO SEGMENT POLARITY PROTEIN.//3.20E-10//380aa//25%//P18824
- C-PLACE1003669//TRICHOHYALIN.//5.60E-09//219aa//30%//P22793
- C-PLACE1003704//SPLICING FACTOR, ARGININE/SERINE-RICH 4 (PRE-MRNA SPLICING FACTOR SRP75).//8.00E-19//209aa//34%//Q08170
- C-PLACE1003709//Homo sapiens mitotic checkpoint kinase Bub1 (BUB1) mRNA complete cds.//6.20E-282//1316bp//98%//AF053305
- 55 C-PLACE1003738//ZINC FINGER PROTEIN 135.//9.60E-118//350aa//46%//P52742
- C-PLACE1003760//Homo sapiens tetraspanin TM4-A mRNA, complete cds.//5.20E-289//1313bp//97%//AF133423

- C-PLACE1003885//POLY(A) POLYMERASE (EC 2.7.7.19) (PAP) (POLYNUCLEOTIDE ADENYLYLTRANSFERASE) //3.70E-222//651aa//66%//P25500
- 5 C-PLACE1003888//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE DELTA 1 (EC 3.1.4.11) (PLC-DELTA-1) (PHOSPHOLIPASE C-DELTA-1) (PLC-II) (FRAGMENT) //6.70E-113//501aa//46%//P10895
- C-PLACE1003903//CTP SYNTHASE (EC 6.3.4.2) (UTP--AMMONIA LIGASE) (CTP SYNTHETASE) //1.40E-243//584aa//74%//P17812
- C-PLACE1003915//PROBABLE ARGINYL-TRNA SYNTHETASE, CYTOPLASMIC (EC 6.1.1.19) (ARGININE-TRNA UGASE) (ARGRS) //2.40E-108//581aa//40%//Q05506
- 10 C-PLACE1003923//Homo sapiens p53 regulated PA26-T2 nuclear protein (PA26) mRNA, complete cds. //0//1670bp//99%//AF033120
- C-PLACE1003968//5-AMP-ACTIVATED PROTEIN KINASE, GAMMA-1 SUBUNIT (AMPK GAMMA-1 CHAIN) //2.40E-124//326aa//73%//P80385
- 15 C-PLACE1004104//Rattus norvegicus rsec5 mRNA, complete cds. //0//2384bp//86%//AF032666
- C-PLACE1004128//GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT 4 (TRANSDUCIN BETA CHAIN 4) //6.10E-181//340aa//96%//P29387
- C-PLACE1004149//Rattus norvegicus GERP95 mRNA, complete cds. //3.30E-41//452bp//65%//AF195534
- C-PLACE1004183//Homo sapiens for TOM1-like protein //0//1279bp//97%//AJ010071
- 20 C-PLACE1004197//BUTYROPOLIN PRECURSOR (BT) //4.50E-10//208aa//27%//Q62556
- C-PLACE1004203//Homo sapiens GPI-anchored membrane protein CDw108 precursor, mRNA, complete cds. //0//1882bp//99%//AF069493
- C-PLACE1004256//Mus musculus short coiled coil protein SCOCO (Scoc) mRNA, complete cds. //2.00E-93//960bp//76%//AF115778
- 25 C-PLACE1004258//Homo sapiens vanilloid receptor-like protein 1 (VRL-1) mRNA //0//1144bp//98%//AF129112
- C-PLACE1004270//TRANSMEMBRANE PROTEASE, SERINE 2 (EC 3.4.21.-) //9.70E-36//389aa//31%//Q15393
- C-PLACE1004277//Homo sapiens two pore domain K⁺ channel (TASK-2) mRNA, complete cds. //0//1498bp//99%//AF084830
- 30 C-PLACE1004302//SOF1 PROTEIN //1.90E-110//325aa//48%//P33750
- C-PLACE1004316//H. sapiens mRNA for apoptosis specific protein. //0//1767bp//99%//V11588
- C-PLACE1004358//Homo sapiens connector enhancer of KSR-like protein CNK1 mRNA, complete cds. //0//2512bp//99%//AF100153
- C-PLACE1004428//PRISTANOYL-COA OXIDASE (EC 1.3.3.-) //1.20E-39//385aa//33%//Q63448
- 35 C-PLACE1004437//Human NAD⁺-specific isocitrate dehydrogenase beta subunit precursor, mRNA, nuclear gene encoding mitochondrial protein, complete cds. //0//985bp//99%//U49283
- C-PLACE1004460//MATERNAL TUDOR PROTEIN //0.0000002//218aa//23%//P25823
- C-PLACE1004471//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1) //7.20E-96//276aa//41%//P51522
- 40 C-PLACE1004506//Homo sapiens carboxyl terminal LIM domain protein (CLIM1) mRNA, complete cds. //2.10E-16//402bp//62%//U90878
- C-PLACE1004510//Homo sapiens TATA binding protein associated factor (TAFII150) mRNA, complete cds. //3.40E-227//1037bp//99%//AF040701
- C-PLACE1004550//Homo sapiens CGI-20 protein mRNA, complete cds. //3.50E-274//1305bp//97%//AF132954
- C-PLACE1004564//CLEFTAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT (CPSF 100 KD SUBUNIT) //0//525aa//99%//Q10568
- 45 C-PLACE1004629//PROTEIN OS-9 PRECURSOR //7.70E-18//264aa//32%//Q13438
- C-PLACE1004646//B.taurus mRNA for retinal pigment epithelial membrane receptor p63. //4.40E-42//985bp//59%//X66277
- C-PLACE1004674//Homo sapiens calcium binding protein (ALG-2) mRNA, complete cds. //1.30E-195//982bp//96%//AF035606
- 50 C-PLACE1004743//PROBABLE N-END-RECOGNIZING PROTEIN (UBIQUITIN-PROTEIN LIGASE E3 COMPONENT) (N-RECOGNIN) //4.40E-35//578aa//27%//O60152
- C-PLACE1004751//Homo sapiens mRNA for alpha2,3-sialyltransferase ST3Gal VI, complete cds. //7.10E-224//790bp//98%//AB022918
- 55 C-PLACE1004777//N-CHIMAERIN (NC) (N-CHIMERIN) (ALPHA CHIMERIN) (A-CHIMAERIN) //1.90E-32//259aa//32%//P30337
- C-PLACE1004793//RETROVIRUS-RELATED ENV POLYPROTEIN //5.20E-47//577aa//25%//P10267
- C-PLACE1004804//ADENYLATE CYCLASE (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYLYL CYCLASE) //4.70E-65//695aa//29%//Q01631

- C-PLACE1004814//SPLICING FACTOR, ARGININE/SERINE-RICH 4 (PRE-MRNA SPLICING FACTOR SRP75).//5.90E-19//196aa//36%//Q08170
- C-PLACE1004868//MALE STERILITY PROTEIN 27.3.90E-39//261aa//27%//Q08891
- 5 C-PLACE1004902//PUTATIVE PRE-MRNA SPLICING FACTOR ATP-DEPENDENT RNA HELICASE SPAC10F6.02C.//9.30E-11//94aa//47%//O42643
- C-PLACE1004918//L-LACTATE DEHYDROGENASE M CHAIN (EC 1.1.1.27) (LDH-A).//4.90E-48//198aa//44%//P06151
- C-PLACE1004930//Homo sapiens MDC-3.13 isoform 2 mRNA, complete cds.//0//1853bp//98%//AF099936
- C-PLACE1004937//SEL-10 PROTEIN.//6.30E-125//357aa//58%//Q93794
- 10 C-PLACE1004969//HYPOTHETICAL 55.1 KD PROTEIN B0416.5 IN CHROMOSOME X.//2.00E-14//205aa//26%//Q11073
- C-PLACE1005052//Homo sapiens CGI-16 protein mRNA, complete cds.//6.6E-313//1413bp//99%//AF132950
- C-PLACE1005102//RING CANAL PROTEIN (KELCH PROTEIN).//2.60E-56//565aa//30%//Q04652
- C-PLACE1005176//Homo sapiens hypothalamus protein HT001 mRNA, complete cds.//3.90E-212//1040bp//96%//AF113539
- 15 C-PLACE1005187//APAG PROTEIN.//3.80E-13//122aa//36%//P05636
- C-PLACE1005243//SERINE/THREONINE PROTEIN KINASE PKA (EC 2.7.1.-).//1.30E-27//349aa//32%//Q01577
- C-PLACE1005287//INNER CENTROMERE PROTEIN (INCENP).//2.30E-13//269aa//28%//P53352
- 20 C-PLACE1005305//GTP:AMP PHOSPHOTRANSFERASE MITOCHONDRIAL (EC 2.7.4.10) (AK3).//2.00E-111//226aa//92%//P08760
- C-PLACE1005331//Homo sapiens 7h3 protein mRNA, partial cds.//1.20E-228//748bp//95%//AF209931
- C-PLACE1005373//TRNA PSEUDOURIDINE SYNTHASE B (EC 4.2.1.70) (TRNA PSEUDOURIDINE 55 SYNTHASE) (PSI55 SYNTHASE) (PSEUDOURIDYLATE SYNTHASE) (URACIL HYDROLYASE).//8.60E-09//194aa//27%//O33335
- 25 C-PLACE1005467//PENICILLIN-BINDING PROTEIN 4* (PBP 4*) (PBP 4A).//1.10E-09//93aa//31%//P32959
- C-PLACE1005494//Homo sapiens mRNA for transient receptor potential protein TRP6.//0//1649bp//99%//AJ006276
- C-PLACE1005530//HYPOTHETICAL 47.6 KD PROTEIN C16C10.5 IN CHROMOSOME III.//5.60E-52//173aa//57%//Q09251
- 30 C-PLACE1005549//Homo sapiens mRNA for Rho guanine nucleotide-exchange factor, splice variant NET1A.//7.60E-97//1287bp//67%//AJ010046
- C-PLACE1005557//60S RIBOSOMAL PROTEIN L27.//1.90E-11//60aa//48%//P46288
- C-PLACE1005584//TRANS-ACTING TRANSCRIPTIONAL PROTEIN ICPQ (P135 PROTEIN) (IER 2.9/ER2.6).//6.80E-09//267aa//30%//P29128
- 35 C-PLACE1005611//Mus musculus mRNA for mDj10, complete cds.//2.00E-33//379bp//66%//AB028860
- C-PLACE1005646//Homo sapiens RNA helicase-related protein mRNA, complete cds.//0//2130bp//99%//AF083255
- C-PLACE1005656//RIBONUCLEOSIDE-DIPHOSPHATE REDUCTASE M2 CHAIN (EC 1.17.4.1) (RIBONUCLEOTIDE REDUCTASE II).//2.10E-148//321aa//83%//P31350
- 40 C-PLACE1005727//Homo sapiens STRIN protein (STRIN) mRNA, complete cds.//2.00E-118//378bp//98%//AF162880
- C-PLACE1005739//INTERFERON-GAMMA INDUCIBLE PROTEIN MG11.//1.30E-237//585aa//72%//Q06710
- C-PLACE1005763//S-ACYL FATTY ACID SYNTHASE THIOESTERASE, MEDIUM CHAIN (EC 3.1.2.14) (THIOESTERASE II).//2.50E-79//209aa//53%//P08635
- 45 C-PLACE1005803//Homo sapiens mRNA for transcription factor (SMIF gene).//0//1985bp//99%//AJ275986
- C-PLACE1005804//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds.//1.10E-217//994bp//99%//AF027156
- C-PLACE1005813//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//0//2040bp//99%//AF065482
- 50 C-PLACE1005876//CLEFTAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT (CPSP 100 KD SUBUNIT).//0//730aa//99%//Q10568
- C-PLACE1005890//BEM46 PROTEIN (FRAGMENT).//9.90E-42//224aa//43%//P54069
- C-PLACE1005921//AIG1 PROTEIN.//3.00E-31//284aa//31%//P54120
- C-PLACE1005951//Homo sapiens prolactin regulatory element-binding protein (PREB) mRNA, complete cds.//1.10E-264//661bp//99%//AF203687
- 55 C-PLACE1005953//GLYCOSYLTRANSFERASE ALG2 (EC 2.4.1.-).//6.70E-30//198aa//37%//P43636
- C-PLACE1005955//VACUOLAR AMINOPEPTIDASE I PRECURSOR (EC 3.4.11.22) (POLYPEPTIDASE).//5.40E-54//455aa//32%//P14904

- C-PLACE1005966//TRANSCRIPTION INITIATION FACTOR TFIID 90 KD SUBUNIT (TAFII-90)/71.40E-07//254aa//25%//P38129
- C-PLACE1006003//Homo sapiens CGI-94 protein mRNA, complete cds.//2.40E-177//829bp//99%//AF151852
- C-PLACE1006011//Homo sapiens mRNA for poly(ADP-ribose) polymerase-2.//0//1564bp//99%//AJ236876
- C-PLACE1006040//Homo sapiens mRNA for alpha endosulfine.//4.70E-161//744bp//99%//X99906
- C-PLACE1006119//Homo sapiens Ran-GTP binding protein mRNA, partial cds.//1.50E-148//681bp//99%//AF039023
- C-PLACE1006157//E-SELECTIN PRECURSOR (ENDOTHELIAL LEUKOCYTE ADHESION MOLECULE 1) (ELAM-1) (LEUKOCYTE-ENDOTHELIAL CELL ADHESION MOLECULE 2) (LECAM2) (CD62E).//2.00E-28//236aa//30%//P98110
- C-PLACE1006167//PAF1 PROTEIN.//7.30E-15//437aa//24%//P38351
- C-PLACE1006170//ALPHA-ADAPTIN C (CLATHRIN ASSEMBLY PROTEIN COMPLEX 2 ALPHA-C LARGE CHAIN) (100 KD COATED VESICLE PROTEIN C) (PLASMA MEMBRANE ADAPTOR HA2/AP2 ADAPTIN ALPHA C SUBUNIT).//1.70E-169//373aa//88%//P17427
- C-PLACE1006196//PUTATIVE ATP-DEPENDENT RNA HELICASE C12C.06.//2.70E-116//496aa//48%//Q09747
- C-PLACE1006239//BONE PROTEOGLYCAN II PRECURSOR (PG-S2) (DECORIN).//2.00E-16//244aa//31%//P28675
- C-PLACE1006288//VOLTAGE-DEPENDENT ANION-SELECTIVE CHANNEL PROTEIN 1 (VDAC1) (PLASMA-LEMMA PORIN) (OUTER MITOCHONDRIAL MEMBRANE PROTEIN PORIN) (PORIN 31HL) (PORIN 31HM).//4.60E-117//147aa//80%//P21796
- C-PLACE1006318//Mus musculus skm-BOP2 (Bop) mRNA, complete cds.//3.00E-07//376bp//59%//U76374
- C-PLACE1006335//Homo sapiens NY-REN-50 antigen mRNA, partial cds.//0//1649bp//99%//AF155112
- C-PLACE1006368//HYALURONAN-MEDIATED MOTILITY RECEPTOR (HYALURONIC ACID RECEPTOR).//1.30E-18//460aa//24%//Q00547
- C-PLACE1006385//Homo sapiens epsin 2a mRNA, complete cds.//0//1168bp//99%//AF062085
- C-PLACE1006438//ZINC FINGER PROTEIN 165.//2.50E-45//122aa//43%//P49910
- C-PLACE1006469//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- ACTIVATING ENZYME).//1.20E-83//313aa//49%//P27550
- C-PLACE1006482//TRANSCRIPTION FACTOR MAFF.//7.70E-55//142aa//85%//Q90595
- C-PLACE1006488//SIGNAL RECOGNITION PARTICLE 68 KD PROTEIN (SRP68).//1.10E-229//367aa//96%//Q00004
- C-PLACE1006492//Homo sapiens transmembrane protein 2 (TMEM2) mRNA, complete cds.//0//2618bp//99%//AF137030
- C-PLACE1006506//Homo sapiens anaphase-promoting complex subunit 4 (APC4) mRNA, complete cds.//0//2170bp//99%//AF191338
- C-PLACE1006531//Homo sapiens putative RNA-binding protein Q99 mRNA, complete cds.//0//1967bp//99%//AF093097
- C-PLACE1006534//POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (EC 2.4.1.41) (PROTEIN-UDP ACETYL GALACTOSAMINYLTRANSFERASE) (UDP-GALNAC: POLYPEPTIDE, N-ACETYL GALACTOSAMINYLTRANSFERASE) (GALNAC-T1).//8.30E-08//100aa//41%//Q10472
- C-PLACE1006552//MYOSIN HEAVY CHAIN, CLONE 203 (FRAGMENT).//1.20E-09//426aa//21%//P39922
- C-PLACE1006615//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds.//0//1464bp//99%//U97670
- C-PLACE1006626//Homo sapiens mRNA for Helicase-MOI, complete cds.//0//1760bp//99%//AB028449
- C-PLACE1006678//Homo sapiens mRNA for type II membrane protein, complete cds, clone: HP10328.//5.80E-24//734bp//62%//AB015630
- C-PLACE1006731//RIBOFLAVIN KINASE (EC 2.7.1.26) (FLAVOKINASE) / FMN ADENYLYLTRANSFERASE (EC 2.7.7.2) (FAD PYROPHOSPHORYLASE) (FAD SYNTHETASE).//6.90E-13//177aa//33%//Q59263
- C-PLACE1006754//BILIARY GLYCOPROTEIN 1 PRECURSOR (BGP-1) (ANTIGEN CD66) (CD66A ANTIGEN).//6.20E-63//191aa//43%//P13688
- C-PLACE1006819//UNE-1 REVERSE TRANSCRIPTASE HOMOLOG.//9.80E-213//232aa//80%//P08547
- C-PLACE1006829//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 4 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE 4) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 4) (DEUBIQUITINATING ENZYME 4) (UBIQUITOUS NUCLEAR PROTEIN).//2.00E-15//188aa//29%//P35123
- C-PLACE1006878//TRNA-SPLICING ENDONUCLEASE SUBUNIT SEN2 (EC 3.1.27.9) (TRNA-INTRON ENDONUCLEASE).//1.90E-08//122aa//36%//P16658
- C-PLACE1006917//HSH49 PROTEIN.//5.50E-12//97aa//35%//Q09181
- C-PLACE1006935//HYPOTHETICAL 95.2 KD PROTEIN R144.6 IN CHROMOSOME III.//6.70E-48//278aa//41%//

Q10000

C-PLACE1006956//ATP-DEPENDENT PERMEASE MDL1.//1.30E-86//522aa//36%//P97998

C-PLACE1006958//Homo sapiens mRNA for heat shock protein apg-1, complete cds.//0//1770bp//99%//AB023421

5 C-PLACE1007014//36 KD NUCLEOLAR PROTEIN HNP36 (DELAYED-EARLY RESPONSE PROTEIN 12) (DER12).//3.20E-35//180aa//33%//Q14542

C-PLACE1007105//Homo sapiens muskellin (MKLN1) mRNA, complete cds.//0//2449bp//98%//AF047489

C-PLACE1007140//TRICHOHYALIN //1.30E-25//816aa//22%//P37709

10 C-PLACE1007226//PROBABLE OXYGEN-INDEPENDENT COPROPORPHYRINOGEN III OXIDASE (EC 1.-.-.) (COPROPORPHYRINOGENASE) (COPROGEN OXIDASE).//1.00E-42//370aa//31%//P54304

C-PLACE1007239//Homo sapiens mRNA for transcription elongation factor S-II, hS-II-T1, complete cds.//6.50E-216//1068bp//96%//D50495

C-PLACE1007243//UNC-47 PROTEIN //1.70E-07//211aa//27%//P34579

C-PLACE1007257//Homo sapiens mRNA for dia-12c protein.//0//2052bp//99%//Y15908

15 C-PLACE1007317//Drosophila melanogaster Adrift (adrift) mRNA, complete cds.//4.10E-17//1037bp//56%//AF117649

C-PLACE1007346//Homo sapiens estrogen-responsive B box protein (EBBP) mRNA, complete cds.//0//2366bp//99%//AF096870

20 C-PLACE1007375//PHORBOL ESTER/DIACYLGLYCEROL-BINDING PROTEIN UNC-13.//0.00000044//127aa//30%//P27715

C-PLACE1007409//WHITE PROTEIN //1.10E-64//428aa//32%//Q17320

C-PLACE1007416//DIPEPTIDYL PEPTIDASE IV (EC 3.4.14.5) (DPP IV) (T-CELL ACTIVATION ANTIGEN CD26) (TP103) (ADENOSINE DEAMINASE COMPLEXING PROTEIN-2) (ADABP).//8.80E-25//140aa//35%//P27487

25 C-PLACE1007488//PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR (RHO/RAC GEF) (FA-CIOGENITAL DYSPLASIA PROTEIN HOMOLOG).//5.40E-53//426aa//33%//P52734

C-PLACE1007511//KERATIN, TYPE I CYTOSKELETAL 19 (CYTOKERATIN 19) (K19) (CK 19).//1.40E-85//385aa//45%//P08728

C-PLACE1007537//Homo sapiens ankyrin repeat-containing protein ASB-2 mRNA, complete cds.//8.9E-316//1485bp//98%//AF159164

30 C-PLACE1007547//HYPOTHETICAL 97.1 KD PROTEIN R05D3.4 IN CHROMOSOME III.//1.00E-49//361aa//36%//P34537

C-PLACE1007598//ZINC FINGER PROTEIN 184 (FRAGMENT).//1.60E-143//666aa//44%//Q99676

C-PLACE1007632//POLIOVIRUS RECEPTOR PRECURSOR.//1.00E-07//228aa//31%//P32506

35 C-PLACE1007649//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA-GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//4.50E-05//197aa//26%//P08640

C-PLACE1007688//LA PROTEIN HOMOLOG (LA RIBONUCLEOPROTEIN) (LA AUTOANTIGEN HOMOLOG).//8.70E-09//279aa//28%//Q26457

C-PLACE1007697//GCN20 PROTEIN //7.60E-119//717aa//38%//P43535

40 C-PLACE1007705//Mus musculus mRNA for Ndr1 related protein Ndr3, complete cds.//1.10E-184//1096bp//82%//AB033922

C-PLACE1007706//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//0//3431bp//99%//AF061243

C-PLACE1007729//RETROVIRUS-RELATED PROTEASE (EC 3.4.23.-).//1.50E-44//231aa//42%//P10265

C-PLACE1007791//Homo sapiens IDN3-B mRNA, complete cds.//0//1836bp//99%//AB019602

45 C-PLACE1007897//Homo sapiens FLASH mRNA, complete cds.//0//2145bp//99%//AF154415

C-PLACE1007946//MYOSIN HEAVY CHAIN, NON-MUSCLE (ZIPPER PROTEIN) (MYOSIN II).//2.60E-14//370aa//25%//Q99323

C-PLACE1007954//HYPOTHETICAL 45.5 KD PROTEIN IN FIG1-GIP1 INTERGENIC REGION.//6.70E-13//168aa//31%//P38226

50 C-PLACE1007955//Homo sapiens cyclin-D binding Myb-like protein mRNA, complete cds.//0//2252bp//99%//AF084530

C-PLACE1007958//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds.//0//2300bp//99%//AF079529

C-PLACE1007969//HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN M (HNRNP M).//1.10E-36//202aa//48%//P52272

55 C-PLACE1008000//CHANNEL ASSOCIATED PROTEIN OF SYNAPSE-110 (CHAPSIN-110) (SYNAPTIC DENSITY PROTEIN PSD-93).//6.10E-14//128aa//39%//Q63622

C-PLACE1008044//NUCLEAR PORE COMPLEX PROTEIN NUP107 (NUCLEOPORIN NUP107) (107 KD NUCLEOPORIN) (P105).//4.6E-318//613aa//94%//P52590

- C-PLACE1008080//Homo sapiens mRNA for HEXIM1 protein, complete cds.//0/12152bp//99%/AB021179
- C-PLACE1008111//PROBABLE OXIDOREDUCTASE (EC 1.-.-.-).//3.00E-25//208aa//37%/Q03326
- C-PLACE1008132//HYPOPHETICAL 127.4 KD PROTEIN F07F6.4 IN CHROMOSOME III.//1.30E-24//395aa//31%/Q09531
- 5 C-PLACE1008177//TRICHOHYALIN.//2.30E-29//487aa//26%/P37709
- C-PLACE1008201//Rattus rattus zinc finger protein, complete cds.//0/12265bp//83%/L23077
- C-PLACE1008244//VEGETABLE INCOMPATIBILITY PROTEIN HET-E-1.//9.50E-21//148aa//38%/Q00808
- C-PLACE1008273//COATOMER GAMMA SUBUNIT (GAMMA-COAT PROTEIN) (GAMMA-COP).//1.30E-283//671aa//77%/P53620
- 10 C-PLACE1008275//DNA REPAIR PROTEIN REV1 (EC 2.7.7.-).//2.30E-18//162aa//37%/P12689
- C-PLACE1008309//Rattus norvegicus putative four repeat ion channel mRNA, complete cds.//5.20E-137//672bp//77%/AF078779
- C-PLACE1008330//EOSINOPHIL LYSOPHOSPHOLIPASE (EC 3.1.1.5) (CHARCOT-LEYDEN CRYSTAL PROTEIN) (LYSOLECITHIN ACYLHYDROLASE) (CLC) (GALACTIN-10).//2.20E-23//94aa//47%/Q05315
- 15 C-PLACE1008356//Homo sapiens meningioma-expressed antigen 5 (MEAS) mRNA, partial cds.//7.1.90E-170//780bp//100%/AF036144
- C-PLACE1008368//RING CANAL PROTEIN (KELCH PROTEIN).//5.30E-26//309aa//30%/Q04652
- C-PLACE1008398//GENE 33 POLYPEPTIDE.//7.30E-114//243aa//87%/P05432
- C-PLACE1008402//GENERAL VESICULAR TRANSPORT FACTOR P115 (TRAN-SCYTOSIS ASSOCIATED PROTEIN) (TAP).//0/698aa//95%/P41541
- 20 C-PLACE1008426//RESTIN (CYTOPLASMIC LINKER PROTEIN-170) (CLIP-170).//1.80E-11//365aa//25%/Q42184
- C-PLACE1008429//ANKYRIN HOMOLOG PRECURSOR.//3.10E-11//189aa//32%/Q06527
- C-PLACE1008465//Homo sapiens mRNA for rapa-1 (rapa gene).//6.60E-243//1102bp//99%/AJ277275
- 25 C-PLACE1008533//101 KD MALARIA ANTIGEN (P101) (ACIDIC BASIC REPEAT ANTIGEN).//1.10E-09//62aa//48%/P22620
- C-PLACE1008603//NUCLEAR PORE COMPLEX PROTEIN NUP155 (NUCLEOPORIN NUP155) (155 KD NUCLEOPORIN) (P140).//7.80E-236//453aa//96%/P37199
- C-PLACE1008627//Homo sapiens mRNA for cysteine-rich protein.//0/1850bp//99%/AJ006591
- 30 C-PLACE1008643//INTER-ALPHA-TRYPsin INHIBITOR HEAVY CHAIN H2 PRECURSOR (III HEAVY CHAIN H2).//5.20E-90//483aa//38%/Q02668
- C-PLACE1008650//PRL1/PRL2-LIKE PROTEIN.//2.00E-127//354aa//62%/Q13615
- C-PLACE1008696//Homo sapiens NADH dehydrogenase-ubiquinone Fe-S protein 8 23 kDa subunit (NDUFS8) gene, nuclear gene encoding mitochondrial protein, complete cds.//0/3002bp//99%/AF03 8406
- 35 C-PLACE1008790//Homo sapiens importin alpha 7 subunit mRNA, complete cds.//0/1670bp//99%/AF060543
- C-PLACE1008808//Homo sapiens mRNA for cell cycle checkpoint protein rad1A.//2.30E-269//1225bp//99%/AJ004974
- C-PLACE1008813//Rattus norvegicus rsec15 mRNA, complete cds.//8.80E-268//1171bp//90%/AF032668
- 40 C-PLACE1009020//NIFS PROTEIN.//3.90E-55//279aa//41%/P12623
- C-PLACE1009027//Homo sapiens mRNA for doublecortin.//0/1919bp//99%/AJ003112
- C-PLACE1009060//BRO1 PROTEIN.//6.70E-19//567aa//24%/P48582
- C-PLACE1009094//FURIN-LIKE PROTEASE 2 PRECURSOR (EC 3.4.21.75) (FURIN 2).//1.90E-44//480aa//30%/P30432
- 45 C-PLACE1009099//ZINC FINGER PROTEIN 41 (FRAGMENT).//1.10E-179//452aa//67%/P51814
- C-PLACE1009113//Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds.//0/2529bp//99%/AF035586
- C-PLACE1009130//UBIQUITIN-PROTEIN LIGASE E3A (EC 6.3.2.-) (ONCOGENIC PROTEIN-ASSOCIATED PROTEIN E6-AP).//2.00E-68//181aa//43%/Q05086
- 50 C-PLACE1009158//Mus musculus mRNA for death inducer-oblierator-1 (Dio-1).//5.40E-200//1790bp//75%/AJ238332
- C-PLACE1009186//Homo sapiens small zinc finger-like protein (TIM9b) mRNA, complete cds.//9.60E-255//1179bp//98%/AF150105
- C-PLACE1009246//POLLEN SPECIFIC PROTEIN SF3.//4.40E-16//82aa//43%/P29675
- C-PLACE1009298//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS35.//2.00E-78//262aa//43%/P34110
- 55 C-PLACE1009308//GLUCOSE REPRESSION MEDIATOR PROTEIN.//4.00E-06//439aa//23%/P14922
- C-PLACE1009319//Rattus norvegicus outer membrane protein (OMP25) mRNA, complete cds; nuclear gene for mitochondrial product.//2.10E-132//1229bp//75%/AF107295

- C-PLACE1009368//METAL HOMEOSTASIS FACTOR ATX27/2. 50E-10//151aa//29%//Q12067
 C-PLACE1009398//ZINC FINGER PROTEIN 135.//6.20E-97//361aa//51%//P52742
 C-PLACE1009404//HYPOTHETICAL 105.6 KD PROTEIN C16C9.06 IN CHROMOSOME 1//4.70E-08//165aa//33%//Q09820
- 5 C-PLACE1009443//Mus musculus F-box protein FBL8 mRNA, complete cds.//1.00E-173//1367bp//77%//AF176523
 C-PLACE1009444//PHOSPHATIDYLINOSITOL 4-KINASE ALPHA (EC 2.7.1.67) (PI4-KINASE) (PTDINS-4-KINASE) (PI4K-ALPHA).//7.80E-71//82aa//89%//P42356
 C-PLACE1009468//PHOSPHOLIPASE A-2-ACTIVATING PROTEIN (PLAP).//3.10E-289//550aa//93%//P54319
- 10 C-PLACE1009476//PUTATIVE ATP-DEPENDENT RNA HELICASE T26G10.1 IN CHROMOSOME III.//3.90E-40//179aa//37%//P34580
 C-PLACE1009477//Homo sapiens ubiquitin-fusion degradation protein 2 (UFD2) mRNA, complete cds.//6.60E-147//592bp//99%//AF043117
 C-PLACE1009524//ARF NUCLEOTIDE-BINDING SITE OPENER (ARNO PROTEIN) (ARF EXCHANGE FACTOR)7/8.10E-99//228aa//75%//Q99418
- 15 C-PLACE1009571//Homo sapiens PTD002 mRNA, complete cds.//5.90E-185//657bp//99%//AF078857
 C-PLACE1009596//VEGETATIBLE INCOMPATIBILITY PROTEIN HET-E-1.//5.10E-54//291aa//40%//Q00808
 C-PLACE1009622//MATERNAL EFFECT PROTEIN STAUFEN.//1.30E-60//209aa//41%//P25159
 C-PLACE1009659//MEMBRANE-ASSOCIATED PROTEIN HEM-2 (NAP1 PROTEIN).//1.50E-285//538aa//99%//P55161
- 20 C-PLACE1009670//Homo sapiens genethonin 1 mRNA, complete cds.//0//1854bp//100%//AF062534
 C-PLACE1009708//HYPOTHETICAL 143.3 KD TRP-ASP REPEATS CONTAINING PROTEIN C12G12.13C IN CHROMOSOME 1.//7.00E-33//166aa//43%//Q09876
 C-PLACE1009721//MSF1 PROTEIN.//1.70E-22//176aa//33%//P35200
- 25 C-PLACE1009731//AIG1 PROTEIN.//1.60E-22//274aa//28%//P54120
 C-PLACE1009763//Homo sapiens mRNA for Nedd8-activating enzyme hUba3, complete cds.//4.30E-294//1329bp//100%//AB012190
 C-PLACE1009798//RLR1 PROTEIN.//1.60E-18//270aa//23%//P53552
 C-PLACE1009845//WEB1 PROTEIN (PROTEIN TRANSPORT PROTEIN SEC31).//2.30E-59//405aa//33%//P38968
- 30 C-PLACE1009861//CATHEPSIN B-LIKE CYSTEINE PROTEINASE 6 PRECURSOR (EC 3.4.22.-).//6.50E-28//209aa//38%//P43510
 C-PLACE1009908//HYPOTHETICAL GTP-BINDING PROTEIN IN SEH1-PRP20 INTERGENIC REGION.//1.90E-108//277aa//43%//P53145
- 35 C-PLACE1009925//Homo sapiens RNA helicase (RIG-I) mRNA, complete cds.//0//1730bp//99%//AF038963
 C-PLACE1009992//LIMULUS CLOTTING FACTOR C PRECURSOR (EC 3.4.21.84).//4.60E-59//450aa//34%//P28175
 C-PLACE1009997//Rattus norvegicus A-kinase anchoring protein AKAP 220 mRNA, complete cds.//5.20E-70//736bp//73 %//U48288
- 40 C-PLACE1010053//M.musculus Spnr mRNA for RNA binding protein.//6.00E-279//1402bp//94%//X84692
 C-PLACE1010074//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//0//12019bp//99%//AF065482
 C-PLACE1010096//100 KD PROTEIN (EC 6.3.2.-).//1.40E-268//506aa//98%//Q62671
 C-PLACE1010105//RING CANAL PROTEIN (KELCH PROTEIN).//7.30E-114//537aa//44%//Q04652
- 45 C-PLACE1010134//TRANSCRIPTION REGULATORY PROTEIN SNF2 (SWI/SNF COMPLEX COMPONENT SNF2) (REGULATORY PROTEIN SWI2) (REGULATORY PROTEIN GAM1) (TRANSCRIPTION FACTOR TYE3).//1.70E-20//156aa//42%//P22082
 C-PLACE1010148//CYUCIN I (MULTIPLE-BAND POLYPEPTIDE I).//4.60E-07//431aa//23%//P35662
 C-PLACE1010194//SPLICING FACTOR, ARGININE/SERINE-RICH 2 (SPLICING FACTOR SC35) (SC-35) (SPLICING COMPONENT, 35 KD) (PR264 PROTEIN).//9.80E-11//95aa//49%//Q01130
- 50 C-PLACE1010231//CELL SURFACE GLYCOPROTEIN EMR1 PRECURSOR (EMR1 HORMONE RECEPTOR).//5.10E-27//371aa//28%//Q14246
 C-PLACE1010261//SEGREGATION DISTORTER PROTEIN.//1.60E-77//214aa//62%//P25722
 C-PLACE1010310//SPIDROIN 2 (DRAGLINE SILK FIBROIN 2) (FRAGMENT).//1.20E-18//467aa//30%//P46804
 C-PLACE1010321//NON-GREEN PLASTID TRIOSE PHOSPHATE TRANSLOCATOR PRECURSOR (CTPT).//1.10E-09//350aa//22%//P52178
- 55 C-PLACE1010362//1-PHOSPHATIDYLINOSITOL PHOSPHODIESTERASE PRECURSOR (EC 3.1.4.10) (PHOSPHATIDYLINOSITOL-SPECIFIC PHOSPHOLIPASE C) (PI-PLC).//2.00E-09//126aa//29%//P34024
 C-PLACE1010481//Bos taurus C5-glucuronyl epimerase mRNA, partial cds.//0//2082bp//91%//AF003927

- C-PLACE1010522//Homo sapiens mRNA for DEPP (decidual protein induced by progesterone), complete cds.//0/1981 bp/99%/1AB022718
- C-PLACE1010529//Homo sapiens TANK binding kinase TBK1 (TBK1) mRNA, complete cds.//0/1750bp/99%/AF191838
- 5 C-PLACE1010547//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//1.20E-07//616aa//24%/P25386
- C-PLACE1010579//Homo sapiens CED-6 protein (CED-6) mRNA, complete cds.//8.80E-300//1359bp/99%/AF191771
- 10 C-PLACE1010599//Homo sapiens Pex14 mRNA for peroxisomal membrane anchor protein, complete cds.//0/1904bp/99%/AB017546
- C-PLACE1010622//TROPONIN T, CARDIAC MUSCLE ISOFORMS (TNTC).//0.0000016//120aa//28%/P02642
- C-PLACE1010628//Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds.//7.50E-08//324bp//64%/AF109907
- 15 C-PLACE1010661//TESTIS-SPECIFIC PROTEIN PBS 13.//5.70E-75//423aa//39%/Q01755
- C-PLACE1010662//UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE PRECURSOR (EC 2.4.1.-) (DUGT).//1.80E-222//808aa//52%/Q09332
- C-PLACE1010702//ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6).//5.20E-151//427aa//55%/P28160
- C-PLACE1010720//Homo sapiens mRNA for chromosome-associated polypeptide-C, complete cds.//4.00E-299//1091bp/99%/AB019987
- 20 C-PLACE1010743//Homo sapiens myosin-IXb splice variant (Myo9b) mRNA, partial cds.//8.90E-91//668bp//82%/AF020267
- C-PLACE1010761//Homo sapiens mRNA for cisplatin resistance-associated overexpressed protein, complete cds.//0/1448bp/99%/AB034205
- C-PLACE1010771//M.musculus HCNGP mRNA.//7.40E-168//966bp//89%/X68061
- 25 C-PLACE1010811//Rattus norvegicus mRNA for protein encoded by bdeight gene, partial.//1.60E-217//858bp//87%/AJ010392
- C-PLACE1010833//CALTRACTIN(CENTRIN).//0.0000001//154aa//28%/P41209
- C-PLACE1010870//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//1.30E-143//407aa//58%/Q05481
- 30 C-PLACE1010896//NUF1 PROTEIN (SPINDLE POLY BODY SPACER PROTEIN SPC110).//1.50E-25//583aa//23%/P35580
- C-PLACE1010926//HYPOTHETICAL 72.2 KD PROTEIN C12C2.05C IN CHROMOSOME II.//7.60E-23//103aa//53%/Q09746
- C-PLACE1010942//Homo sapiens intersectin long isoform (ITSN) mRNA, complete cds.//0/1440bp/99%/AF114487
- 35 C-PLACE1010960//ACTIN-LIKE PROTEIN 13E.//5.30E-98//297aa//48%/P45890
- C-PLACE1011041//Homo sapiens mRNA for BAP2-alpha protein, complete cds.//0/1701bp//97%/AB015019
- C-PLACE1011046//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE BETA 1 (EC 3.1.4.11) (PLC-BETA-1) (PHOSPHOLIPASE C-BETA-1) (PLC-I) (PLC-154).//0/646aa//97%/P10894
- 40 C-PLACE1011056//HISTONE H1, GONADAL.//6.80E-13//154aa//37%/P02256
- C-PLACE1011109//ELONGATION FACTOR G, MITOCHONDRIAL PRECURSOR (MEFG).//1.50E-22//63aa//88%/Q07803
- C-PLACE1011114//PROBABLE ATP-DEPENDENT RNA HELICASE HAS1.//2.90E-71//190aa//44%/Q03532
- C-PLACE1011160//Homo sapiens HFB30 mRNA, complete cds.//0/1691bp//99%/AB022663
- 45 C-PLACE1011185//INSERTION ELEMENT IS1 PROTEIN INSB.//1.30E-89//167aa//100%/P03830
- C-PLACE1011219//PROBABLE OXIDOREDUCTASE (EC 1.-.-.-).//3.20E-12//212aa//29%/Q03326
- C-PLACE1011229//Homo sapiens ubiquitin-specific protease homolog (UPH) mRNA, complete cds.//2.30E-152//701bp//99%/AF153604
- 50 C-PLACE1011310//MYOSIN HEAVY CHAIN, GIZZARD SMOOTH MUSCLE.//3.50E-20//496aa//25%/P10587
- C-PLACE1011332//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//7.20E-151//697bp//99%/AF102265
- C-PLACE1011340//Homo sapiens IDN3-B mRNA, complete cds.//1.20E-74//380bp//97%/AB019602
- C-PLACE1011371//INTER-ALPHA-TRYPSIN INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN H2).//1.70E-78//383aa//39%/Q61703
- 55 C-PLACE1011399//Homo sapiens CGI-72 protein mRNA, complete cds.//3.20E-90//427bp//99%/AF151830
- C-PLACE1011433//TRANSCRIPTION FACTOR IIIA (FACTOR A) (TFIIIA).//3.00E-10//236aa//25%/P34695
- C-PLACE1011477//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//0/2040bp//99%/AF065482
- C-PLACE1011492//NON-GREEN PLASTID TRIOSE PHOSPHATE TRANSLOCATOR PRECURSOR (CTPT).//

4. 90E-11//147aa//32%//P52178
 C-PLACE1011576//Human Kruppel related zinc finger protein (HTF10) mRNA, complete cds.//0//1791bp//82%//L11672
- 5 C-PLACE1011586//Rattus norvegicus clone C53 CDK5 activator-binding protein mRNA, complete cds//74.10E-259//1538bp//87%//AF177476
 C-PLACE1011635//Homo sapiens heparan sulfate D-glucosaminyl 3-O-sulfotransferase-3B (3OST3B1) mRNA, complete cds.//0//1559bp//99%//AF105377
 C-PLACE1011664//CROOKED NECK PROTEIN.//1.60E-187//505aa//64%//P17886
- 10 C-PLACE1011858//Homo sapiens BAG-family molecular chaperone regulator-2 mRNA, complete cds.//1.30E-255//1179bp//99%//AF095192
 C-PLACE1011896//Mus musculus Wnt10a mRNA, complete cds.//2.60E-287//1820bp//85%//U61969
 C-PLACE1011922//MYOSIN HEAVY CHAIN, NONMUSCLE TYPE B (CELLULAR MYOSIN HEAVY CHAIN, TYPE B) (NMHC-B).//1.30E-15//409aa//27%//P35580
 C-PLACE1011923//Homo sapiens serum-inducible kinase mRNA, complete cds.//0//2782bp//99%//AF059617
- 15 C-PLACE101-2031//Homo sapiens sorting nexin 13 (SNX13) mRNA, partial cds.//0//1701bp//100%//AF121862
 C-PLACE2000014//HYPOTHETICAL HELICASE C28H8.3 IN CHROMOSOME III.//2.60E-42//104aa//49%//Q09475
 C-PLACE2000015//EPIDERMAL GROWTH FACTOR RECEPTOR SUBSTRATE SUBSTRATE 15 (PROTEIN EPS15) (AF-1P PROTEIN).//1.10E-116//364aa//45%//P42566
- 20 C-PLACE2000021//Homo sapiens TRF1-interacting ankyrin-related ADP-ribose polymerase mRNA, complete cds.//2.70E-107//981bp//74%//AF082556
 C-PLACE2000034//LAR PROTEIN PRECURSOR (LEUKOCYTE ANTIGEN RELATED) (EC 3.1.3.48).//2.20E-29//212aa//35%//P10586
 C-PLACE2000039//DYNEIN HEAVY CHAIN, CYTOSOLIC (DYHC) (MAP 1C).//6.10E-293//388aa//99%//P38650
- 25 C-PLACE2000062//Homo sapiens mRNA for type II membrane protein similar to HIV gp120-binding C-type lectin, complete cds, clone:HP01347.//6.30E-166//656bp//94%//AB015629
 C-PLACE2000072//Homo sapiens ZNF202 beta (ZNF202) mRNA, complete cds.//0//3174bp//99%//AF027219
 C-PLACE2000164//TIPD PROTEIN.//2.10E-59//481aa//33%//O15736
 C-PLACE2000216//SPECTRIN BETA CHAIN, BRAIN (SPECTRIN, NON-ERYTHROID BETA CHAIN) (FODRIN BETA CHAIN) (SPTBN1).//6.60E-115//226aa//99%//Q01082
- 30 C-PLACE2000246//RING CANAL PROTEIN (KELCH PROTEIN).//6.00E-57//239aa//34%//Q04652
 C-PLACE2000274//DYNEIN BETA CHAIN, CILIARY.//2.20E-167//880aa//37%//P23098
 C-PLACE2000341//Homo sapiens sodium-dependent multivitamin transporter (SMVT) mRNA, complete cds.//0//1554bp//99%//AF069307
- 35 C-PLACE2000371/TENSIN.//2.90E-78//561aa//37%//Q04205
 C-PLACE2000373//F-SPONDIN PRECURSOR.//8.60E-16//371aa//28%//P35446
 C-PLACE2000398//LAR PROTEIN PRECURSOR (LEUKOCYTE ANTIGEN RELATED) (EC 3.1.3.48).//6.30E-37//90aa//98%//P10586
- 40 C-PLACE2000399//T-CELL SURFACE GLYCOPROTEIN E2 PRECURSOR (E2 ANTIGEN) (CD99) (MIC2 PROTEIN) (12E7).//1.60E-14//180aa//39%//P14209
 C-PLACE2000404//PROBABLE LEUCYL-TRNA SYNTHETASE (EC 6.1.1.4) (LEUCINE--TRNA LIGASE) (LEURS).//9.90E-229//821aa//54%//Q09996
 C-PLACE2000411//Homo sapiens epsin 2b mRNA, complete cds.//3.80E-271//642bp//99%//AF062085
- 45 C-PLACE2000427//PROBABLE HELICASE MOT1.//1.20E-26//200aa//27%//P32333
 C-PLACE2000438//POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (EC 2.4.1.41) (PROTEIN-UDP ACETYL GALACTOSAMINYLTRANSFERASE) (UDP-GALNAC:POLYPEPTIDE, N-ACETYL GALACTOSAMINYLTRANSFERASE) (GALNAC-T1).//2.10E-86//348aa//41%//Q10472
 C-PLACE2000458//CADHERIN-RELATED TUMOR SUPPRESSOR PRECURSOR (FAT PROTEIN).//2.50E-25//165aa//40%//P33450
- 50 C-PLACE2000477//Homo sapiens putative secreted protein (ZS/G11) mRNA, complete cds.//6.70E-127//671bp//94%//AF072733
 C-PLACE3000009//DNA-DIRECTED RNA POLYMERASE II LARGEST SUBUNIT (EC 2.7.7.6) (RPB1)(FRAGMENT).//3.50E-30//400aa//30%//P11414
 C-PLACE3000020//Homo sapiens type III adenylyl cyclase (AC-III) mRNA, complete cds.//0//2253bp//99%//AF033861
- 55 C-PLACE3000059//Mus musculus mRNA for ubiquitin conjugating enzyme.//0//1979bp//90%//Y17267
 C-PLACE3000121//VESICULAR TRAFFIC CONTROL PROTEIN SEC157.1.90E-08//281aa//22%//P22224
 C-PLACE3000145//TENSIN.//1.00E-108//277aa//75%//Q04205

- C-PLACE3000147//Homo sapiens metalloproteinase with thrombospondin type 1 motifs ADAMTS1 (ADAMTS1) mRNA, complete cds.//0//2043bp//99%//AF170084
- C-PLACE3000169//ZINC FINGER PROTEIN 135.1//2.50E-90//358aa//47%//P52742
- 5 C-PLACE3000218//Homo sapiens putative protein O-mannosyltransferase (POMT2) mRNA, complete cds.//0//1862bp//98%//AF105020
- C-PLACE3000242//Human trophinin mRNA, complete cds.//0//2290bp//99%//U04811
- C-PLACE3000244//PROTEIN TSG24 (MEIOTIC CHECK POINT REGULATOR).//0//1435aa//92%//P53995
- C-PLACE3000254//Homo sapiens transcriptional activator SRCAP (SRCAP) mRNA, complete cds.//0//4583bp//83%//AF143946
- 10 C-PLACE3000339//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//9.60E-08//359aa//23%//P08640
- C-PLACE3000350//SERINE/THREONINE-PROTEIN KINASE SULU (EC 2.7.1.-).//1.00E-54//418aa//38%//P46549
- 15 C-PLACE3000416//Homo sapiens mRNA for actin binding protein ABP620, complete cds.//1.80E-141//565bp//98%//AB029290
- C-PLACE3000477//Homo sapiens phosphoprotein pp75 mRNA, partial cds.//0//3012bp//98%//AF153085
- C-PLACE4000009//MYOSIN HEAVY CHAIN, NONMUSCLE TYPE B (CELLULAR MYOSIN HEAVY CHAIN, TYPE B) (NMHC-B).//2.90E-54//626aa//29%//P35580
- 20 C-PLACE4000014//X-LINKED HEUCASE II (X-LINKED NUCLEAR PROTEIN) (XNP).//3.10E-111//348aa//41%//P46100
- C-PLACE4000052//Homo sapiens ATP cassette binding transporter 1 (ABC1) mRNA, complete cds.//0//4661bp//99%//AF165281
- C-PLACE4000063//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//1.70E-15//740aa//23%//P08640
- 25 C-PLACE4000100//Homo sapiens hydroxypyruvate reductase (GRHPR) gene, complete cds.//0//4199bp//97%//AF146689
- C-PLACE4000128//Mus musculus putative transcription factor mRNA, complete cds.//1.60E-86//190aapb//88%//AF091234
- C-PLACE4000156//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//1.40E-235//516aa//51%//Q05481
- 30 C-PLACE4000192//ZINC FINGER PROTEIN 142 (KIA0236) (HA4654).//7.00E-22//369aa//25%//P52746
- C-PLACE4000211//Homo sapiens BAZ2A mRNA for bromodomain adjacent to zinc finger domain 2A, complete cds.//0//5709bp//96%//AB032254
- 35 C-PLACE4000230//Mus musculus semaphorin VIa mRNA, complete cds.//0//2567bp//88%//AF030430
- C-PLACE4000259//H. sapiens gene for U5 snRNP-specific 200kD protein.//0//5143bp//90%//Z70200
- C-PLACE4000261//PEREGRIN (BR140 PROTEIN).//9.50E-10//128aa//34%//P55201
- C-PLACE4000269//Rattus norvegicus rexo70 mRNA, complete cds.//0//2034bp//89%//AF032667
- 40 C-PLACE4000326//NAM7 PROTEIN (NONSENSE-MEDIATED MRNA DECAY PROTEIN 1) (UP-FRAMESHIFT SUPPRESSOR 1).//8.10E-24//319aa//31%//P30771
- C-PLACE4000369//Homo sapiens thyroid hormone receptor-associated protein complex component TRAP240 mRNA, complete cds.//1.40E-185//1135bp//67%//AF117754
- C-PLACE4000401//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- AC-TIVATING ENZYME).//7.20E-22//54aa//62%//Q01576
- 45 C-PLACE4000431//H. sapiens gene for U5 snRNP-specific 200kD protein.//0//5142bp//90%//Z70200
- C-PLACE4000450//Homo sapiens BAZ2A mRNA for bromodomain adjacent to zinc finger domain 2A, complete cds.//0//5709bp//96%//AB032254
- 50 C-PLACE4000489//PROTEIN GRAINY-HEAD (DNA-BINDING PROTEIN ELF-1) (ELEMENT I-BINDING ACTIVITY) (TRANSCRIPTION FACTOR NTF-1).//7.50E-60//254aa//44%//P13002
- C-PLACE4000522//NEUROGENIC LOCUS NOTCH PROTEIN HOMOLOG PRECURSOR (XOTCH PROTEIN).//2.40E-191//828aa//48%//P21783
- 55 C-PLACE4000548//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA-GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//8.70E-13//784aa//21%//P08640
- C-PLACE4000558//PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE FAF (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE FAF) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE FAF) (DEUBIQUITINATING ENZYME FAF) (FAT FACETS PROTEIN).//1.50E-26//252aa//35%//P55824
- C-PLACE4000581//FIBROPELIN I PRECURSOR (EPIDERMAL GROWTH FACTOR-RELATED PROTEIN 1) (UEGF-1).//9.30E-70//228aa//52%//P10079
- C-PLACE4000650//TUBERIN (TUBEROUS SCLEROSIS 2 HOMOLOG PROTEIN).//7.90E-17//201aa//34%//

P49816

C-PLACE4000654//Mus musculus mRNA for ubiquitin conjugating enzyme.//0//6340bp//87%//Y17267

C-SKNMC1000011//PUTATIVE IMPORTIN BETA-4 SUBUNIT (KARYOPHERIN BETA-4 SUBUNIT).//5.50E-35//431aa//29%//O60100

5 C-SKNMC1000013//Homo sapiens ATP-binding cassette protein M-ABC1 mRNA, nuclear gene encoding mitochondrial protein, complete cds.//0//2384bp//99%//AF047690

C-SKNMC1000046//Homo sapiens liprin-alpha3 mRNA, partial cds.//1.90E-162//748bp//99%//AF034800

C-SKNMC1000050//CALPAIN 2, LARGE [CATALYTIC] SUBUNIT (EC 3.4.22.17) (CALCIUM-ACTIVATED NEUTRAL PROTEINASE) (CANP) (M-TYPE).//3.20E-41//87aa//98%//P17655

10 C-SKNMC1000091//Homo sapiens mRNA for leucine-zipper protein, complete cds.//6.10E-190//872bp//99%//AB021663

C-THYRO1000034//TRICHOHYALIN.//9.40E-10//176aa//30%//P37709

C-THYRO1000072//MYOSIN UGHT CHAIN KINASE, SMOOTH MUSCLE AND NON-MUSCLE ISOZYMES (EC 2.7.1.117) (MLCK) [CONTAINS: TELOKIN].//3.40E-16//201aa//29%//P11799

15 C-THYRO1000085//PAIRED BOX PROTEIN PAX-8, ISOFORMS 8A/8B.//2.00E-72//155aa//92%//Q06710

C-THYRO1000121//Rattus norvegicus CTD-binding SR-like protein rA8 mRNA, complete cds.//0//1737bp//87%//U49055

C-THYRO1000132//Homo sapiens echinoderm microtubule-associated protein homolog HuEMAP mRNA, complete cds.//1.10E-159//824bp//95%//U97018

20 C-THYRO1000173//Homo sapiens AP-mu chain family member muLB (HSMU1B) mRNA, complete cds.//0//1713bp//99%//AF020797

C-THYRO1000197//Homo sapiens mRNA for poly(A)-specific ribonuclease.//0//2362bp//99%//AJ005698

C-THYRO1000242//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//5.00E-118//239aa//66%//P51523

25 C-THYRO1000288//Homo sapiens mRNA for Hs Ste24p, complete cds.//0//2161bp//99%//AB016068

C-THY-RO1000327//Homo sapiens autocrine motility factor receptor (AMFR) mRNA, complete cds.//0//1567bp//99%//AF124145

C-THYRO1000343//ATROPHIN-1 (DENTATORUBRAL-PALUDOLUYSIAN ATROPHY PROTEIN).//4.90E-06//280aa//31%//P54259

30 C-THYRO1000358//SELENIUM-BINDING LIVER PROTEIN.//2.30E-229//237aa//79%//P17563

C-THYRO1000394//Homo sapiens peroxisomal membrane protein PMP 24 mRNA, complete cds.//1.20E-299//1325bp//99%//AF072864

C-THYRO1000395//Homo sapiens actin-binding protein (IPP) mRNA, complete cds.//0//2092bp//99%//AF156857

C-THYRO1000401//Human TcD37 homolog (HTcD37) mRNA, partial cds.//1.10E-90//430bp//99%//U67085

35 C-THYRO1000488//Homo sapiens HFB30 mRNA, complete cds.//0//2254bp//100%//AB022663

C-THYRO1000501//52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A))(RO(SS-A)).//4.20E-98//408aa//42%//P19474

C-THYRO1000569//Mus musculus hematopoietic zinc finger protein mRNA, complete cds.//0//1557bp//91%//AF118566

40 C-THYRO1000585//Homo sapiens protein associated with Myc mRNA, complete cds.//0//1901bp//99%//AF075587

C-THYRO1000605//Homo sapiens histone acetyltransferase (HBOa) mRNA, complete cds.//0//3080bp//99%//AF140360

45 C-THYRO1000662//Homo sapiens XPV mRNA for DNA polymerase eta, complete cds.//0//2341 bp//99%//AB024313

C-THYRO1000666//Mus musculus mRNA for kinesin like protein 9.//0//2001bp//86%//AJ132889

C-THYRO1000684//Homo sapiens BAG-family molecular chaperone regulator-5 mRNA, complete cds.//0//3347bp//99%//AF095195

50 C-THYRO1000743//RHO-GAP HEMATOPOIETIC PROTEIN C1 (P115) (KIAA0131).//3.30E-96//335aa//52%//P98171

C-THYRO1000758//ALPHA-N-ACETYL GALACTOSAMINIDE ALPHA-2-6-SIALYLTRANSFERASE (EC 2.4.99.-) (ST6GALNACIII)(STY).//1.80E-55//243aa//42%//Q64686

C-THYRO1000783//Xenopus laevis tail-specific thyroid hormone up-regulated (gene 5) mRNA, complete cds.//2.40E-157//1656bp//70%//U37373

55 C-THYRO1000852//Human branched-chain amino acid aminotransferase (ECA40) mRNA, complete cds.//1.40E-137//689bp//96%//U62739

C-THYRO1000926//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds.//0//2387bp//99%//AF079529

- C-THYRO1000934//PYRROLINE-5-CARBOXYLATE REDUCTASE (EC 1.5.1.2) (P5CR) (P5C REDUCTASE).//7.50E-57//315aa//43%//P32322
- C-THYRO1000951//DIHYDROXYACETONE KINASE 2 (EC 2.7.1.29) (GLYCERONE KINASE).//5.00E-83//566aa//37%//P43550
- 5 C-THYRO1000983//UBIQUITIN-CONJUGATING ENZYME E2-17 KD 9 (EC 6.3.2.19) (UBIQUITIN-PROTEIN LIGASE 9) (UBIQUITIN CARRIER PROTEIN 9) (UBCAT4B).//6.30E-17//143aa//39%//P35132
- C-THYRO1001003//UBIQUITIN-CONJUGATING ENZYME E2-21.2 KD (EC 6.3.2.19) (UBIQUITIN-PROTEIN UGASE) (UBIQUITIN CARRIER PROTEIN).//5.90E-14//84aa//41%//P52491
- 10 C-THYRO1001033//TRANSFORMATION-SENSITIVE PROTEIN IEF SSP 3521.//8.40E-12//167aa//29%//P31948
- C-THYRO1001100//ZINC FINGER X-UNKEK PROTEIN ZXDA (FRAGMENT).//1.20E-67//245aa//62%//P98168
- C-THYRO1001120//Homo sapiens dextx (Dx) mRNA, complete cds.//1.30E-110//1947bp//65%//AF053700
- C-THYRO1001134//Homo sapiens CGI-78 protein mRNA, complete cds.//0//1898bp//99%//AF151835
- C-THYRO1001189//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//1.10E-200//546aa//62%//Q05481
- 15 C-THYRO1001204//Homo sapiens cathepsin Z precursor (CTS2) gene, exons 4, 5, and 6 and complete cds; and TH1 gene partial sequence.//3.80E-100//478bp//99%//AF136276
- C-THYRO1001287//MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE (EC 3.2.1.113) (MAN(9)-ALPHA-MANNOSIDASE) (FRAGMENT).//3.40E-51//429aa//33%//P45701
- C-THYRO1001313//Homo sapiens sorting nexin 11 (SNX11) mRNA, complete cds.//0//2330bp//94%//AF121861
- 20 C-THYRO1001347//Homo sapiens RAN binding protein 16 mRNA, complete cds.//2.00E-263//3101bp//68%//AF064729
- C-THYRO1001374//CYTOSOLIC ACYL COENZYME A THIOESTER HYDROLASE (EC 3.1.2.2) (LONG CHAIN ACYL-COA THIOESTER HYDROLASE) (CTE-II).//1.80E-13//361aa//22%//O00154
- C-THYRO1001405//PLECTIN.//6.90E-19//450aa//27%//P30427
- 25 C-THYRO1001406//PUTATIVE STEROID DEHYDROGENASE KIK-I (EC 1.1.1.-).//1.10E-131//219aa//81%//O70503
- C-THYRO1001458//MYOSIN HEAVY CHAIN, NONMUSCLE TYPE B (CELLULAR MYOSIN HEAVY CHAIN, TYPE B) (NMMHC-B).//2.70E-17//559aa//59%//P35580
- C-THYRO1001617//Homo sapiens cDNA for dihydroxyacetone phosphate acyltransferase (DAP-AT).//0//1784bp//99%//AJ002190
- 30 C-THYRO1001656//Homo sapiens Leman coiled-coil protein (LCCP) mRNA, complete cds.//4.10E-273//1947bp//82%//AF175968
- C-THYRO1001671//Homo sapiens mRNA for 2'-5' oligoadenylate synthetase 59 kDa isoform.//0//1820bp//99%//AJ225089
- 35 C-THYRO1001703//NIFR3-LIKEPROTEIN.//2.90E-32//282aa//32%//P45672
- C-THYRO1001721//RING CANAL PROTEIN (KELCH PROTEIN).//9.30E-34//220aa//38%//Q04652
- C-THYRO1001738//TUBULIN-TYROSINE LIGASE (EC 6.3.2.25) (TTL).//2.40E-20//217aa//30%//P38584
- C-THYRO1001809//MYOCYTE NUCLEAR FACTOR (MNF).//1.40E-74//158aa//89%//P42128
- 40 C-Y79AA10000113//Mus musculus RING finger protein A07 mRNA, complete cds.//8.90E-205//1435bp//81%//AF171060
- C-Y79AA1000033//Homo sapiens CARD4 mRNA, complete cds.//0//2929bp//96%//AF126484
- C-Y79AA1000037//DNA-BINDING PROTEIN BMI-1.//2.40E-30//80aa//60%//P25916
- C-Y79AA1000059//Homo sapiens aryl-hydrocarbon interacting protein-like 1 (AIP1) gene, complete cds.//0//980bp//96%//AF180472
- 45 C-Y79AA1000181//Homo sapiens CGI-01 protein mRNA, complete cds.//0//1858bp//99%//AF132936
- C-Y79AA1000214//Homo sapiens histone H2A.FZ variant (H2AV) mRNA, complete cds.//7.10E-71//345bp//100%//AF081192
- C-Y79AA1000231//Homo sapiens nucleolar protein NOP5/NOP58 mRNA, complete cds.//0//1515bp//99%//AF123534
- 50 C-Y79AA1000268//Mus musculus Nip21 mRNA, complete cds.//2.10E-50//648bp//64%//AF035207
- C-Y79AA1000313//CALPHOTIN.//0.000011//336aa//23%//Q02910
- C-Y79AA1000328//SEL-10 PROTEIN.//0.000000067//219aa//25%//Q93794
- C-Y79AA1000342//Homo sapiens Ciz1 mRNA, complete cds.//0//2644bp//81%//AB030835
- 55 C-Y79AA1000346//Homo sapiens nonclathrin coat protein gamma2-COP mRNA, complete cds.//0//2520bp//99%//AF157833
- C-Y79AA1000349//M.musculus Spnr mRNA for RNA binding protein.//0//2048bp//93%//X84692
- C-Y79AA1000368//REDUCED VIABILITY UPON STARVATION PROTEIN 161.//4.00E-20//261aa//27%//P25343
- C-Y79AA1000469//Mus musculus ancient ubiquitous 46 kDa protein AUP1 precursor (Aup1) mRNA, complete

- cds.//8.30E-252//1207bp//85%//U41736
 C-Y79AA1000540//CELL POLARITY PROTEIN TEA1.//2.10E-12//211aa//33%//P87061
 C-Y79AA1000560//ALPHA-ADAPTIN C (CLATHRIN ASSEMBLY PROTEIN COMPLEX 2 ALPHA-C LARGE CHAIN) (100 KD COATED VESICLE PROTEIN C) (PLASMA MEMBRANE ADAPTOR HA2/AP2 ADAPTIN ALPHA C SUBUNIT)7//0//652aa//98%//P17427
 C-Y79AA1000589//32.3 KD PROTEIN IN CWP1-MBR1 INTERGENIC REGION.//2.40E-27//216aa//34%//P28320
 C-Y79AA1000627//Homo sapiens zinc finger protein (ZF5128) mRNA, complete cds.//2.00E-287//2031bp//82%//AF080503
 C-Y79AA1000705//M.musculus mRNA of enhancer-trap-locus 1.//5.80E-254//1477bp//84%//X69942
 C-Y79AA1000734//Homo sapiens peroxisomal biogenesis factor (PEX11b) mRNA, complete cds.//0//1594bp//99%//AF093670
 C-Y79AA1000748//Rattus norvegicus clone C42 CDK5 activator-binding protein mRNA, complete cds.//6.60E-286//1832bp//84%//AF177477
 C-Y79AA1000752//PUTATIVE HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN X (HNRNP X) (CBP).//4.90E-91//200aa//64%//Q61990
 C-Y79AA1000782//CYTOSOLIC PURINE 5'-NUCLEOTIDASE (EC 3.1.3.5).//3.00E-37//469aa//27%//P49902
 C-Y79AA1000784//Homo sapiens RanBP7/importin 7 mRNA, complete cds.//1.10E-236//1076bp//99%//AF098799
 C-Y79AA1000794//Homo sapiens actin-associated protein 2E4/kaptn (2E4) mRNA, 2E4-1 allele, complete cds.//0//1610bp//99%//AF105369
 C-Y79AA1000800//Homo sapiens putative secreted protein (ZS1G11) mRNA, complete cds.//1.60E-284//1288bp//99%//AF072733
 C-Y79AA1000833//TUBULIN ALPHA-1 CHAIN.//5.00E-173//220aa//79%//P05209
 C-Y79AA1000962//MYOSIN HEAVY CHAIN, NON-MUSCLE (ZIPPER PROTEIN) (MYOSIN II)7/4.20E-17//430aa//27%//Q99323
 C-Y79AA1000966//Homo sapiens COP9 complex subunit 4 mRNA, complete cds.//0//1586bp//99%//AF100757
 C-Y79AA1000968//Rattus norvegicus initiation factor eIF-2B gamma subunit (eIF-2B gamma) mRNA, complete cds.//3.90E-248//1468bp//87%//U38253
 C-Y79AA1000985//Human centrosomal protein kendrin mRNA, complete cds.//4.70E-151//985bp//87%//U52962
 C-Y79AA1001048//ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC PRECURSOR (EC 1.3.99.-) (VLCAD).//3.10E-138//583aa//47%//P45953
 C-Y79AA1001211//Homo sapiens origin recognition complex subunit 6 (ORC6) mRNA, complete cds.//0//1435bp//99%//AF139658
 C-Y79AA1001233//ESTRADIOL 17 BETA-DEHYDROGENASE 1 (EC 1.1.1.62) (17-BETA-HSD 1) (17-BETA-HYDROXYSTEROID DEHYDROGENASE 1).//7.70E-50//228aa//42%//P51657
 C-Y79AA1001236//Homo sapiens cell division protein mRNA, complete cds.//0//1612bp//99%//AF063015
 C-Y79AA1001299//Homo sapiens mRNA for integrase interactor 1b protein (INI1B).//0//996bp//99%//AJ011738
 C-Y79AA1001312//ZINC FINGER PROTEIN MLZ-4 (ZINC FINGER PROTEIN 46).//0.000000023//193aa//30%//Q03309
 C-Y79AA1001323//Mus musculus mRNA for GSG1, complete cds.//3.30E-172//1171bp//83%//D87325
 C-Y79AA1001384//Homo sapiens very large G-protein coupled receptor-1 (VLGR1) mRNA, complete cds.//0//4708bp//99%//AF055084
 C-Y79AA1001391//HOMEBOX PROTEIN HOX-A13 (HOX-1J).//1.20E-58//178aa//66%//P31271
 C-Y79AA1001394//CELL DIVISION PROTEIN FTSH HOMOLOG (EC 3.4.24.-).//1.20E-13//230aa//32%//O83746
 C-Y79AA1001402//Homo sapiens paraneoplastic cancer-testis-brain antigen (MA4) mRNA, partial cds.//8.50E-65//784bp//62%//AF083115
 C-Y79AA1001493//UBIQUITIN-CONJUGATING ENZYME E2-17 KD 9 (EC 6.3.2.19) (UBIQUITIN-PROTEIN LIGASE 9) (UBIQUITIN CARRIER PROTEIN 9) (UBCAT4B).//3.80E-18//151aa//38%//P35132
 C-Y79AA1001533//Mouse mRNA for RNA polymerase I associated factor (PAF53), complete cds.//4.50E-193//1333bp//80%//D14336
 C-Y79AA1001548//PHOSPHATIDYLINOSITOL 4-KINASE ALPHA (EC 2.7.1.67) (PI4-KINASE) (PTDINS-4-KINASE) (PI4K-ALPHA).//7.50E-76//85aa//90%//P42356
 C-Y79AA1001581//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE-COA LIGASE) (ACYL-AC-TIVATING ENZYME).//1.90E-40//482aa//27%//P27550
 C-Y79AA1001594//HYALURONAN-MEDIATED MOTILITY RECEPTOR (HYALURONIC ACID RECEPTOR).//2.50E-14//410aa//24%//Q00547
 C-Y79AA1001603//POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (EC 2.4.1.41) (PROTEIN-UDP ACETYL GALACTOSAMINYLTRANSFERASE) (UDP-GALNAC:POLYPEPTIDE, N- ACETYL GALACTOS-

AMINYLTRANSFERASE) (GALNAC-T1) //1.70E-84//313aa//48%//Q07537
 C-Y79AA1001613//ZINC FINGER PROTEIN 132 //3.80E-91//209aa//41%//P52740
 C-Y79AA1001679//Homo sapiens lambda-crystallin mRNA, complete cds //3.4e-310//1430bp//98%//AF077049
 C-Y79AA1001692//Mus musculus strain C57BL/J germ cell-less protein (Gc1) mRNA, complete cds //1.140E-78//
 227aa//40%//Q01820
 C-Y79AA1001705//Homo sapiens p53 regulated PA26-T2 nuclear protein (PA26) mRNA, complete cds //3.40E-
 47//626bp//68%//AF033120
 C-Y79AA1001711//Human 80-kdal ribonucleoprotein (Ro) mRNA, complete cds //1.20E-258//1185bp//99%//
 J04137
 C-Y79AA1001827//Homo sapiens mammalian inositol hexakisphosphate kinase 2 (IP6K2) mRNA, complete cds //
 0//1689bp//98%//AF177145
 C-Y79AA1001866//Homo sapiens zinc finger protein ZNF180 (ZNF180) mRNA, complete cds //0//2927bp//97%//
 AF192913
 C-Y79AA1001874//OX40L RECEPTOR PRECURSOR (ACT35 ANTIGEN) (TAX-TRANSCRIPTIONALLY ACTI-
 15 VATED GLYCOPROTEIN 1 RECEPTOR) (CD134 ANTIGEN) //4.50E-08//135aa//31%//P43489
 C-Y79AA1001875//RAS-RELATED PROTEIN RAB-7 //9.40E-12//134aa//97%//P51149
 C-Y79AA1001923//Homo sapiens F-box protein Fbx22 (FBX22) gene, partial cds //1.70E-52//279bp//97%//
 AF174602
 C-Y79AA1001963//PUTATIVE PRE-MRNA SPLICING FACTOR ATP-DEPENDENT RNA HELICASE
 20 SPAC10F6.02C //1.00E-10//94aa//47%//O42643
 C-Y79AA1002027//UBIQUITIN-CONJUGATING ENZYME E2-18 KD (EC 6.3.2.19) (UBIQUITIN- PROTEIN
 LIGASE) (UBIQUITIN CARRIER PROTEIN) (PM42) //9.90E-39//143aa//52%//P42743
 C-Y79AA1002083//H.sapiens mRNA for MUF1 protein //5.00E-163//752bp//99%//X86018
 C-Y79AA1002103//ZINC FINGER PROTEIN ZFP-36 (FRAGMENT) //3.00E-257//549aa//76%//P16415
 25 C-Y79AA1002139//DNAJ PROTEIN HOMOLOG 1 (DROJ1) //9.00E-17//120aa//45%//Q24133
 C-Y79AA1002204//COMPLEXIN 2 (SYNAPHIN 1) (921-L) //7.50E-09//131aa//35%//Q13329
 C-Y79AA1002208//ANKYRIN //8.10E-34//188aa//38%//Q02357
 C-Y79AA1002209//TYROSYL-TRNA SYNTHETASE (EC 6.1.1.1) (TYROSINE--TRNA LIGASE) (TYRRS) //1.60E-
 72//437aa//39%//P00952
 30 C-Y79AA1002210//TUMOR NECROSIS FACTOR, ALPHA-INDUCED PROTEIN 1, ENDOTHELIAL (B12 PRO-
 TEIN) //0.0000018//140aa//25%//Q13829
 C-Y79AA1002211//PHOSPHATIDYLETHANOLAMINE-BINDING PROTEIN HOMOLOG F40A3.3 //1.70E-17//
 146aa//35%//O16264
 C-Y79AA1002229//DNA CROSS-LINK REPAIR PROTEIN PSO2/SNM1 //7.10E-17//213aa//31%//P30620
 35 C-Y79AA1002246//SYNAPTOTAGMIN V //1.60E-28//286aa//32%//O00445
 C-Y79AA1002258//Homo sapiens mRNA for HIP1R, complete cds //0//2106bp//99%//AB013384
 C-Y79AA1002307//Homo sapiens astrotactin2 (ASTN2) mRNA, complete cds //0//1209bp//99%//AF116574
 C-Y79AA1002311//R.norvegicus mRNA for cytosolic resiniferatoxin-binding protein //2.90E-186//1130bp//82%//
 X67877
 40 C-Y79AA1002361//Rattus norvegicus mRNA for protein phosphatase 1 (GL-subunit) //6.90E-140//966bp//82%//
 Y18208
 C-Y79AA1002399//Homo sapiens mRNA for sperm protein //0//1163bp//95%//X91879
 C-Y79AA1002416//Mus musculus CTP synthetase homolog (CTPsH) mRNA, complete cds //3.9e-317//1902bp//
 86%//U49385
 45 C-Y79AA1002431//TRANSDUCIN-LIKE ENHANCER PROTEIN 2 (ESG2) //9.80E-62//318aa//35%//Q04725
 C-Y79AA1002433//Homo sapiens chromatin- specific transcription elongation factor FACT 140 kDa subunit mR-
 NA, complete cds //0//1545bp//96%//AF152961
 C-Y79AA1002472//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7) //1.50E-136//472aa//
 49%//Q05481
 50 C-Y79AA1002482//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7) //2.70E-137//340aa//
 51%//Q05481
 C-Y79AA1002487//Homo sapiens chromosome 5 F-box protein Fbx4 (FBX4) mRNA, complete cds //7.3e-311//
 1444bp//98%//AF129534

Claims

1. Use of an oligonucleotide as a primer for synthesizing the polynucleotide comprising the nucleotide sequence set

forth in any one of SEQ ID NOs: 1-5547 and SEQ ID NOs: 16111-16164, or the complementary strand thereof, wherein said oligonucleotide is complementary to said polynucleotide or the complementary strand thereof and comprises at least 15 nucleotides.

2. A primer set for synthesizing polynucleotides, the primer set comprising an oligo-dT primer and an oligonucleotide complementary to the complementary strand of the polynucleotide comprising the nucleotide sequence set forth in any one of SEQ ID NOs: 1-5547 and SEQ ID NOs: 16111-16164, wherein said oligonucleotide comprises at least 15 nucleotides.
3. A primer set for synthesizing polynucleotides, the primer set comprising a combination of an oligonucleotide comprising a nucleotide sequence complementary to the complementary strand of the polynucleotide comprising a 5'-end nucleotide sequence and an oligonucleotide comprising a nucleotide sequence complementary to the polynucleotide comprising a 3'-end nucleotide sequence, wherein said oligonucleotides comprise at least 15 nucleotides and wherein said combination of 5'-end nucleotide sequence 3'-end nucleotide sequence is selected from the group consisting of:

SEQ ID NO: 1 / SEQ ID NO: 5548, SEQ ID NO: 4 / SEQ ID NO: 5549, SEQ ID NO: 5 / SEQ ID NO: 5550, SEQ ID NO: 6 / SEQ ID NO: 5551, SEQ ID NO: 7 / SEQ ID NO: 5552, SEQ ID NO: 8 / SEQ ID NO: 5553, SEQ ID NO: 9 / SEQ ID NO: 5554, SEQ ID NO: 10 / SEQ ID NO: 5555, SEQ ID NO: 11 / SEQ ID NO: 5556, SEQ ID NO: 12 / SEQ ID NO: 5557, SEQ ID NO: 13 / SEQ ID NO: 5558, SEQ ID NO: 14 / SEQ ID NO: 5559, SEQ ID NO: 15 / SEQ ID NO: 5560, SEQ ID NO: 16 / SEQ ID NO: 5561, SEQ ID NO: 17 / SEQ ID NO: 5562, SEQ ID NO: 18 / SEQ ID NO: 5563, SEQ ID NO: 19 / SEQ ID NO: 5564, SEQ ID NO: 20 / SEQ ID NO: 5565, SEQ ID NO: 21 / SEQ ID NO: 5566, SEQ ID NO: 22 / SEQ ID NO: 5567, SEQ ID NO: 23 / SEQ ID NO: 5568, SEQ ID NO: 24 / SEQ ID NO: 5569, SEQ ID NO: 25 / SEQ ID NO: 5570, SEQ ID NO: 26 / SEQ ID NO: 5571, SEQ ID NO: 27 / SEQ ID NO: 5572, SEQ ID NO: 28 / SEQ ID NO: 5573, SEQ ID NO: 29 / SEQ ID NO: 5574, SEQ ID NO: 30 / SEQ ID NO: 5575, SEQ ID NO: 31 / SEQ ID NO: 5576, SEQ ID NO: 32 / SEQ ID NO: 5577, SEQ ID NO: 33 / SEQ ID NO: 5578, SEQ ID NO: 34 / SEQ ID NO: 5579, SEQ ID NO: 35 / SEQ ID NO: 5580, SEQ ID NO: 37 / SEQ ID NO: 5581, SEQ ID NO: 38 / SEQ ID NO: 5582, SEQ ID NO: 39 / SEQ ID NO: 5583, SEQ ID NO: 40 / SEQ ID NO: 5584, SEQ ID NO: 42 / SEQ ID NO: 5585, SEQ ID NO: 43 / SEQ ID NO: 5586, SEQ ID NO: 44 / SEQ ID NO: 5587, SEQ ID NO: 45 / SEQ ID NO: 5588, SEQ ID NO: 46 / SEQ ID NO: 5589, SEQ ID NO: 47 / SEQ ID NO: 5590, SEQ ID NO: 48 / SEQ ID NO: 5591, SEQ ID NO: 49 / SEQ ID NO: 5592, SEQ ID NO: 50 / SEQ ID NO: 5593, SEQ ID NO: 51 / SEQ ID NO: 5594, SEQ ID NO: 52 / SEQ ID NO: 5595, SEQ ID NO: 53 / SEQ ID NO: 5596, SEQ ID NO: 54 / SEQ ID NO: 5597, SEQ ID NO: 55 / SEQ ID NO: 5598, SEQ ID NO: 56 / SEQ ID NO: 5599, SEQ ID NO: 57 / SEQ ID NO: 5600, SEQ ID NO: 58 / SEQ ID NO: 5601, SEQ ID NO: 59 / SEQ ID NO: 5602, SEQ ID NO: 60 / SEQ ID NO: 5603, SEQ ID NO: 61 / SEQ ID NO: 5604, SEQ ID NO: 62 / SEQ ID NO: 5605, SEQ ID NO: 63 / SEQ ID NO: 5606, SEQ ID NO: 65 / SEQ ID NO: 5607, SEQ ID NO: 66 / SEQ ID NO: 5608, SEQ ID NO: 67 / SEQ ID NO: 5609, SEQ ID NO: 68 / SEQ ID NO: 5610, SEQ ID NO: 69 / SEQ ID NO: 5611, SEQ ID NO: 70 / SEQ ID NO: 5612, SEQ ID NO: 71 / SEQ ID NO: 5613, SEQ ID NO: 72 / SEQ ID NO: 5614, SEQ ID NO: 74 / SEQ ID NO: 5615, SEQ ID NO: 76 / SEQ ID NO: 5616, SEQ ID NO: 77 / SEQ ID NO: 5617, SEQ ID NO: 78 / SEQ ID NO: 5618, SEQ ID NO: 79 / SEQ ID NO: 5619, SEQ ID NO: 80 / SEQ ID NO: 5620, SEQ ID NO: 81 / SEQ ID NO: 5621, SEQ ID NO: 82 / SEQ ID NO: 5622, SEQ ID NO: 83 / SEQ ID NO: 5623, SEQ ID NO: 84 / SEQ ID NO: 5624, SEQ ID NO: 85 / SEQ ID NO: 5625, SEQ ID NO: 86 / SEQ ID NO: 5626, SEQ ID NO: 87 / SEQ ID NO: 5627, SEQ ID NO: 88 / SEQ ID NO: 5628, SEQ ID NO: 89 / SEQ ID NO: 5629, SEQ ID NO: 90 / SEQ ID NO: 5630, SEQ ID NO: 91 / SEQ ID NO: 5631, SEQ ID NO: 92 / SEQ ID NO: 5632, SEQ ID NO:

5
10
15
20
25
30
35
40
45
50
55

5
10
15
20
25
30
35
40
45
50
55

[illegible]

5
10
15
20
25
30
35
40
45
50
55

5
10
15
20
25
30
35
40
45
50
55

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

5
10
15
20
25
30
35
40
45
50
55

5
10
15
20
25
30
35
40
45
50
55

[illegible]

5
10
15
20
25
30
35
40
45
50
55

[illegible]

10
15
20
25
30
35
40
45
50

[illegible]

Q

5
10
15
20
25
30
35
40
45
50
55

5
10
15
20
25
30
35
40
45
50
55

5
10
15
20
25
30
35
40
45
50
55

5
10
15
20
25
30
35
40
45
50
55

[illegible]

5
10
15
20
25
30
35
40
45
50
55

5
10
15
20
25
30
35
40
45
50
55

5
10
15
20
25
30
35
40
45
50
55

[illegible]

[illegible]

•

[illegible]

[illegible]

[illegible]

[illegible]

NO: 4965 / SEQ ID NO: 9925, SEQ ID NO: 4966 / SEQ ID NO: 9926, SEQ ID NO: 4967 /
 SEQ ID NO: 9927, SEQ ID NO: 4968 / SEQ ID NO: 9928, SEQ ID NO: 4969 / SEQ ID NO:
 9929, SEQ ID NO: 4970 / SEQ ID NO: 9930, SEQ ID NO: 4971 / SEQ ID NO: 9931, SEQ ID
 5 NO: 4972 / SEQ ID NO: 9932, SEQ ID NO: 4973 / SEQ ID NO: 9933, SEQ ID NO: 4974 /
 SEQ ID NO: 9934, SEQ ID NO: 4975 / SEQ ID NO: 9935, SEQ ID NO: 4976 / SEQ ID NO:
 9936, SEQ ID NO: 4977 / SEQ ID NO: 9937, SEQ ID NO: 4978 / SEQ ID NO: 9938, SEQ ID
 NO: 4979 / SEQ ID NO: 9939, SEQ ID NO: 4980 / SEQ ID NO: 9940, SEQ ID NO: 4981 /
 SEQ ID NO: 9941, SEQ ID NO: 4982 / SEQ ID NO: 9942, SEQ ID NO: 4983 / SEQ ID NO:
 10 9943, SEQ ID NO: 4984 / SEQ ID NO: 9944, SEQ ID NO: 4985 / SEQ ID NO: 9945, SEQ ID
 NO: 4986 / SEQ ID NO: 9946, SEQ ID NO: 4987 / SEQ ID NO: 9947,
 SEQ ID NO: 4988 / SEQ ID NO: 9948, SEQ ID NO: 4989 / SEQ ID NO: 9949, SEQ ID NO:
 4990 / SEQ ID NO: 9950, SEQ ID NO: 4991 / SEQ ID NO: 9951, SEQ ID NO: 4992 / SEQ ID
 NO: 9952, SEQ ID NO: 4993 / SEQ ID NO: 9953, SEQ ID NO: 4994 / SEQ ID NO: 9954, SEQ
 15 ID NO: 4995 / SEQ ID NO: 9955, SEQ ID NO: 4996 / SEQ ID NO: 9956, SEQ ID NO: 4997 /
 SEQ ID NO: 9957, SEQ ID NO: 4998 / SEQ ID NO: 9958, SEQ ID NO: 4999 / SEQ ID NO:
 9959, SEQ ID NO: 5000 / SEQ ID NO: 9960, SEQ ID NO: 5001 / SEQ ID NO: 9961, SEQ ID
 NO: 5002 / SEQ ID NO: 9962, SEQ ID NO: 5004 / SEQ ID NO: 9963, SEQ ID NO: 5005 /
 SEQ ID NO: 9964, SEQ ID NO: 5006 / SEQ ID NO: 9965, SEQ ID NO: 5007 / SEQ ID NO:
 20 9966, SEQ ID NO: 5008 / SEQ ID NO: 9967, SEQ ID NO: 5009 / SEQ ID NO: 9968, SEQ ID
 NO: 5010 / SEQ ID NO: 9969, SEQ ID NO: 5011 / SEQ ID NO: 9970, SEQ ID NO: 5012 /
 SEQ ID NO: 9971, SEQ ID NO: 5013 / SEQ ID NO: 9972, SEQ ID NO: 5014 / SEQ ID NO:
 9973, SEQ ID NO: 5016 / SEQ ID NO: 9974, SEQ ID NO: 5017 / SEQ ID NO: 9975, SEQ ID
 25 NO: 5018 / SEQ ID NO: 9976, SEQ ID NO: 5019 / SEQ ID NO: 9977, SEQ ID NO: 5020 / .
 SEQ ID NO: 9978, SEQ ID NO: 5021 / SEQ ID NO: 9979, SEQ ID NO: 5022 / SEQ ID NO:
 9980, SEQ ID NO: 5024 / SEQ ID NO: 9981, SEQ ID NO: 5025 / SEQ ID NO: 9982, SEQ ID
 NO: 5026 / SEQ ID NO: 9983, SEQ ID NO: 5027 / SEQ ID NO: 9984, SEQ ID NO: 5028 /
 SEQ ID NO: 9985, SEQ ID NO: 5029 / SEQ ID NO: 9986, SEQ ID NO: 5030 / SEQ ID NO:
 30 9987, SEQ ID NO: 5031 / SEQ ID NO: 9988, SEQ ID NO: 5032 / SEQ ID NO: 9989, SEQ ID
 NO: 5033 / SEQ ID NO: 9990, SEQ ID NO: 5035 / SEQ ID NO: 9991, SEQ ID NO: 5036 /
 SEQ ID NO: 9992, SEQ ID NO: 5037 / SEQ ID NO: 9993, SEQ ID NO: 5038 / SEQ ID NO:
 9994, SEQ ID NO: 5039 / SEQ ID NO: 9995, SEQ ID NO: 5040 / SEQ ID NO: 9996, SEQ ID
 NO: 5041 / SEQ ID NO: 9997, SEQ ID NO: 5042 / SEQ ID NO: 9998, SEQ ID NO: 5043 /
 35 SEQ ID NO: 9999, SEQ ID NO: 5044 / SEQ ID NO: 10000, SEQ ID NO: 5045 / SEQ ID NO:
 10001, SEQ ID NO: 5046 / SEQ ID NO: 10002, SEQ ID NO: 5047 / SEQ ID NO: 10003, SEQ
 ID NO: 5048 / SEQ ID NO: 10004, SEQ ID NO: 5049 / SEQ ID NO: 10005, SEQ ID NO: 5050
 / SEQ ID NO: 10006, SEQ ID NO: 5051 / SEQ ID NO: 10007, SEQ ID NO: 5052 / SEQ ID
 40 NO: 10008, SEQ ID NO: 5053 / SEQ ID NO: 10009, SEQ ID NO: 5054 / SEQ ID NO: 10010,
 SEQ ID NO: 5055 / SEQ ID NO: 10011, SEQ ID NO: 5056 / SEQ ID NO: 10012, SEQ ID NO:
 5057 / SEQ ID NO: 10013, SEQ ID NO: 5058 / SEQ ID NO: 10014, SEQ ID NO: 5059 / SEQ
 ID NO: 10015, SEQ ID NO: 5061 / SEQ ID NO: 10016, SEQ ID NO: 5062 / SEQ ID NO:
 10017, SEQ ID NO: 5064 / SEQ ID NO: 10018, SEQ ID NO: 5065 / SEQ ID NO: 10019, SEQ
 45 ID NO: 5066 / SEQ ID NO: 10020, SEQ ID NO: 5068 / SEQ ID NO: 10021, SEQ ID NO: 5069
 / SEQ ID NO: 10022, SEQ ID NO: 5070 / SEQ ID NO: 10023, SEQ ID NO: 5071 / SEQ ID
 NO: 10024, SEQ ID NO: 5072 / SEQ ID NO: 10025, SEQ ID NO: 5073 / SEQ ID NO: 10026,
 SEQ ID NO: 5074 / SEQ ID NO: 10027, SEQ ID NO: 5075 / SEQ ID NO: 10028, SEQ ID NO:
 5076 / SEQ ID NO: 10029, SEQ ID NO: 5077 / SEQ ID NO: 10030, SEQ ID NO: 5078 / SEQ
 50 ID NO: 10031, SEQ ID NO: 5079 / SEQ ID NO: 10032, SEQ ID NO: 5080 / SEQ ID NO:
 10033, SEQ ID NO: 5082 / SEQ ID NO: 10034, SEQ ID NO: 5083 / SEQ ID NO: 10035, SEQ
 ID NO: 5084 / SEQ ID NO: 10036, SEQ ID NO: 5085 / SEQ ID NO: 10037, SEQ ID NO: 5086
 / SEQ ID NO: 10038, SEQ ID NO: 5087 / SEQ ID NO: 10039, SEQ ID NO: 5088 / SEQ ID
 NO: 10040, SEQ ID NO: 5089 / SEQ ID NO: 10041, SEQ ID NO: 5090 / SEQ ID NO: 10042,
 55 SEQ ID NO: 5091 / SEQ ID NO: 10043, SEQ ID NO: 5092 / SEQ ID NO: 10044, SEQ ID NO:

50

[illegible]

[illegible]

[illegible]

NO: 16216, SEQ ID NO: 16163 / SEQ ID NO: 16217, and SEQ ID NO: 16164 / SEQ ID NO: 16218

4. A polynucleotide which can be synthesized with the primer set of claim 2 or 3.
5. A polynucleotide comprising a coding region in the polynucleotide of claim 4.
6. A substantially pure protein encoded by polynucleotide of claim 4.
7. A partial peptide of the protein of claim 6.
8. An isolated polynucleotide selected from the group consisting of
 - (a) a polynucleotide comprising a coding region of the nucleotide sequence set forth in any one of the following SEQ ID NOs:

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

SEQ ID NO: 14798, SEQ ID NO: 14800, SEQ ID NO: 14802, SEQ ID NO: 14804, SEQ ID
 NO: 14806, SEQ ID NO: 14808, SEQ ID NO: 14809, SEQ ID NO: 14811, SEQ ID NO: 14812,
 SEQ ID NO: 14814,
 5 SEQ ID NO: 14816, SEQ ID NO: 14818, SEQ ID NO: 14820, SEQ ID NO: 14822, SEQ ID
 NO: 14823, SEQ ID NO: 14824, SEQ ID NO: 14826, SEQ ID NO: 14828, SEQ ID NO: 14830,
 SEQ ID NO: 14831, SEQ ID NO: 14833, SEQ ID NO: 14835, SEQ ID NO: 14837, SEQ ID
 NO: 14839, SEQ ID NO: 14841, SEQ ID NO: 14843, SEQ ID NO: 14845, SEQ ID NO: 14847,
 SEQ ID NO: 14849, SEQ ID NO: 14850, SEQ ID NO: 14852, SEQ ID NO: 14854, SEQ ID
 10 NO: 14856, SEQ ID NO: 14858, SEQ ID NO: 14860, SEQ ID NO: 14862, SEQ ID NO: 14864,
 SEQ ID NO: 14865, SEQ ID NO: 14867, SEQ ID NO: 14869, SEQ ID NO: 14871, SEQ ID
 NO: 14872, SEQ ID NO: 14874, SEQ ID NO: 14876, SEQ ID NO: 14878, SEQ ID NO: 14880,
 SEQ ID NO: 14882, SEQ ID NO: 14884, SEQ ID NO: 14886, SEQ ID NO: 14888, SEQ ID
 NO: 14890, SEQ ID NO: 14892, SEQ ID NO: 14894, SEQ ID NO: 14896, SEQ ID NO: 14898,
 15 SEQ ID NO: 14900, SEQ ID NO: 14902, SEQ ID NO: 14904, SEQ ID NO: 14906, SEQ ID
 NO: 14908, SEQ ID NO: 14910, SEQ ID NO: 14912, SEQ ID NO: 14914, SEQ ID NO: 14916,
 SEQ ID NO: 14918, SEQ ID NO: 14919, SEQ ID NO: 14921, SEQ ID NO: 14923, SEQ ID
 NO: 14924, SEQ ID NO: 14925, SEQ ID NO: 14927, SEQ ID NO: 14929, SEQ ID NO: 14931,
 20 SEQ ID NO: 14933, SEQ ID NO: 14935, SEQ ID NO: 14937, SEQ ID NO: 14938, SEQ ID
 NO: 14940, SEQ ID NO: 14942, SEQ ID NO: 14944, SEQ ID NO: 14946, SEQ ID NO: 14948,
 SEQ ID NO: 14950, SEQ ID NO: 14952, SEQ ID NO: 14954, SEQ ID NO: 14956, SEQ ID
 NO: 14958, SEQ ID NO: 14960, SEQ ID NO: 14961, SEQ ID NO: 14963, SEQ ID NO: 14965,
 SEQ ID NO: 14967, SEQ ID NO: 14969, SEQ ID NO: 14971, SEQ ID NO: 14973, SEQ ID
 25 NO: 14975, SEQ ID NO: 14977, SEQ ID NO: 14979, SEQ ID NO: 14981, SEQ ID NO: 14982,
 SEQ ID NO: 14984, SEQ ID NO: 14986, SEQ ID NO: 14987, SEQ ID NO: 14988, SEQ ID
 NO: 14990, SEQ ID NO: 14992, SEQ ID NO: 14993, SEQ ID NO: 14994, SEQ ID NO: 14996,
 SEQ ID NO: 14998,
 30 SEQ ID NO: 15000, SEQ ID NO: 15002, SEQ ID NO: 15004, SEQ ID NO: 15005, SEQ ID
 NO: 15006, SEQ ID NO: 15007, SEQ ID NO: 15009, SEQ ID NO: 15011, SEQ ID NO: 15012,
 SEQ ID NO: 15013, SEQ ID NO: 15015, SEQ ID NO: 15017, SEQ ID NO: 15019, SEQ ID
 NO: 15021, SEQ ID NO: 15023, SEQ ID NO: 15025, SEQ ID NO: 15026, SEQ ID NO: 15028,
 SEQ ID NO: 15029, SEQ ID NO: 15031, SEQ ID NO: 15033, SEQ ID NO: 15035, SEQ ID
 35 NO: 15037, SEQ ID NO: 15039, SEQ ID NO: 15040, SEQ ID NO: 15042, SEQ ID NO: 15044,
 SEQ ID NO: 15046, SEQ ID NO: 15048, SEQ ID NO: 15050, SEQ ID NO: 15051, SEQ ID
 NO: 15053, SEQ ID NO: 15055, SEQ ID NO: 15057, SEQ ID NO: 15059, SEQ ID NO: 15060,
 SEQ ID NO: 15062, SEQ ID NO: 15064, SEQ ID NO: 15066, SEQ ID NO: 15067, SEQ ID
 NO: 15069, SEQ ID NO: 15071, SEQ ID NO: 15073, SEQ ID NO: 15075, SEQ ID NO: 15077,
 40 SEQ ID NO: 15078, SEQ ID NO: 15080, SEQ ID NO: 15082, SEQ ID NO: 15084, SEQ ID
 NO: 15086, SEQ ID NO: 15088, SEQ ID NO: 15090, SEQ ID NO: 15091, SEQ ID NO: 15093;
 SEQ ID NO: 15095, SEQ ID NO: 15096, SEQ ID NO: 15098, SEQ ID NO: 15099, SEQ ID
 NO: 15101, SEQ ID NO: 15103, SEQ ID NO: 15105, SEQ ID NO: 15107, SEQ ID NO: 15109,
 SEQ ID NO: 15111, SEQ ID NO: 15113, SEQ ID NO: 15115, SEQ ID NO: 15117, SEQ ID
 45 NO: 15119, SEQ ID NO: 15121, SEQ ID NO: 15123, SEQ ID NO: 15125, SEQ ID NO: 15127,
 SEQ ID NO: 15129, SEQ ID NO: 15130, SEQ ID NO: 15132, SEQ ID NO: 15134, SEQ ID
 NO: 15136, SEQ ID NO: 15138, SEQ ID NO: 15140, SEQ ID NO: 15142, SEQ ID NO: 15144,
 SEQ ID NO: 15146, SEQ ID NO: 15147, SEQ ID NO: 15148, SEQ ID NO: 15150, SEQ ID
 NO: 15152, SEQ ID NO: 15154, SEQ ID NO: 15155, SEQ ID NO: 15157, SEQ ID NO: 15159,
 50 SEQ ID NO: 15161, SEQ ID NO: 15163, SEQ ID NO: 15165, SEQ ID NO: 15167, SEQ ID
 NO: 15168, SEQ ID NO: 15169, SEQ ID NO: 15171, SEQ ID NO: 15173, SEQ ID NO: 15175,
 SEQ ID NO: 15177,
 SEQ ID NO: 15179, SEQ ID NO: 15181, SEQ ID NO: 15183, SEQ ID NO: 15185, SEQ ID
 NO: 15187, SEQ ID NO: 15189, SEQ ID NO: 15191, SEQ ID NO: 15192, SEQ ID NO: 15194,
 55 SEQ ID NO: 15196, SEQ ID NO: 15198, SEQ ID NO: 15200, SEQ ID NO: 15201, SEQ ID

[illegible]

[illegible]

10

1.5

20

25

30

35

40

45

50

55

[illegible]

[illegible]

[illegible]

55

[illegible]

[illegible]

SEQ ID NO: 18938, SEQ ID NO: 18940, SEQ ID NO: 18941, SEQ ID NO: 18943, SEQ ID
 NO: 18944, SEQ ID NO: 18946, SEQ ID NO: 18947, SEQ ID NO: 18949, SEQ ID NO: 18951,
 SEQ ID NO: 18953, SEQ ID NO: 18955, SEQ ID NO: 18956, SEQ ID NO: 18957, SEQ ID
 NO: 18958, SEQ ID NO: 18959, SEQ ID NO: 18960, SEQ ID NO: 18962, SEQ ID NO: 18964,
 SEQ ID NO: 18966, SEQ ID NO: 18968, SEQ ID NO: 18969, SEQ ID NO: 18970, SEQ ID
 NO: 18972, SEQ ID NO: 18973, SEQ ID NO: 18975, SEQ ID NO: 18976, SEQ ID NO: 18978,
 SEQ ID NO: 18980,
 SEQ ID NO: 18981, SEQ ID NO: 18982, SEQ ID NO: 18983, SEQ ID NO: 18984, SEQ ID
 NO: 18985, SEQ ID NO: 18986, SEQ ID NO: 18987, SEQ ID NO: 18988, SEQ ID NO: 18989,
 SEQ ID NO: 18990, SEQ ID NO: 18992, SEQ ID NO: 18993, SEQ ID NO: 18995, SEQ ID
 NO: 18997, SEQ ID NO: 18998, SEQ ID NO: 18999, SEQ ID NO: 19000, SEQ ID NO: 19001,
 SEQ ID NO: 19002, SEQ ID NO: 19004, SEQ ID NO: 19006
 SEQ ID NO: 19007, SEQ ID NO: 19009, SEQ ID NO: 19011, SEQ ID NO: 19012, SEQ ID
 NO: 19013, SEQ ID NO: 19014, SEQ ID NO: 19016, SEQ ID NO: 19018, SEQ ID NO: 19020,
 SEQ ID NO: 19022, SEQ ID NO: 19024, and SEQ ID NO: 19025

(b) a polynucleotide comprising a nucleotide sequence encoding a protein comprising the amino acid sequence
 set forth in any one of the following SEQ ID NOs:

SEQ ID NO:10469, SEQ ID NO:10474, SEQ ID NO:10476, SEQ ID NO:10478, SEQ ID
 NO:10480, SEQ ID NO:10482, SEQ ID NO:10484, SEQ ID NO:10486, SEQ ID NO:10490,
 SEQ ID NO:10492, SEQ ID NO:10494, SEQ ID NO:10499, SEQ ID NO:10501, SEQ ID
 NO:10506, SEQ ID NO:10509, SEQ ID NO:10513, SEQ ID NO:10515, SEQ ID NO:10518,
 SEQ ID NO:10520, SEQ ID NO:10522, SEQ ID NO:10525, SEQ ID NO:10527, SEQ ID
 NO:10531, SEQ ID NO:10533, SEQ ID NO:10536, SEQ ID NO:10538, SEQ ID NO:10541,
 SEQ ID NO:10544, SEQ ID NO:10547, SEQ ID NO:10549, SEQ ID NO:10552, SEQ ID
 NO:10554, SEQ ID NO:10559, SEQ ID NO:10561, SEQ ID NO:10563, SEQ ID NO:10565,
 SEQ ID NO:10568, SEQ ID NO:10570, SEQ ID NO:10572, SEQ ID NO:10575, SEQ ID
 NO:10577, SEQ ID NO:10579, SEQ ID NO:10581, SEQ ID NO:10583, SEQ ID NO:10585,
 SEQ ID NO:10587, SEQ ID NO:10589, SEQ ID NO:10591, SEQ ID NO:10593, SEQ ID
 NO:10595, SEQ ID NO:10598, SEQ ID NO:10600, SEQ ID NO:10602, SEQ ID NO:10605,
 SEQ ID NO:10608, SEQ ID NO:10610, SEQ ID NO:10612, SEQ ID NO:10617, SEQ ID
 NO:10621, SEQ ID NO:10623, SEQ ID NO:10626, SEQ ID NO:10628, SEQ ID NO:10631,
 SEQ ID NO:10634, SEQ ID NO:10636, SEQ ID NO:10638, SEQ ID NO:10640, SEQ ID
 NO:10643, SEQ ID NO:10645, SEQ ID NO:10651, SEQ ID NO:10653, SEQ ID NO:10657,
 SEQ ID NO:10660, SEQ ID NO:10662, SEQ ID NO:10664, SEQ ID NO:10666, SEQ ID
 NO:10668, SEQ ID NO:10672, SEQ ID NO:10675, SEQ ID NO:10677, SEQ ID NO:10679,
 SEQ ID NO:10681, SEQ ID NO:10684, SEQ ID NO:10686, SEQ ID NO:10688, SEQ ID
 NO:10690, SEQ ID NO:10692, SEQ ID NO:10694, SEQ ID NO:10697, SEQ ID NO:10699,
 SEQ ID NO:10701, SEQ ID NO:10703, SEQ ID NO:10705, SEQ ID NO:10707, SEQ ID
 NO:10709, SEQ ID NO:10712, SEQ ID NO:10714, SEQ ID NO:10716, SEQ ID NO:10719,
 SEQ ID NO:10721,
 SEQ ID NO:10724, SEQ ID NO:10726, SEQ ID NO:10729, SEQ ID NO:10731, SEQ ID
 NO:10733, SEQ ID NO:10735, SEQ ID NO:10737, SEQ ID NO:10739, SEQ ID NO:10741,
 SEQ ID NO:10743, SEQ ID NO:10745, SEQ ID NO:10747, SEQ ID NO:10749, SEQ ID
 NO:10751, SEQ ID NO:10755, SEQ ID NO:10759, SEQ ID NO:10762, SEQ ID NO:10764,
 SEQ ID NO:10766, SEQ ID NO:10768, SEQ ID NO:10770, SEQ ID NO:10772, SEQ ID
 NO:10775, SEQ ID NO:10777, SEQ ID NO:10779, SEQ ID NO:10782, SEQ ID NO:10784,
 SEQ ID NO:10787, SEQ ID NO:10789, SEQ ID NO:10791, SEQ ID NO:10794, SEQ ID
 NO:10796, SEQ ID NO:10798, SEQ ID NO:10801, SEQ ID NO:10803, SEQ ID NO:10806,
 SEQ ID NO:10809, SEQ ID NO:10811, SEQ ID NO:10813, SEQ ID NO:10816, SEQ ID
 NO:10819, SEQ ID NO:10821, SEQ ID NO:10823, SEQ ID NO:10825, SEQ ID NO:10827,
 SEQ ID NO:10829, SEQ ID NO:10833, SEQ ID NO:10835, SEQ ID NO:10837, SEQ ID
 NO:10839, SEQ ID NO:10843, SEQ ID NO:10846, SEQ ID NO:10848, SEQ ID NO:10851,

55

[illegible]

[illegible]

SEQ ID NO:12312, SEQ ID NO:12314, SEQ ID NO:12316, SEQ ID NO:12318, SEQ ID
 NO:12320, SEQ ID NO:12322, SEQ ID NO:12324, SEQ ID NO:12326, SEQ ID NO:12328,
 SEQ ID NO:12330, SEQ ID NO:12332, SEQ ID NO:12334, SEQ ID NO:12336, SEQ ID
 NO:12338, SEQ ID NO:12340, SEQ ID NO:12342, SEQ ID NO:12344, SEQ ID NO:12346,
 SEQ ID NO:12348, SEQ ID NO:12350, SEQ ID NO:12352, SEQ ID NO:12355, SEQ ID
 NO:12357, SEQ ID NO:12359, SEQ ID NO:12361, SEQ ID NO:12363, SEQ ID NO:12365,
 SEQ ID NO:12367, SEQ ID NO:12369, SEQ ID NO:12371, SEQ ID NO:12373, SEQ ID
 NO:12375, SEQ ID NO:12377, SEQ ID NO:12379, SEQ ID NO:12381, SEQ ID NO:12383,
 SEQ ID NO:12385, SEQ ID NO:12387, SEQ ID NO:12389, SEQ ID NO:12391, SEQ ID
 NO:12393, SEQ ID NO:12395, SEQ ID NO:12397, SEQ ID NO:12399, SEQ ID NO:12401,
 SEQ ID NO:12404, SEQ ID NO:12406, SEQ ID NO:12408, SEQ ID NO:12411, SEQ ID
 NO:12413, SEQ ID NO:12415, SEQ ID NO:12418, SEQ ID NO:12420, SEQ ID NO:12422,
 SEQ ID NO:12424, SEQ ID NO:12426, SEQ ID NO:12428, SEQ ID NO:12430, SEQ ID
 NO:12432, SEQ ID NO:12434, SEQ ID NO:12437, SEQ ID NO:12439, SEQ ID NO:12441,
 SEQ ID NO:12443, SEQ ID NO:12445, SEQ ID NO:12447, SEQ ID NO:12449, SEQ ID
 NO:12451, SEQ ID NO:12453, SEQ ID NO:12455, SEQ ID NO:12457, SEQ ID NO:12459,
 SEQ ID NO:12462,
 SEQ ID NO:12464, SEQ ID NO:12466, SEQ ID NO:12468, SEQ ID NO:12470, SEQ ID
 NO:12472, SEQ ID NO:12474, SEQ ID NO:12476, SEQ ID NO:12478, SEQ ID NO:12480,
 SEQ ID NO:12484, SEQ ID NO:12487, SEQ ID NO:12489, SEQ ID NO:12492, SEQ ID
 NO:12494, SEQ ID NO:12497, SEQ ID NO:12499, SEQ ID NO:12501, SEQ ID NO:12504,
 SEQ ID NO:12506, SEQ ID NO:12508, SEQ ID NO:12510, SEQ ID NO:12512, SEQ ID
 NO:12515, SEQ ID NO:12517, SEQ ID NO:12519, SEQ ID NO:12521, SEQ ID NO:12523,
 SEQ ID NO:12525, SEQ ID NO:12527, SEQ ID NO:12530, SEQ ID NO:12532, SEQ ID
 NO:12536, SEQ ID NO:12538, SEQ ID NO:12540, SEQ ID NO:12542, SEQ ID NO:12544,
 SEQ ID NO:12547, SEQ ID NO:12549, SEQ ID NO:12551, SEQ ID NO:12553, SEQ ID
 NO:12558, SEQ ID NO:12560, SEQ ID NO:12562, SEQ ID NO:12564, SEQ ID NO:12566,
 SEQ ID NO:12568, SEQ ID NO:12570, SEQ ID NO:12573, SEQ ID NO:12575, SEQ ID
 NO:12577, SEQ ID NO:12579, SEQ ID NO:12582, SEQ ID NO:12584, SEQ ID NO:12586,
 SEQ ID NO:12588, SEQ ID NO:12590, SEQ ID NO:12594, SEQ ID NO:12596, SEQ ID
 NO:12598, SEQ ID NO:12600, SEQ ID NO:12602, SEQ ID NO:12604, SEQ ID NO:12606,
 SEQ ID NO:12610, SEQ ID NO:12612, SEQ ID NO:12614, SEQ ID NO:12616, SEQ ID
 NO:12618, SEQ ID NO:12620, SEQ ID NO:12624, SEQ ID NO:12626, SEQ ID NO:12629,
 SEQ ID NO:12631, SEQ ID NO:12633, SEQ ID NO:12635, SEQ ID NO:12637, SEQ ID
 NO:12639, SEQ ID NO:12641, SEQ ID NO:12643, SEQ ID NO:12645, SEQ ID NO:12647,
 SEQ ID NO:12650, SEQ ID NO:12652, SEQ ID NO:12654, SEQ ID NO:12656, SEQ ID
 NO:12658, SEQ ID NO:12661, SEQ ID NO:12663, SEQ ID NO:12666, SEQ ID NO:12668,
 SEQ ID NO:12670, SEQ ID NO:12672, SEQ ID NO:12674, SEQ ID NO:12676, SEQ ID
 NO:12678, SEQ ID NO:12680, SEQ ID NO:12682, SEQ ID NO:12684, SEQ ID NO:12686,
 SEQ ID NO:12688,
 SEQ ID NO:12690, SEQ ID NO:12692, SEQ ID NO:12694, SEQ ID NO:12696, SEQ ID
 NO:12699, SEQ ID NO:12701, SEQ ID NO:12704, SEQ ID NO:12706, SEQ ID NO:12708,
 SEQ ID NO:12712, SEQ ID NO:12714, SEQ ID NO:12716, SEQ ID NO:12718, SEQ ID
 NO:12720, SEQ ID NO:12722, SEQ ID NO:12724, SEQ ID NO:12727, SEQ ID NO:12729,
 SEQ ID NO:12732, SEQ ID NO:12734, SEQ ID NO:12736, SEQ ID NO:12738, SEQ ID
 NO:12740, SEQ ID NO:12742, SEQ ID NO:12744, SEQ ID NO:12746, SEQ ID NO:12748,
 SEQ ID NO:12750, SEQ ID NO:12752, SEQ ID NO:12755, SEQ ID NO:12757, SEQ ID
 NO:12759, SEQ ID NO:12761, SEQ ID NO:12766, SEQ ID NO:12768, SEQ ID NO:12772,
 SEQ ID NO:12774, SEQ ID NO:12777, SEQ ID NO:12779, SEQ ID NO:12782, SEQ ID
 NO:12784, SEQ ID NO:12786, SEQ ID NO:12788, SEQ ID NO:12790, SEQ ID NO:12792,
 SEQ ID NO:12794, SEQ ID NO:12796, SEQ ID NO:12802, SEQ ID NO:12804, SEQ ID
 NO:12807, SEQ ID NO:12809, SEQ ID NO:12811, SEQ ID NO:12814, SEQ ID NO:12816,

[illegible]

[illegible]

[illegible]

[illegible]

NO:14972, SEQ ID NO:14974, SEQ ID NO:14976, SEQ ID NO:14978, SEQ ID NO:14980,
SEQ ID NO:14983,
5 SEQ ID NO:14985, SEQ ID NO:14989, SEQ ID NO:14991, SEQ ID NO:14995, SEQ ID
NO:14997, SEQ ID NO:14999, SEQ ID NO:15001, SEQ ID NO:15003, SEQ ID NO:15008,
SEQ ID NO:15010, SEQ ID NO:15014, SEQ ID NO:15016, SEQ ID NO:15018, SEQ ID
NO:15020, SEQ ID NO:15022, SEQ ID NO:15024, SEQ ID NO:15027, SEQ ID NO:15030,
SEQ ID NO:15032, SEQ ID NO:15034, SEQ ID NO:15036, SEQ ID NO:15038, SEQ ID
NO:15041, SEQ ID NO:15043, SEQ ID NO:15045, SEQ ID NO:15047, SEQ ID NO:15049,
10 SEQ ID NO:15052, SEQ ID NO:15054, SEQ ID NO:15056, SEQ ID NO:15058, SEQ ID
NO:15061, SEQ ID NO:15063, SEQ ID NO:15065, SEQ ID NO:15068, SEQ ID NO:15070,
SEQ ID NO:15072, SEQ ID NO:15074, SEQ ID NO:15076, SEQ ID NO:15079, SEQ ID
NO:15081, SEQ ID NO:15083, SEQ ID NO:15085, SEQ ID NO:15087, SEQ ID NO:15089,
15 SEQ ID NO:15092, SEQ ID NO:15094, SEQ ID NO:15097, SEQ ID NO:15100, SEQ ID
NO:15102, SEQ ID NO:15104, SEQ ID NO:15106, SEQ ID NO:15108, SEQ ID NO:15110,
SEQ ID NO:15112, SEQ ID NO:15114, SEQ ID NO:15116, SEQ ID NO:15118, SEQ ID
NO:15120, SEQ ID NO:15122, SEQ ID NO:15124, SEQ ID NO:15126, SEQ ID NO:15128,
SEQ ID NO:15131, SEQ ID NO:15133, SEQ ID NO:15135, SEQ ID NO:15137, SEQ ID
20 NO:15139, SEQ ID NO:15141, SEQ ID NO:15143, SEQ ID NO:15145, SEQ ID NO:15149,
SEQ ID NO:15151, SEQ ID NO:15153, SEQ ID NO:15156, SEQ ID NO:15158, SEQ ID
NO:15160, SEQ ID NO:15162, SEQ ID NO:15164, SEQ ID NO:15166, SEQ ID NO:15170,
SEQ ID NO:15172, SEQ ID NO:15174, SEQ ID NO:15176, SEQ ID NO:15178, SEQ ID
NO:15180, SEQ ID NO:15182, SEQ ID NO:15184, SEQ ID NO:15186, SEQ ID NO:15188,
25 SEQ ID NO:15190, SEQ ID NO:15193, SEQ ID NO:15195, SEQ ID NO:15197, SEQ ID
NO:15199, SEQ ID NO:15202, SEQ ID NO:15204, SEQ ID NO:15206, SEQ ID NO:15208,
SEQ ID NO:15210,
SEQ ID NO:15212, SEQ ID NO:15214, SEQ ID NO:15216, SEQ ID NO:15218, SEQ ID
30 NO:15221, SEQ ID NO:15223, SEQ ID NO:15225, SEQ ID NO:15227, SEQ ID NO:15229,
SEQ ID NO:15231, SEQ ID NO:15233, SEQ ID NO:15235, SEQ ID NO:15237, SEQ ID
NO:15239, SEQ ID NO:15241, SEQ ID NO:15243, SEQ ID NO:15245, SEQ ID NO:15247,
SEQ ID NO:15249, SEQ ID NO:15251, SEQ ID NO:15253, SEQ ID NO:15255, SEQ ID
NO:15257, SEQ ID NO:15260, SEQ ID NO:15262, SEQ ID NO:15264, SEQ ID NO:15266,
35 SEQ ID NO:15268, SEQ ID NO:15270, SEQ ID NO:15273, SEQ ID NO:15275, SEQ ID
NO:15277, SEQ ID NO:15279, SEQ ID NO:15281, SEQ ID NO:15284, SEQ ID NO:15286,
SEQ ID NO:15288, SEQ ID NO:15290, SEQ ID NO:15293, SEQ ID NO:15296, SEQ ID
NO:15299, SEQ ID NO:15303, SEQ ID NO:15306, SEQ ID NO:15308, SEQ ID NO:15310,
SEQ ID NO:15312, SEQ ID NO:15314, SEQ ID NO:15317, SEQ ID NO:15320, SEQ ID
40 NO:15322, SEQ ID NO:15324, SEQ ID NO:15326, SEQ ID NO:15328, SEQ ID NO:15330,
SEQ ID NO:15332, SEQ ID NO:15335, SEQ ID NO:15337, SEQ ID NO:15339, SEQ ID
NO:15341, SEQ ID NO:15343, SEQ ID NO:15345, SEQ ID NO:15347, SEQ ID NO:15349,
SEQ ID NO:15351, SEQ ID NO:15353, SEQ ID NO:15356, SEQ ID NO:15358, SEQ ID
NO:15360, SEQ ID NO:15362, SEQ ID NO:15365, SEQ ID NO:15367, SEQ ID NO:15369,
45 SEQ ID NO:15371, SEQ ID NO:15373, SEQ ID NO:15375, SEQ ID NO:15377, SEQ ID
NO:15379, SEQ ID NO:15381, SEQ ID NO:15383, SEQ ID NO:15385, SEQ ID NO:15387,
SEQ ID NO:15389, SEQ ID NO:15392, SEQ ID NO:15394, SEQ ID NO:15398, SEQ ID
NO:15400, SEQ ID NO:15402, SEQ ID NO:15405, SEQ ID NO:15408, SEQ ID NO:15410,
SEQ ID NO:15413, SEQ ID NO:15415, SEQ ID NO:15418, SEQ ID NO:15420, SEQ ID
50 NO:15422, SEQ ID NO:15424, SEQ ID NO:15426, SEQ ID NO:15428, SEQ ID NO:15430,
SEQ ID NO:15432,
SEQ ID NO:15434, SEQ ID NO:15437, SEQ ID NO:15440, SEQ ID NO:15444, SEQ ID
NO:15452, SEQ ID NO:15454, SEQ ID NO:15456, SEQ ID NO:15458, SEQ ID NO:15460,
SEQ ID NO:15462, SEQ ID NO:15464, SEQ ID NO:15466, SEQ ID NO:15468, SEQ ID
55 NO:15470, SEQ ID NO:15472, SEQ ID NO:15474, SEQ ID NO:15476, SEQ ID NO:15479,

SEQ ID NO:15943, SEQ ID NO:15945, SEQ ID NO:15947, SEQ ID NO:15949, SEQ ID NO:15951, SEQ ID NO:15953, SEQ ID NO:15955, SEQ ID NO:15957, SEQ ID NO:15959, SEQ ID NO:15961, SEQ ID NO:15963, SEQ ID NO:15965, SEQ ID NO:15967, SEQ ID NO:15969, SEQ ID NO:15971, SEQ ID NO:15973, SEQ ID NO:15975, SEQ ID NO:15977, SEQ ID NO:15979, SEQ ID NO:15981, SEQ ID NO:15983, SEQ ID NO:15985, SEQ ID NO:15987, SEQ ID NO:15989, SEQ ID NO:15991, SEQ ID NO:15994, SEQ ID NO:15996, SEQ ID NO:15998, SEQ ID NO:16000, SEQ ID NO:16002, SEQ ID NO:16004, SEQ ID NO:16006, SEQ ID NO:16008, SEQ ID NO:16010, SEQ ID NO:16012, SEQ ID NO:16014, SEQ ID NO:16016, SEQ ID NO:16018, SEQ ID NO:16020, SEQ ID NO:16022, SEQ ID NO:16024, SEQ ID NO:16026, SEQ ID NO:16028, SEQ ID NO:16030, SEQ ID NO:16032.

SEQ ID NO:16034, SEQ ID NO:16036, SEQ ID NO:16038, SEQ ID NO:16040, SEQ ID NO:16042, SEQ ID NO:16044, SEQ ID NO:16046, SEQ ID NO:16050, SEQ ID NO:16053, SEQ ID NO:16055, SEQ ID NO:16058, SEQ ID NO:16060, SEQ ID NO:16062, SEQ ID NO:16064, SEQ ID NO:16066, SEQ ID NO:16068, SEQ ID NO:16070, SEQ ID NO:16072, SEQ ID NO:16074, SEQ ID NO:16076, SEQ ID NO:16078, SEQ ID NO:16080, SEQ ID NO:16082, SEQ ID NO:16084, SEQ ID NO:16086, SEQ ID NO:16088, SEQ ID NO:16090, SEQ ID NO:16092, SEQ ID NO:16094, SEQ ID NO:16096, SEQ ID NO:16098, SEQ ID NO:16100, SEQ ID NO:16102, SEQ ID NO:16104, SEQ ID NO:16106, SEQ ID NO:16108, SEQ ID NO:16110, SEQ ID NO:16221, SEQ ID NO:16223, SEQ ID NO:16227, SEQ ID NO:16231, SEQ ID NO:16234, SEQ ID NO:16237, SEQ ID NO:16239, SEQ ID NO:16241, SEQ ID NO:16244, SEQ ID NO:16256, SEQ ID NO:16263, SEQ ID NO:16271, SEQ ID NO:16288, SEQ ID NO:16290, SEQ ID NO:16292, SEQ ID NO:16296, SEQ ID NO:16298, SEQ ID NO:16300, SEQ ID NO:16302, SEQ ID NO:16305, SEQ ID NO:16311, SEQ ID NO:16313, SEQ ID NO:16326, SEQ ID NO:16329, SEQ ID NO:16335, SEQ ID NO:16342, SEQ ID NO:16344, SEQ ID NO:16349, SEQ ID NO:16355, SEQ ID NO:16357, SEQ ID NO:16361, SEQ ID NO:16366, SEQ ID NO:16368, SEQ ID NO:16370, SEQ ID NO:16375, SEQ ID NO:16382, SEQ ID NO:16386, SEQ ID NO:16388, SEQ ID NO:16390, SEQ ID NO:16392, SEQ ID NO:16397, SEQ ID NO:16399, SEQ ID NO:16405, SEQ ID NO:16407, SEQ ID NO:16410, SEQ ID NO:16413, SEQ ID NO:16415, SEQ ID NO:16417, SEQ ID NO:16419, SEQ ID NO:16430, SEQ ID NO:16432, SEQ ID NO:16434, SEQ ID NO:16439, SEQ ID NO:16442, SEQ ID NO:16444, SEQ ID NO:16446, SEQ ID NO:16463, SEQ ID NO:16466, SEQ ID NO:16468, SEQ ID NO:16470, SEQ ID NO:16472, SEQ ID NO:16475, SEQ ID NO:16477, SEQ ID NO:16480, SEQ ID NO:16482, SEQ ID NO:16485, SEQ ID NO:16488, SEQ ID NO:16491, SEQ ID NO:16493, SEQ ID NO:16495, SEQ ID NO:16498, SEQ ID NO:16502, SEQ ID NO:16504, SEQ ID NO:16507, SEQ ID NO:16510, SEQ ID NO:16521, SEQ ID NO:16523, SEQ ID NO:16525, SEQ ID NO:16528, SEQ ID NO:16530, SEQ ID NO:16533, SEQ ID NO:16538, SEQ ID NO:16541, SEQ ID NO:16543, SEQ ID NO:16545, SEQ ID NO:16549, SEQ ID NO:16551, SEQ ID NO:16554, SEQ ID NO:16556, SEQ ID NO:16558, SEQ ID NO:16560, SEQ ID NO:16562, SEQ ID NO:16566, SEQ ID NO:16572, SEQ ID NO:16582, SEQ ID NO:16584, SEQ ID NO:16587, SEQ ID NO:16590, SEQ ID NO:16592, SEQ ID NO:16595, SEQ ID NO:16599, SEQ ID NO:16602, SEQ ID NO:16605, SEQ ID NO:16610, SEQ ID NO:16616, SEQ ID NO:16619, SEQ ID NO:16621, SEQ ID NO:16623, SEQ ID NO:16625, SEQ ID NO:16630, SEQ ID NO:16632, SEQ ID NO:16634, SEQ ID NO:16638, SEQ ID NO:16641, SEQ ID NO:16644, SEQ ID NO:16663, SEQ ID NO:16665, SEQ ID NO:16674, SEQ ID NO:16680, SEQ ID NO:16685, SEQ ID NO:16688, SEQ ID NO:16690, SEQ ID NO:16693, SEQ ID NO:16699, SEQ ID NO:16702, SEQ ID NO:16704, SEQ ID NO:16708, SEQ ID NO:16712, SEQ ID NO:16714, SEQ ID NO:16723, SEQ ID NO:16726, SEQ ID NO:16728, SEQ ID NO:16730, SEQ ID NO:16732, SEQ ID NO:16741, SEQ ID NO:16743, SEQ ID NO:16745, SEQ ID NO:16747, SEQ ID NO:16752, SEQ ID NO:16763, SEQ ID NO:16765, SEQ ID NO:16767, SEQ ID NO:16771, SEQ ID NO:16776, SEQ ID NO:16781, SEQ ID NO:16784, SEQ ID NO:16786, SEQ ID NO:16788, SEQ ID NO:16791, SEQ ID NO:16793, SEQ ID NO:16795, SEQ ID NO:16797, SEQ ID NO:16801, SEQ ID NO:16804, SEQ ID NO:16807, SEQ ID NO:16809, SEQ ID NO:16813, SEQ ID NO:16815, SEQ ID NO:16818, SEQ ID NO:16822, SEQ ID NO:16825, SEQ ID NO:16845, SEQ ID NO:16847, SEQ ID NO:16849, SEQ ID NO:16853, SEQ ID NO:16855, SEQ ID NO:16857, SEQ ID NO:16863, SEQ ID NO:16865, SEQ ID NO:16870, SEQ ID NO:16876, SEQ ID NO:16879, SEQ ID NO:16884, SEQ ID NO:16892, SEQ ID NO:16896, SEQ ID NO:16901, SEQ ID NO:16903, SEQ ID NO:16909, SEQ ID NO:16921, SEQ ID NO:16925, SEQ ID NO:16928, SEQ ID NO:16935, SEQ ID NO:16937, SEQ ID NO:16939, SEQ ID NO:16941, SEQ ID NO:16943, SEQ ID NO:16947, SEQ ID NO:16954, SEQ ID NO:16956, SEQ ID NO:16960,

[illegible]

NO:17536, SEQ ID NO:17538, SEQ ID NO:17540, SEQ ID NO:17542, SEQ ID NO:17544,
 SEQ ID NO:17546, SEQ ID NO:17548, SEQ ID NO:17550, SEQ ID NO:17552, SEQ ID
 NO:17554, SEQ ID NO:17556, SEQ ID NO:17558, SEQ ID NO:17560, SEQ ID NO:17562,
 SEQ ID NO:17564, SEQ ID NO:17566, SEQ ID NO:17568, SEQ ID NO:17570, SEQ ID
 NO:17573, SEQ ID NO:17575, SEQ ID NO:17577, SEQ ID NO:17580, SEQ ID NO:17582,
 SEQ ID NO:17584, SEQ ID NO:17587, SEQ ID NO:17590, SEQ ID NO:17592, SEQ ID
 NO:17595, SEQ ID NO:17597, SEQ ID NO:17599, SEQ ID NO:17601, SEQ ID NO:17603,
 SEQ ID NO:17605, SEQ ID NO:17607, SEQ ID NO:17609, SEQ ID NO:17611, SEQ ID
 NO:17613, SEQ ID NO:17615, SEQ ID NO:17617, SEQ ID NO:17619, SEQ ID NO:17621,
 SEQ ID NO:17623, SEQ ID NO:17625, SEQ ID NO:17627, SEQ ID NO:17629, SEQ ID
 NO:17631, SEQ ID NO:17633, SEQ ID NO:17635, SEQ ID NO:17637, SEQ ID NO:17639,
 SEQ ID NO:17641, SEQ ID NO:17643, SEQ ID NO:17645, SEQ ID NO:17647, SEQ ID
 NO:17651, SEQ ID NO:17653, SEQ ID NO:17655, SEQ ID NO:17658, SEQ ID NO:17661,
 SEQ ID NO:17664, SEQ ID NO:17667, SEQ ID NO:17669, SEQ ID NO:17671, SEQ ID
 NO:17673, SEQ ID NO:17675, SEQ ID NO:17677, SEQ ID NO:17679, SEQ ID NO:17684,
 SEQ ID NO:17686, SEQ ID NO:17688, SEQ ID NO:17690, SEQ ID NO:17692, SEQ ID
 NO:17694, SEQ ID NO:17696, SEQ ID NO:17698, SEQ ID NO:17700, SEQ ID NO:17702,
 SEQ ID NO:17704, SEQ ID NO:17707, SEQ ID NO:17709, SEQ ID NO:17711, SEQ ID
 NO:17713, SEQ ID NO:17715, SEQ ID NO:17719, SEQ ID NO:17725, SEQ ID NO:17727,
 SEQ ID NO:17731,
 SEQ ID NO:17734, SEQ ID NO:17736, SEQ ID NO:17738, SEQ ID NO:17741, SEQ ID
 NO:17743, SEQ ID NO:17745, SEQ ID NO:17749, SEQ ID NO:17752, SEQ ID NO:17755,
 SEQ ID NO:17757, SEQ ID NO:17760, SEQ ID NO:17766, SEQ ID NO:17772, SEQ ID
 NO:17775, SEQ ID NO:17777, SEQ ID NO:17779, SEQ ID NO:17782, SEQ ID NO:17784,
 SEQ ID NO:17786, SEQ ID NO:17788, SEQ ID NO:17791, SEQ ID NO:17793, SEQ ID
 NO:17796, SEQ ID NO:17798, SEQ ID NO:17800, SEQ ID NO:17804, SEQ ID NO:17808,
 SEQ ID NO:17810, SEQ ID NO:17812, SEQ ID NO:17814, SEQ ID NO:17816, SEQ ID
 NO:17819, SEQ ID NO:17821, SEQ ID NO:17823, SEQ ID NO:17825, SEQ ID NO:17827,
 SEQ ID NO:17829, SEQ ID NO:17833, SEQ ID NO:17835, SEQ ID NO:17838, SEQ ID
 NO:17840, SEQ ID NO:17842, SEQ ID NO:17844, SEQ ID NO:17846, SEQ ID NO:17854,
 SEQ ID NO:17857, SEQ ID NO:17862, SEQ ID NO:17864, SEQ ID NO:17866, SEQ ID
 NO:17868, SEQ ID NO:17873, SEQ ID NO:17879, SEQ ID NO:17882, SEQ ID NO:17884,
 SEQ ID NO:17887, SEQ ID NO:17889, SEQ ID NO:17891, SEQ ID NO:17893, SEQ ID
 NO:17897, SEQ ID NO:17899, SEQ ID NO:17901, SEQ ID NO:17905, SEQ ID NO:17908,
 SEQ ID NO:17910, SEQ ID NO:17913, SEQ ID NO:17915, SEQ ID NO:17921, SEQ ID
 NO:17923, SEQ ID NO:17927, SEQ ID NO:17930, SEQ ID NO:17933, SEQ ID NO:17935,
 SEQ ID NO:17937, SEQ ID NO:17939, SEQ ID NO:17944, SEQ ID NO:17948, SEQ ID
 NO:17950, SEQ ID NO:17953, SEQ ID NO:17955, SEQ ID NO:17957, SEQ ID NO:17960,
 SEQ ID NO:17963, SEQ ID NO:17968, SEQ ID NO:17970, SEQ ID NO:17972, SEQ ID
 NO:17975, SEQ ID NO:17977, SEQ ID NO:17983, SEQ ID NO:17988, SEQ ID NO:17992,
 SEQ ID NO:17994, SEQ ID NO:17996, SEQ ID NO:17998, SEQ ID NO:18002, SEQ ID
 NO:18007, SEQ ID NO:18009, SEQ ID NO:18011, SEQ ID NO:18014, SEQ ID NO:18018,
 SEQ ID NO:18020,
 SEQ ID NO:18023, SEQ ID NO:18025, SEQ ID NO:18027, SEQ ID NO:18029, SEQ ID
 NO:18031, SEQ ID NO:18033, SEQ ID NO:18035, SEQ ID NO:18037, SEQ ID NO:18039,
 SEQ ID NO:18041, SEQ ID NO:18047, SEQ ID NO:18049, SEQ ID NO:18051, SEQ ID
 NO:18053, SEQ ID NO:18055, SEQ ID NO:18057, SEQ ID NO:18060, SEQ ID NO:18062,
 SEQ ID NO:18064, SEQ ID NO:18067, SEQ ID NO:18069, SEQ ID NO:18073, SEQ ID
 NO:18075, SEQ ID NO:18077, SEQ ID NO:18079, SEQ ID NO:18081, SEQ ID NO:18083,
 SEQ ID NO:18085, SEQ ID NO:18087, SEQ ID NO:18089, SEQ ID NO:18091, SEQ ID
 NO:18093, SEQ ID NO:18097, SEQ ID NO:18100, SEQ ID NO:18102, SEQ ID NO:18106,
 SEQ ID NO:18108, SEQ ID NO:18111, SEQ ID NO:18113, SEQ ID NO:18115, SEQ ID

[illegible]

NO:18662, SEQ ID NO:18665, SEQ ID NO:18668, SEQ ID NO:18672, SEQ ID NO:18674,
 SEQ ID NO:18676, SEQ ID NO:18678, SEQ ID NO:18680, SEQ ID NO:18682, SEQ ID
 NO:18686, SEQ ID NO:18688, SEQ ID NO:18691, SEQ ID NO:18693, SEQ ID NO:18695,
 SEQ ID NO:18697, SEQ ID NO:18699, SEQ ID NO:18701, SEQ ID NO:18703, SEQ ID
 NO:18705, SEQ ID NO:18709, SEQ ID NO:18711, SEQ ID NO:18713, SEQ ID NO:18715,
 SEQ ID NO:18717, SEQ ID NO:18720, SEQ ID NO:18722, SEQ ID NO:18724, SEQ ID
 NO:18726, SEQ ID NO:18729, SEQ ID NO:18731, SEQ ID NO:18733, SEQ ID NO:18735,
 SEQ ID NO:18737, SEQ ID NO:18739, SEQ ID NO:18741, SEQ ID NO:18743, SEQ ID
 NO:18745, SEQ ID NO:18747, SEQ ID NO:18749, SEQ ID NO:18751, SEQ ID NO:18753,
 SEQ ID NO:18759, SEQ ID NO:18763, SEQ ID NO:18765, SEQ ID NO:18770, SEQ ID
 NO:18773, SEQ ID NO:18775, SEQ ID NO:18777, SEQ ID NO:18779, SEQ ID NO:18781,
 SEQ ID NO:18783, SEQ ID NO:18785, SEQ ID NO:18787, SEQ ID NO:18790, SEQ ID
 NO:18793, SEQ ID NO:18795, SEQ ID NO:18797, SEQ ID NO:18800, SEQ ID NO:18802,
 SEQ ID NO:18804, SEQ ID NO:18806, SEQ ID NO:18809, SEQ ID NO:18811, SEQ ID
 NO:18813, SEQ ID NO:18815, SEQ ID NO:18817, SEQ ID NO:18819, SEQ ID NO:18822,
 SEQ ID NO:18824, SEQ ID NO:18826, SEQ ID NO:18828, SEQ ID NO:18830, SEQ ID
 NO:18832, SEQ ID NO:18834, SEQ ID NO:18836, SEQ ID NO:18840, SEQ ID NO:18843,
 SEQ ID NO:18847, SEQ ID NO:18850, SEQ ID NO:18853, SEQ ID NO:18855, SEQ ID
 NO:18857, SEQ ID NO:18859, SEQ ID NO:18862, SEQ ID NO:18865, SEQ ID NO:18868,
 SEQ ID NO:18870,
 SEQ ID NO:18874, SEQ ID NO:18876, SEQ ID NO:18879, SEQ ID NO:18882, SEQ ID
 NO:18884, SEQ ID NO:18888, SEQ ID NO:18891, SEQ ID NO:18894, SEQ ID NO:18896,
 SEQ ID NO:18898, SEQ ID NO:18900, SEQ ID NO:18902, SEQ ID NO:18906, SEQ ID
 NO:18908, SEQ ID NO:18910, SEQ ID NO:18912, SEQ ID NO:18914, SEQ ID NO:18916,
 SEQ ID NO:18918, SEQ ID NO:18920, SEQ ID NO:18922, SEQ ID NO:18924, SEQ ID
 NO:18926, SEQ ID NO:18929, SEQ ID NO:18931, SEQ ID NO:18933, SEQ ID NO:18935,
 SEQ ID NO:18937, SEQ ID NO:18939, SEQ ID NO:18942, SEQ ID NO:18945, SEQ ID
 NO:18948, SEQ ID NO:18950, SEQ ID NO:18952, SEQ ID NO:18954, SEQ ID NO:18961,
 SEQ ID NO:18963, SEQ ID NO:18965, SEQ ID NO:18967, SEQ ID NO:18971, SEQ ID
 NO:18974, SEQ ID NO:18977, SEQ ID NO:18979,
 SEQ ID NO:18991, SEQ ID NO:18994, SEQ ID NO:18996, SEQ ID NO:19003, SEQ ID
 NO:19005
 SEQ ID NO:19008, SEQ ID NO:19010, SEQ ID NO:19015, SEQ ID NO:19017, SEQ ID
 NO:19019, SEQ ID NO:19021, and SEQ ID NO:19023

(c) a polynucleotide comprising a nucleotide sequence encoding a protein comprising an amino acid sequence
 selected from the amino acid sequences of (b), in which one or more amino acids are substituted, deleted,
 inserted, and/or added, wherein said protein is functionally equivalent to the protein comprising said amino
 acid sequence selected from the amino acid sequences of (b);

(d) a polynucleotide that hybridizes with a polynucleotide comprising a nucleotide sequence selected from the
 nucleotide sequences of (a), and that comprises a nucleotide sequence encoding a protein functionally equivalent
 to the protein encoded by the nucleotide sequence selected from the nucleotide sequences of (a);

(e) a polynucleotide comprising a nucleotide sequence encoding a partial amino acid sequence of a protein
 encoded by the polynucleotide of (a) to (d);

(f) a polynucleotide comprising a nucleotide sequence with at least 70% identity to the nucleotide sequence
 of (a).

9. A substantially pure protein encoded by the polynucleotide of claim 8.

10. An antibody against the protein or peptide of any one of claims 6, 7, and 9.

11. A vector comprising the polynucleotide of claim 5 or 8.
12. A transformant carrying the polynucleotide of claim 5 or 8, or the vector of claim 11.
13. A transformant expressively carrying the polynucleotide of claim 5 or 8, or the vector of claim 11.
14. A method for producing the protein or peptide of any one of claims 6, 7, and 9, comprising culturing the transformant of claim 13 and recovering the expression product.
15. An oligonucleotide comprising the nucleotide sequence of claim 8 (a) or the nucleotide sequence complementary to the complementary strand thereof, wherein said oligonucleotide comprises 15 nucleotides or more.
16. Use of the oligonucleotide of claim 15 as a primer for synthesizing a polynucleotide.
17. Use of the oligonucleotide of claim 15 as a probe for detecting a gene.
18. An antisense polynucleotide against the polynucleotide of claim 8, or the portion thereof.
19. A method for synthesizing a polynucleotide, the method comprising:
 - a) synthesizing a complementary strand using a cDNA library as a template, and using the primer set of claim 2 or 3, or the primer of claim 16; and
 - b) recovering the synthesized product.
20. The method of claim 19, wherein the cDNA library is obtainable by oligo-capping method.
21. The method of claim 19, wherein the complementary strand is obtainable by PCR.
22. A method for detecting the polynucleotide of claim 8, the method comprising:
 - a) incubating a target polynucleotide with the oligonucleotide of claim 15 under the conditions where hybridization occurs, and
 - b) detecting the hybridization of the target polynucleotide with the oligonucleotide of claim 15.
23. A database of polynucleotides and/or proteins, the database comprising information on at least one sequence selected from the nucleotide sequences of claim 8 (a) and/or the amino acid sequences of claim 8 (b), or a medium on which the database is stored.

Figure 1




Figure 2




Figure 3

